



DATE: Aug 02, 2023
QUOTE #:323535-01

WILLIAMSON COUNTY FLEET

Kell, Jeffrey
512.917.3277

3151 SE INNER LOOP
GEORGETOWN, TEXAS 78626

One (1) New Caterpillar Inc Model: CW34NN Paving and Compaction with all standard equipment in addition to the additional specifications listed below:

SALE PRICE	\$213,657.00
EXT WARRANTY	Included
TOTAL PRICE	\$213,657.00
<hr/>	
SUB TOTAL	\$213,657.00
TOTAL SOURCEWELL PURCHASE PRICE	\$213,657.00

WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine
Extended Warranty: 60 MO/5000 HR POWERTRAIN + HYDRAULICS + TECH

List Price	\$262,913.00
Sourcewell discount 19%	(\$49,953.00)
Adjusted Sales Price	\$212,960.00
Dealer Prep	\$1,500.00
Delivery to Wilco	\$850.00
Service and Maintenance manuals	\$1,800.00
Warranty Standard & Extended	\$2,660.00
Sales Price	\$219,770.00
Holt Cat discount to Wilco	(\$6,113.00)
Total Sourcewell Purchase Price	\$213,657.00

Sourcewell# 032119-CAT

NOTES

Includes Cocoa with Scraper, Mirrors, Canopy sun, Lights

Includes one year no charge field service

MACHINE SPECIFICATIONS

DESCRIPTION	REF.#
QP1/T4F/CNTRL-P/8 TI/	445-5711
ENGINE, CAT C4.4	587-1479
FRAME, STANDARD MACHINE	445-5707
BELT, ENG	355-1670
BASE, OPERATOR STATION	368-9296
SEAT, STD VINYL	364-6748
CONTROL, PREMIUM	457-1622
PRODUCT LINK, CELLULAR PL641	454-5454
INSTALLATION, ROPS	460-0782
TIRES, STD	359-7789
OIL, HYD, STANDARD	364-8437
INSTRUCTIONS, NORTH AMERICAN	364-6752
LIGHTS, HALOGEN	364-6757
LANGUAGES, OPTION 1	477-9990
MIRRORS, EXTERNAL	364-6763
ROPS	359-7792
CANOPY, SUN, ROPS	364-6759
COCOA MAT W/SCRAPER	388-7112
ROLL ON-ROLL OFF	0P-4507
LANE 3 ORDER	0P-9003

STANDARD EQUIPMENT**POWERTRAIN**

Cat C4.4 ACERT Engine
 Dual element cyclonic air cleaner
 Fuel filter / water separator
 Ultra clean fuel filter with integrated
 prime pump
 Fuel reducing, automotive style,
 variable speed engine control

Automatic idle shutdown
 Dual braking system (service & parking)
 Continuously variable hydrostatic
 transmission with seamless shifting
 3 Speed ranges
 Auto speed control (ASC) for lower noise
 and fuel consumption

ELECTRICAL

24-volt electric starting
 100 - amp alternator
 Two CAT Maintenance Free Batteries
 Rooding lights - turn signals and low
 beam forward facing lights
 Rear backup light and stop indication

lamps
 Halogen working lights - bumper mounted
 (2 front-facing and 2 rear-facing)
 Backup alarm and forward warning horn
 Product Link Ready

OPERATOR ENVIRONMENT

Side to side sliding and plus/minus 90 degree rotating operator station
Machine and operating functions are integrated into 4" LCD display
Fore/Aft adjustable suspension seat
Oversized RH arm rest

3" wide belt
Vandalism protection
Power assisted steering
Tilt able steering column
Rubber floor mat

FLUIDS

Premixed 50% concentration of Extended Life Coolant with freeze protection

to -37C (-35F)

OTHER STANDARD EQUIPMENT

Locking fiberglass engine enclosure
All wheel oscillation - front and rear
Front wheel vertical equalizing suspension
Single pump, triple filtration
pressurized water system
Dedicated system for each tire
Intermittent adjustable spray on/off

time
Water Capacity
Self adjusting, retractable, nylon tire
scrapering system
Manual brake release
Lockable fuel fill
Transport tie-down and lift points
High ambient capable (49 deg C)

