



SHEET 1 OF 5





FINAL PLAT FIREFLY POINTE PHASE 1

A SUBDIVISION OF 42.175 ACRES OF LAND LOCATED IN THE JOHN DYKES SURVEY, ABSTRACT NO. 186, WILLIAMSON COUNTY, TEXAS

LEGEND

BUILDING SETBACK LINE DRAINAGE EASEMENT B.S.L. D.E. DOC. DOCUMENT F.F.E. FINISHED FLOOR ELEVATION NO. O.P.R.W.C. OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY
O.R.W.C. OFFICIAL RECORDS OF WILLIAMSON COUNTY OPEN SPACE 0.S. PAGE PG. RIGHT-OF-WAY R.O.W. STORM SEWER EASEMENT VOLUME WATER LINE EASEMENT WASTEWATER LINE EASEMENT FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED) SET 1/2" IRON ROD W/ "BGE, INC." CAP FOUND TXDOT TYPE I MONUMENT CALCULATED POINT

PROPOSED SIDEWALK

SCALE BREAK SYMBOL

.

STREET NAMES						
STREET	R.O.W. WIDTH	CENTERLINE LENGTH	PAVEMENT WIDTH	CLASSIFICATION	DESIGN SPEED	
BRIGHT NIGHT LANE	50 FT.	351 FT.	33 FT.	LOCAL (PUBLIC)	25 MPH	
FIREFLY POINTE DRIVE	69 FT.	1,830 FT.	48 FT.	COLLECTOR (PUBLIC)	35 MPH	
GHOST STORIES WAY	50 FT.	755 FT.	33 FT.	LOCAL (PUBLIC)	25 MPH	
KITEFLYER LANE	50 FT.	49 FT.	33 FT.	LOCAL (PUBLIC)	25 MPH	
LITTLE SPARKLERS LOOP	50 FT.	1,411 FT.	33 FT.	LOCAL (PUBLIC)	25 MPH	
PAINTED NIGHT ROAD	50 FT.	755 FT.	33 FT.	LOCAL (PUBLIC)	25 MPH	
TWILIGHT BREEZE WAY	VARIES	1,187 FT.	33 FT.	LOCAL (PUBLIC)	25 MPH	
STREAKING STAR DRIVE	50 FT.	50 FT.	33 FT.	LOCAL (PUBLIC)	25 MPH	
TOTAL LINEAR FEET		6,388 FT.				



BGE, Inc. 101 West Louis Henna Blvd., Suite 400 Austin, Texas 78728 Tel: 512-879-0400 • www.bgeinc.com TBPELS Registration No. F-1046 TBPELS Licensed Surveying Firm No. 10106502

LOT	BLOCK	MINIMUM F.F.E.
2	w	690.05'
3	w	689.75
4	W	689.55
5	w	689.00'
6	w	688.40'
8	w	684.58'
9	w	684.31'
10	w	684.25'
11	w	684.25
12	w	684.25
13	w	684.25'
14	w	684.25'
15	w	684.25'
16	W	684.25
17	W	685.00'
31	w	683.95
32	w	683.95
33	W	682.96'
34	w	682.80'
35	w	682.47'
36	W	682.17'
39	W	680.30'
40	w	680.30'
41	w	680.30'
42	w	680.60'
43	w	680.50'
44	W	680.30'
45	w	680.30'
46	w	680.30'
47	w	680.72'
48	w	681.52'
49	w	682.13'
50	w	682.20'

FINISHED FLOOR ELEVATIONS

	Ά	CURVE DAT	:		
CHORD DISTANCE	CHORD BEARING	ARC DISTANCE	DELTA ANGLE	RADIUS	NUMBER
86.29	N 88*44'13" W	104.09'	119"17'01"	50.00'	C1
15.81	S 50°03'22" W	16.09	36*52'12"	25.00'	C2
26.93	N 35*54'30" E	28.43'	65°09'54"	25.00'	С3
26.93	S 78°55'35" E	28.43'	65°09'48"	25.00'	C4
316.08	N 86°44'49" E	321.50'	36*30'44"	504.50'	C5
272.80	N 86°44'35" E	277.46'	36*30'15"	435.50'	C6
26.93'	N 35°54'30" E	28.43'	65*09'55"	25.00'	C7
26.93	S 78°55'35" E	28.43'	65*09'55"	25.00'	C8
35.38	N 66°27'57" W	39.31	90°05'10"	25.00'	C9
35.36	S 23°29'28" W	39.27	90,00,00,	25.00'	C10
35.36	S 66°30'32" E	39.27	90'00'00"	25.00'	C11
3.18	N 72°07'57" E	3.18'	7"16'58"	25.00'	C12
3.18	S 72°07'57" W	3.18	7"16'58"	25.00'	C13
15.81	S 50°03'22" W	16.09	36 ° 52'12"	25.00'	C14
98.99	S 66*30'32" E	142.89	163*44'23"	50.00'	C15
15.81	N 3°04'26" W	16.09	36 ° 52'12"	25.00'	C16
35.36	N 66'30'32" W	39.27	90,00,00	25.00'	C17
15.81	S 50°03'22" W	16.09	36*52'12"	25.00'	C18
98.99	S 66°30'32" E	142.89	163*44'23"	50.00'	C19
15.81	N 3°04'26" W	16.09'	36 ° 52'12"	25.00'	C20
35.36	N 66'30'32" W	39.27	90,00,00	25.00'	C21
167.53	N 78*02'55" E	168.31	19*06'54"	504.50'	C22
33.64	S 4518'55" W	36.91	84*34'54"	25.00'	C23
74.37	S 914'39" E	74.94	24*32'13"	175.00'	C24
15.81	S 39°56'51" E	16.09'	36 ° 52'12"	25.00'	C25
98.99	N 23°29'15" E	142.89	163'44'23"	50.00'	C26
15.81	S 86°55'21" W	16.09	36*52'12"	25.00'	C27
15.81	S 50°03'16" W	16.09	36 ° 51'58"	25.00'	C28
98.99	S 66*30'32" E	142.89	163'44'22"	50.00'	C29
15.81	N 3*04'26" W	16.09	36*52'12"	25.00'	C30
3.92	S 65°24'55" W	3.93'	9*00'16"	25.00'	C31
35.36	N 23*29'28" E	39.27	90'00'00"	25.00'	C32

CURVE DATA									CURVE DAT	TA .	
NUMBER	RADIUS	DELTA ANGLE	ARC DISTANCE	CHORD BEARING	CHORD DISTANCE	NUMBER	RADIUS	DELTA ANGLE	ARC DISTANCE	CHORD BEARING	CHORD DISTANCE
C33	25.00'	90'00'00"	39.27	N 66'30'32" W	35.36'	C65	60.00'	27*03'50"	28.34'	S 19°00'56" E	28.08'
C34	25.00'	90,00,00	39.27	S 23°29'28" W	35.36'	C66	60.00'	39*44'48"	41.62'	S 52°25'16" E	40.79
C35	25.00'	90'00'00"	39.27	S 66°30'32" E	35.36'	C67	60.00'	3"11'10"	3.34'	S 73°53'15" E	3.34'
C36	25.00'	7"16'58"	3.18'	N 64*50'59" E	3.18'	C68	435.50'	22*45'12"	172.95	N 86*22'53" W	171.81
C37	25.00'	90°00'00"	39.27	S 66°30'32" E	35.36'	C69	435.50'	10°12'55"	77.65	S 77°08'03" W	77.54
C38	25.00'	90'00'00"	39.27	S 23°29'28" W	35.36'	C70	435.50'	3°32'08"	26.87	S 7015'32" W	26.87
C39	25.00'	90°00'00"	39.27	N 66°30'32" W	35.36'	C71	25.00'	1317'25"	5.80'	N 8*42'57" E	5.79
C40	25.00'	90'00'00"	39.27	N 23*29'28" E	35.36'	C72	25.00'	23*34'47"	10.29'	N 9°43'09" W	10.22
C41	25.00'	90°05'31"	39.31'	S 23*26'42" W	35.38'	C73	25.00'	3*38'02"	1.59'	N 73°57'24" E	1.59*
C42	25.00'	90*00'13"	39.27	S 66'30'39" E	35.36'	C74	25.00'	3*38'56"	1.59'	N 70°18'55" E	1.59'
C43	25.00'	90°00'00"	39.27	N 23*29'15" E	35.36'	C75	50.00'	36*52'12"	32.18'	S 3*04'26" E	31.62
C44	25.00'	53*58'05"	23.55'	N 48*29'47" W	22.69'	C76	50.00'	35*34'59"	31.05'	S 3918'02" E	30.56
C45	60.00	287*56'10"	301.53	S 68*29'15" W	70.59'	C77	50.00'	6510'43"	56.88'	S 89°40'53" E	53.86
C46	25.00'	53*58'05"	23.55	S 5*28'18" W	22.69'	C78	50.00'	26*06'29"	22.78'	N 44°40'30" E	22.59
C47	25.00'	90'00'00"	39.27	S 66'30'45" E	35.36'	C79	50.00	612'22"	5.42'	S 1215'28" W	5.41
C48	25.00'	90°00'00"	39.27	N 23*29'15" E	35.36'	C80	50.00'	53*37'06"	46.79	S 17*39'15" E	45.10
C49	225.00'	24*32'13"	96.36	S 914'39" E	95.62	C81	50.00'	36*28'20"	31.83	S 62*41'59" E	31.29
C50	25.00'	84*34'54"	36.91	N 3915'59" W	33.64'	C82	50.00'	53°36'45"	46.79	N 7215'29" E	45.10
C51	504.50'	6*33'08"	57.69	S 7816'52" E	57.66'	C83	50.00'	13°49'51"	12.07	N 38'32'11" E	12.04
C52	435.50'	36*30'15"	277.46	S 86°44'35" W	272.80'	C84	50.00	31°07'13"	27.16'	N 89*47'50" E	26.82
C53	25.00'	3*38'02"	1.59'	N 63°01'31" E	1.59'	C85	50.00'	44*10'47"	38.55	N 52*08'50" E	37.61
C54	25.00'	3*38'56"	1.59'	N 66*40'00" E	1.59'	C86	50.00	34*54'55"	30.47	N 12*35'59" E	30.00
C55	225.00'	4°17'35"	16.86	S 0.52,41" M	16.85'	C87	50.00'	44*41'22"	39.00'	N 2712'09" W	38.02
C56	225.00'	7*34'07"	29.72'	S 5*03'11" E	29.70'	C88	50.00'	8*50'06"	7.71	N 53°57'54" W	7.70
C57	225.00'	10°17'18"	40.40'	S 13'58'53" E	40.35'	C89	50.00'	48*24'27"	42.24	S 8*50'34" E	41.00
C58	225.00'	2°23′13″	9.37'	S 2019'09" E	9.37'	C90	50.00'	115*19'55"	100.65	N 89°17'15" E	84.49
C59	60.00'	311'10"	3.34'	N 30°51'45" E	3.34'	C91	175.00'	17*01'39"	52.01	S 5*29'22" E	51.82
C60	60.00'	39*44'48"	41.62'	N 9°23'46" E	40.79'	C92	175.00	7*30'34"	22.94'	S 17*45'28" E	22.92
C61	60.00'	34*06'33"	35.72'	N 27*31'55" W	35.19'	C93	504.50'	8"15'40"	72.74	N 83*28'32" E	72.68
C62	60.00'	93*20'27"	97.75	S 88*44'35" W	87.29'	C94	504.50'	10*51'14"	95.57	N 73*55'05" E	95.43
C63	60.00'	23°45'44"	24.88	S 3011'29" W	24.71						
C64	60.00	23*47'38"	24.92'	S 6°24'48" W	24.74'						

LINE DATA	4
BEARING	DISTANCE
S68*42'06"W	105.28'
N31°43'28"W	62.18'
N41*08'04"W	62.08'
N49*27'55"W	62.32'
N71°06'18"W	118.28
S86*49'46"W	90.84'
S82'31'38"W	41.23'
S68*29'28"W	105.44'
N21°30'32"W	69.00'
N68*29'28"E	85.00'
N68*29'28"E	54.62'
N68*29'28"E	68.14'
N68*29'28"E	54.62'
N68*29'28"E	93.41'
	BEARING S68'42'06"W N31'43'28"W N41'08'04"W N49'27'55"W N71'06'18"W S86'49'46"W S82'31'38"W S68'29'28"W N21'30'32"W N68'29'28"E N68'29'28"E N68'29'28"E N68'29'28"E

	LINE DATA	4
NUMBER	BEARING	DISTANCE
L15	N68*29'28"E	88.41
L16	N68'31'08"E	18.32'
L17	N75*46'26"E	71.76'
L18	N6112'30"E	71.76'
L19	N3*01'28"E	7.40'
L20	N3*01'28"E	7.40'
L21	N21*30'45"W	95.63'
L22	S68*29'28"W	68.14'
L23	N21*30'45"W	90.63'
L24	N68'29'28"E	85.00'
L25	S68*29'28"W	120.00'
L26	N68°29'28"E	120.00'
L27	S74*12'06"W	50.25

L	OT ARE	EA TABLE
LOT	BLOCK	SQUARE FEET
1	AA	5,926
2	AA	4,800
3	AA	4,800
4	AA	4,800
5	AA	5,400
6	AA	5,400
7	AA	5,400
8	AA	5,400
9	AA	6,466
10	AA	6,442
11	AA	5,381
12	AA	5,381
13	AA	5,381
14	AA	5,381
15	AA	4,783
16	AA	4,783
17	AA	4,783
18	AA	5,904

L	OT ARE	EA TABLE	LOT AREA TABLE				
LOT	BLOCK SQUARE FEET		LOT	BLOCK	SQUARE FEET		
2	w	5,400	28	w	5,400		
3	w	5,400	29	w	5,400		
4	w	5,400	30	w	5,400		
5	w	5,393	31	W	5,347		
6	w	4,882	32	·W	4,808		
8	w	5,400	33	w	4,808		
9	w	5,400	34	W	5,290		
10	w	5,400	35	w	5,400		
11	w	5,400	36	W	5,400		
12	w	5,400	37	w	5,400		
13	w	5,400	38	w	6,466		
14	w	5,400	39	w	5,400		
15	w	5,096	40	w	5,400		
16	w	9,219	.41	W.	5,022		
17	w	10,138	42	w	5,507		
18	w	5,743	43	w	5,759		
19	W	5,330	44	w	6,125		
20	w	5,400	45	w	6,212		
21	w	5,389	46	W	5,935		
22	w	6,865	47	W	5,775		
23	W	6,151	48	w	5,197		
24	w	4,800	49	W	5,197		
25	w	4,800	50	w	5,197		
26	w	4,800					
27	W	5,400					

	L	OT ARE	EA TABLE	L	OT ARE	EA TABLE	LOT AREA TABLE			
т	LOT	BLOCK	SQUARE FEET	LOT	BLOCK	SQUARE FEET		LOT	BLOCK	SQUARE F
٦	1	Х	7,118	20	Х	4,996		1	Υ	10,647
	2	X	5,400	21	X	6,267		2	Υ	4,833
	3	Х	5,400	22	х	8,804	$\ \ $	3	Υ	4,832
	4	X	5,400	23	x	3,014		4	Υ	4,831
	5	X	5,400	24	х	3,283	$\ \ $	5	Υ	4,830
	6	х	5,400	25	X	4,834		6	Υ	4,828
	7	Х	5,400	26	х	4,920		7	Υ	4,827
	8	х	5,400	27	х	4,200		8	Υ	4,826
	9	Х	5,400	28	х	4,200		9	Y	4,825
	10	Х	6,466	29	х	4,920	$\ \ $	10	Υ	4,824
	11	х	5,266	30	х	4,920		11	Υ	4,822
	12	Х	4,920	31	Х	5,266		12	Υ	4,821
	13	Х	4,920	32	X	5,866	\prod	13	Y	4,820
	14	X	4,200	33	Х	4,800		14	Υ	4,819
	15	X	4,200	34	Х	4,800		15	Y	6,771
	16	X	4,920	35	X	4,889]			
	17	X	4,833	36	X	7,036				
	18	х	3,282	37	х	10,400				
	19	Х	3,496				-			

LOT AREA TABLE			LOT AREA TABLE				LOT AREA TABLE				
LOT	BLOCK	SQUARE FEET	LOT	BLOCK	SQUARE FEET		LOT	BLOCK	SQUARE FEET		
1	Y	10,647	1	Z	5,866		17	Z	6,939		
2	Υ	4,833	2	Z	4,800		18	Z	5,400		
3	Y	4,832	3	Z	4,800		19	Z	5,400		
4	Y	4,831	4	Z	4,800		20	Z	5,400		
5	Y	4,830	5	Z	4,800		21	Z	5,400		
6	Y	4,828	6	Z	4,800		22	Z	4,800		
7	Υ	4,827	7	Z	4,800		23	Z	4,800		
8	Y	4,826	8	Z	4,800		24	Z	4,800		
9	Y	4,825	9	Z	4,800		25	Z	4,800		
10	Υ	4,824	10	Z	4,800		26	Z	4,800		
11	Υ	4,822	11	Z	5,400		27	Z	4,800		
12	Υ	4,821	12	Z	5,400		28	Z	4,800		
13	Υ	4,820	13	Z	5,400		29	Z	4,800		
14	Υ	4,819	14	Z	5,400		30	Z	4,800		
15	Υ	6,771	15	Z	5,400		31	Z	4,800		
			16	Z	7,126		32	Z	5,866		

FINAL PLAT FIREFLY POINTE PHASE 1

A SUBDIVISION OF 42.175 ACRES OF LAND LOCATED IN THE JOHN DYKES SURVEY, ABSTRACT NO. 186, WILLIAMSON COUNTY, TEXAS



BGE, Inc. 101 West Louis Henna Blvd., Suite 400 Austin, Texas 78728 Tel: 512-879-0400 • www.bgeinc.com TBPELS Registration No. F-1046 TBPELS Licensed Surveying Firm No. 10106502

METES & BOUNDS DESCRIPTION

FIELD NOTES FOR A 42.175 ACRE TRACT OF LAND IN THE JOHN DYES SURVEY, ABSTRACT NO. 186, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF A CALLED 199.464 ACRE TRACT OF LAND AS CONVEYED TO LTL PETERSON, LLC. BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2021059925, AND A PORTION OF A CALLED 26.981 ACRE TRACT OF LAND AS CONVEYED TO LTL PETERSON, LLC. BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2021103229, BOTH OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 42.175 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING at a 1/2-inch iron rod set with cap stamped "BGE INC" in the westerly right-of-way line of F.M. 1660 (variable width right-of-way) on the northeast line of the above described LTL PETERSON, LLC. 199.464—acre tract for the northeast corner and POINT OF BEGINNING of the herein described tract:

THENCE, with the northeast line of said LTL PETERSON, LLC. 199.464—acre tract and the westerly right—of—way line of said F.M. 1660, S 21°30′32″ E a distance of 1,046.30 feet to a 1/2—inch iron rod found at the southeast corner of said LTL PETERSON, LLC. 199.464—acre tract and the northeast corner of the above described LTL PETERSON, LLC. 26.981—acre tract for an angle point of the herein described tract;

THENCE, with the northeast line of said LTL PETERSON, LLC. 26.981—acre tract and the westerly right—of—way line of said F.M. 1660, S 21°06'38" E a distance of 426.00 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for the southeast corner of the herein described tract, from which bears a broken TxDOT Type 1 concrete monument on the northeast line of a called 181.663 acre tract of land as conveyed to WLH COMMUNITIES—TEXAS LLC by Special Warranted Deed recorded in Document Number 2019027650 of the Official Public Records of Williamson County, Texas:

THENCE, departing the westerly right-of-way line of said F.M. 1660, over and across said LTL PETERSON, LLC. 26.981-acre tract, S 68°42'06" W a distance of 290.00 feet to a 1/2-inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 26.981—acre tract S 62°36'55" W a distance of 150.90 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 26.981—acre tract S 68°42'06" W a distance of 105.28 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for the most southerly corner of the herein described tract;

THENCE, continuing over and across said LTL PETERSON, LLC. 26.981—acre tract, N 2117'54" W a distance of 372.51 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 26.981—acre tract, N 31°43'28" W a distance of 62.18 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, partially over and across said LTL PETERSON, LLC. 26.981—acre tract, and said LTL PETERSON, LLC. 199.464—acre tract, N 41°08'04" W a distance of 62.08 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract N 49°27'55" W a distance of 62.32 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract N $63^{\circ}02^{\circ}33^{\circ}$ W a distance of 428.70 feet to a 1/2—inch iron rod with cap stamped 'BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract N 71°06'18" W a distance of 118.28 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract S 86°49'46" W a distance of 90.84 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract S 68°29'28" W a distance of 366.66 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract S $82^{\circ}31^{\circ}38^{\circ}$ W a distance of 41.23 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an angle point;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract S 68°29'28" W a distance of 105.44 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for a point of curvature of a curve to the left;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, along said curve to the left, an arc distance of 104.09 feet, having a radius of 50.00 feet, a central angle of 119°17'01" and a chord which bears N 88°44'13" W a distance of 86.29 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set at a point of reverse curvature;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, along said curve to the right, an arc distance of 16.09 feet, having a radius of 25.00 feet, a central angle of 36°52'12" and a chord which bears S 50°03'22" W a distance of 15.81 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set at a point of tangency;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, S 68°29'28" W a distance of 226.70 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for the southwesterly corner of the herein described tract;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, N 27°07'56" W a distance of 698.86 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for the northwest corner of the herein described tract;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, N 68°29'28" E a distance of 215.90 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an interior corner of the herein described tract;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, N 21°30'32" W a distance of 69.00 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an exterior corner of the herein described tract;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, N $68^{\circ}29^{\circ}28^{\circ}$ E a distance of 85.00 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for a point of curvature of a curve to the left;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, along said curve to the left, an arc distance of 28.43 feet, having a radius of 25.00 feet, a central angle of 65°09'54" and a chord which bears N 35°54'30" E a distance of 26.93 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set at an exterior corner of the herein described tract;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, N 68*29*28" E a distance of 54.62 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set at a point of curvature of a curve to the left:

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, along said curve to the left, an arc distance of 28.43 feet, having a radius of 25.00 feet, a central angle of 65°09'48" and a chord which bears S 78°55'35" E a distance of 26.93 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set at a point of tangency;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, N 68°29'28" E a distance of 68.14 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set at a point of curvature of a curve to the right;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, along said curve to the right, an arc distance of 321.50 feet, having a radius of 504.50 feet, a central angle of $36^{\circ}30^{\circ}44^{\circ}$ and a chord which bears N $8644^{\circ}49^{\circ}$ E a distance of 316.08 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for a point of tangency;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, S $75^{\circ}00'17$ " E a distance of 177.42 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for a point of curvature of a curve to the left;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, along said curve to the left, an arc distance of 277.46 feet, having a radius of 435.50 feet, a central angle of 36°30'15" and a chord which bears N 86°44'35" E a distance of 272.80 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for a point of compound curvature;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, along said curve to the left, an arc distance of 28.43 feet, having a radius of 25.00 feet, a central angle of 65°09'55" and a chord which bears N 35°54'30" E a distance of 26.93 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set for an exterior corner of the herein described tract;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, N $68^{\circ}29'28"$ E a distance of 54.62 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set at a point of curvature of a curve to the left;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, along said curve to the left, an arc distance of 28.43 feet, having a radius of 25.00 feet, a central angle of 65°09'55" and a chord which bears S 78°55'35" E a distance of 26.93 feet to a 1/2—inch iron rod with cap stamped "BGE INC" set at a point of tangency;

THENCE, continuing over and across said LTL PETERSON, LLC. 199.464—acre tract, N 68°29'28" E a distance of 699.57 feet to the POINT OF BEGINNING and containing 42.175 acres of land, more or less.



BGE, Inc.

101 West Louis Henna Blvd., Suite 400
Austin, Texas 78728

Tel: 512-879-0400 ● www.bgeinc.com
TBPELS Registration No. F-1046

TBPELS Licensed Surveying Firm No. 10106502

FIREFLY POINTE
PHASE 1

A SUBDIVISION OF 42.175 ACRES OF LAND LOCATED IN THE JOHN DYKES SURVEY, ABSTRACT NO. 186, WILLIAMSON COUNTY, TEXAS

STATE OF TEXAS § COUNTY OF WILLIAMSON §	11. A CERTIFICATE OF COMPLIANCE IS HEREBY ISSUED FOR ALL LOTS WITHIN THIS SUBDIVISION. THIS CERTIFICATE OF COMPLIANCE IS VALID UNTIL SUCH TIME AS FEMA OR THE COUNTY REVISES OR NEWLY ADOPTS FLOODPLAIN BOUNDARIES IN THIS VICINITY.
KNOW ALL MEN BY THESE PRESENTS:	12. THIS SUBDIVISION IS SUBJECT TO STORM-WATER MANAGEMENT CONTROLS AS REQUIRED BY WILLIAMSON COUNTY SUBDIVISION REGULATIONS SECTION B11.1, ON NEW DEVELOPMENT THAT WOULD EVOKE SUCH CONTROLS BEYOND EXISTING CONDITIONS.
THAT LTL PETERSON, LLC., THE SOLE OWNER OF THE CERTAIN TRACT OF LAND SHOWN HEREON AND DESCRIBED IN THE SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2021059925 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, DO HEREBY STATE THAT THERE ARE NO LIEN HOLDERS OF THE CERTAIN TRACT OF LAND, AND DO HEREBY SUBDIVIDE SAID TRACT AS SHOWN HEREON, AND DO HEREBY CONSENT TO ALL PLAT NOTE REQUIREMENTS SHOWN HEREON, AND DO HEREBY FOREVER DEDICATE TO THE PUBLIC THE ROADS, ALLEYS, RIGHTS—OF—WAY, EASEMENTS AND PUBLIC PLACES SHOWN HEREON FOR SUCH PUBLIC PURPOSES AS WILLIAMSON COUNTY MAY DEEM	13. MAXIMUM OF 60% IMPERVIOUS COVER PER LOT, OTHERWISE STORMWATER MANAGEMENT CONTROLS SHALL BE DESIGNED, CONSTRUCTED AND MAINTAINED BY OWNER. IF IMPERVIOUS COVER IS PROPOSED TO EXCEED MAXIMUM PERCENTAGE ALLOWED, CONTACT WILLIAMSON COUNTY FLOODPLAIN ADMINISTRATION TO REVIEW THE STORMWATER MANAGEMENT CONTROLS PROPOSED ON LOT.
APPROPRIATE, AND DO HEREBY STATE THAT ALL PUBLIC ROADWAYS AND EASEMENTS AS SHOWN ON THIS PLAT ARE FREE OF LIENS. THIS SUBDIVISION IS TO BE KNOWN AS FIREFLY POINTE PHASE 1	14. THIS TRACT IS WITHIN WATER CCN SERVICE AREA 10970. WATER WILL BE AVAILABLE THROUGH JONAH SUD AFTER THE APPROPRIATE WATER SYSTEMS ARE INSTALLED TO THIS SITE. WASTEWATER WILL BE PROVIDED THROUGH THE CITY OF HUTTO AFTER THE APPROPRIATE WASTEWATER SYSTEMS ARE INSTALLED TO THIS SITE. THE CITY OF HUTTO ASSUMES NO OBLIGATIONS FOR INSTALLING ANY WATER AND WASTEWATER IMPROVEMENTS REQUIRED TO SERVE THIS SITE.
TO CERTIFY WHICH, WITNESS BY MY HAND, THIS THE 13^{10} DAY OF 13^{10}	15. NO PORTION OF THIS TRACT IS ENCROACHED BY ANY SPECIAL FLOOD HAZARD AREAS INUNDATED BY THE 1% ANNUAL CHANCE FLOODPLAIN AS IDENTIFIED BY THE U.S. FEDERAL EMERGENCY MANAGEMENT AGENCY BOUNDARY MAP (FLOOD INSURANCE RATE MAP) COMMUNITY PANEL NUMBER 48491C0510F, EFFECTIVE DATE DECEMBER 20, 2019.
LTL PETERSON, LLC, A TEXAS LIMITED LIABILITY COMPANY BY: LENNAR LTL MEMBER, LLC, A DELAWARE LIMITED LIABILITY COMPANY, ITS MANAGING MEMBER	16. IN ORDER TO PROMOTE DRAINAGE AWAY FROM A STRUCTURE, THE SLAB ELEVATIONS SHALL BE BUILT AT LEAST ONE (1) FOOT ABOVE THE SURROUNDING GROUND AND SHOULD BE GRADED AWAY FROM THE STRUCTURE AT A SLOPE OF 1/2" PER FOOT FOR A DISTANCE OF AT LEAST TEN (10) FEET.
	SHOULD BE GRADED AWAY FROM THE STRUCTURE AT A SLOPE OF 1/2" PER FOOT FOR A DISTANCE OF AT LEAST TEN (10) FEET. 17. ALL EASEMENTS ON PRIVATE PROPERTY SHALL BE MAINTAINED BY THE PROPERTY OWNER OR HIS OR HER ASSIGNS.
BY: Mur Coleman, VICE PRESIDENT	18. ALL DRAINAGE LOTS SHALL BE OWNED AND MAINTAINED BY THE HOMEOWNER'S ASSOCIATION.
STATE OF TEXAS §	19. ALL LOTS WITH LESS THAN 50 FT OF FRONTAGE MAY NOT BE FURTHER SUBDIVIDED.
COUNTY OF HAYS \$ WILLIAMSON BEFORE ME THE UNDERSONALLY APPEADED CHARLIE COLEMAN, KNOWN TO ME TO BE THE BERSON WHOSE NAME IS SUBSCRIBED TO THE EODECOING	20. DRIVEWAYS SHALL ONLY CONNECT TO AN INTERNAL PLATTED ROAD AND NOT TO FM 1660, THE ADJACENT ROADWAY.
BEFORE ME, THE UNDERSIGNED AUTHORITY, PERSONALLY APPEARED CHARLIE COLEMAN, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATION THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED.	21. DRIVEWAY ACCESS TO LOTS WITHIN THIS SUBDIVISION FROM SIDE STREETS IS PROHIBITED.
JESSICA SCHWEITZER	22. IMPROVEMENTS WITHIN THE COUNTY ROAD RIGHT-OF-WAY INCLUDING, BUT NOT LIMITED TO, LANDSCAPING, IRRIGATION, LIGHTING, CUSTOM SIGNS, ARE PROHIBITED WITHOUT FIRST OBTAINING AN EXECUTED LICENSE AGREEMENT WITH WILLIAMSON COUNTY.
NOTARY PUBLIC, STATE OF TEXAS Notary Public, State of Texas Comm. Expires 04-28-2027	23. ALL PUBLIC ROADWAYS AND EASEMENTS AS SHOWN ON THIS PLAT ARE FREE OF LIENS.
PRINT NOTARY'S NAME 11 02 27	24. ALL SIDEWALKS SHALL BE MAINTAINED BY EACH OF THE ADJACENT PROPERTY OWNERS.
MY COMMISSION EXPIRES 4-28-27	25. MAINTENANCE RESPONSIBILITY FOR DRAINAGE WILL NOT BE ACCEPTED BY THE COUNTY OTHER THAN THAT ACCEPTED IN CONNECTION WITH DRAINING OR PROTECTING THE ROAI SYSTEM. MAINTENANCE RESPONSIBILITY FOR STORM WATER MANAGEMENT CONTROLS WILL REMAIN WITH THE OWNER.
STATE OF TEXAS COUNTY OF	26. THIS SUBDIVISION IS VESTED TO THE WILLIAMSON COUNTY SUBDIVISION REGULATIONS DATED DECEMBER 7, 2021.
I, RICHARD PHAM, AM AUTHORIZED UNDER THE LAWS OF THE STATE OF TEXAS, TO PRACTICE THE PROFESSION OF ENGINEERING, AND DO HEREBY CERTIFY THAT THIS PLAT IS	27. THE MINIMUM FINISHED FLOOR ELEVATIONS (FFE) FOR LOTS SHOWN ON THIS PLAT ARE DETERMINED BY A STUDY PREPARED BY BGE DATED FEBRUARY 2023. 28. THE MINIMUM FEE SHALL BE AT LEAST ONE FOOT ABOVE THE ADJACENT FINISHED CRADE AND REF. EXCEPTIONS CAN BE MADE AT ENTRANCE AND ECRESS POINTS. WHERE
FEASIBLE FROM AN ENGINEERING STANDPOINT, AND IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.	28. THE MINIMUM FFE SHALL BE AT LEAST ONE FOOT ABOVE THE ADJACENT FINISHED GRADE AND BFE. EXCEPTIONS CAN BE MADE AT ENTRANCE AND EGRESS POINTS, WHERE NECESSARY, TO MEET THE AMERICANS WITH DISABILITIES ACT (ADA). RECREATIONAL VEHICLE PARKING PADS MUST ALSO BE PLACED AT LEAST ONE FOOT ABOVE BFE.
5/2/2024 55/2/2024	ROAD NAME AND ADDRESS ASSIGNMENT VERIFIED THIS THE 16th DAY OF May, 2021 A.D.
RICHARD PHAM, P.E. LICENSED PROFESSIONAL ENGINEER NO. 142275 BGE, INC. 101 WEST LOUIS HENNA BLVD., SUITE 400 AUSTIN, TEXAS 78728 DATE RICHARD PHAM RICHARD PHAM CENSE CENSE	SINUS Baker WILLIAMSON COUNTY ADDRESS COORDINATOR
I, JONATHAN O. NOBLES, A REGISTERED PROFESSIONAL LAND SURVEYOR IN THE STATE OF TEXAS, HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT, THAT IT WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND, AND THAT ALL NECESSARY SURVEY MONUMENTS ARE TO BE CORRECTLY SET OR FOUND AS SHOWN THEREON. 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	IN APPROVING THIS PLAT BY THE COMMISSIONERS' COURT OF WILLIAMSON COUNTY, TEXAS, IT IS UNDERSTOOD THAT THE BUILDING OF ALL STREETS, ROADS, AND OTHER PUBLIC THOROUGHFARES AND ANY BRIDGES OR CULVERTS NECESSARY TO BE CONSTRUCTED OR PLACED IS THE RESPONSIBILITY OF THE OWNERS OF THE TRACT OF LAND COVERED BY THIS PLAT IN ACCORDANCE WITH THE PLANS AND SPECIFICATIONS PRESCRIBED BY THE COMMISSIONERS' COURT OF WILLIAMSON COUNTY, TEXAS. SAID COMMISSIONERS' COURT ASSUMES NO OBLIGATION TO BUILD ANY OF THE STREETS, ROADS, OR OTHER PUBLIC THOROUGHFARES SHOWN ON THIS PLAT OR OF CONSTRUCTING ANY OF THE BRIDGES OR DRAINAGE IMPROVEMENTS IN CONNECTION THEREWITH. THE COUNTY WILL ASSUME NO RESPONSIBILITY FOR DRAINAGE WAYS OR EASEMENTS IN THE SUBDIVISION, OTHER THAN THOS DRAINING OR PROTECTING THE ROAD SYSTEM AND STREETS. IT IS THE RESPONSIBILITY OF THE OWNER, NOT THE COUNTY, TO ASSURE COMPLIANCE WITH THE PROVISIONS OF ALL APPLICABLE STATE, FEDERAL AND LOCAL LAWS AND REGULATIONS RELATING TO THE PLATTING AND DEVELOPMENT OF THIS PROPERTY.
REGISTERED PROFESSIONAL LAND SURVEYOR NO. 5777 BGE, INC. 101 WEST LOUIS HENNA BLVD., SUITE 400 AUSTIN, TEXAS 78728 GJONATHAN O. NOBLES 5777	THE COUNTY ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OF REPRESENTATIONS BY OTHER PARTIES IN THIS PLAT. FLOODPLAIN DATA, IN PARTICULAR, WILL CHANGE OVER TIME AND THE CURRENT EFFECTIVE FLOODPLAIN DATA TAKES PRECEDENCE OVER FLOODPLAIN DATA REPRESENTED ON THIS PLAT. IT IS FURTHER UNDERSTOOD THAT THE OWNERS OF THE TRACT OF LAND COVERED BY THIS PLAT MUST INSTALL AT THEIR OWN EXPENSE ALL TRAFFIC CONTROL DEVICES AND SIGNAGE THAT MAY BE REQUIRED BEFORE THE
GENERAL NOTES:	STREETS IN THE SUBDIVISION HAVE BEEN ACCEPTED FOR MAINTENANCE BY THE COUNTY.
1. BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NAD83.	STATE OF TEXAS §
2. MONUMENTATION AS SHOWN HEREON.	\$ KNOW ALL MEN BY THESE PRESENTS: COUNTY OF WILLIAMSON \$
3. NO BUILDING, FENCING, LANDSCAPING OR STRUCTURES ARE ALLOWED WITHIN ANY DRAINAGE OR WASTEWATER EASEMENT UNLESS EXPRESSLY PERMITTED BY COUNTY.	
4. WATER SERVICE IS PROVIDED BY: JONAH SPECIAL UTILITY DISTRICT WASTEWATER SERVICE IS PROVIDED BY: CITY OF HUTTO	I, BILL GRAVELL, JR., COUNTY JUDGE OF WILLIAMSON COUNTY, TEXAS, DO HEREBY CERTIFY THAT THIS MAP OR PLAT, WITH FIELD NOTES HEREON, THAT A SUBDIVISION HAVING BEEN FULLY PRESENTED TO THE COMMISSIONERS' COURT OF WILLIAMSON COUNTY, TEXAS, AND BY THE SAID COURT DULY CONSIDERED, WERE ON THIS DAY APPROVED AND PLAT IS AUTHORIZED TO BE REGISTERED AND RECORDED IN THE PROPER RECORDS OF THE COUNTY CLERK OF WILLIAMSON COUNTY, TEXAS.
5. A FIFTEEN (15) FOOT PUBLIC UTILITY EASEMENT (PUE) IS HEREBY DEDICATED ALONG AND ADJACENT TO ALL STREET SIDE PROPERTY LINES.	
 6. A FIVE (5) FOOT PUBLIC UTILITY EASEMENT (PUE) IS HEREBY DEDICATED ON EACH SIDE OF ALL INTERIOR SIDE LOT LINES. 7. IF PARKING IS DESIRED ON BOTH SIDES OF THE STREET THEN THE STREETS MUST BE A MINIMUM OF 33 FEET WIDE. IF THE STREETS ARE LESS THAN 33 FEET IN WIDTH FIRE LANE SIGNAGE IS REQUIRED. (2018 IFC APPENDIX D SEC. 103.6 — D103.6.2) 	BILL GRAVELL, JR., COUNTY JUDGE DATE WILLIAMSON COUNTY, TEXAS
8. NO LOT IN THIS SUBDIVISION SHALL BE OCCUPIED UNTIL CONNECTION IS MADE TO PUBLIC WATER AND WASTEWATER UTILITIES.	
9. THE LANDOWNER ASSUMES ALL RISKS ASSOCIATED WITH IMPROVEMENTS LOCATED IN THE RIGHT-OF-WAY OR ROAD WIDENING EASEMENTS. BY PLACING ANYTHING IN THE RIGHT-OF-WAY OR ROAD WIDENING EASEMENTS, THE LANDOWNER INDEMNIFIES AND HOLDS THE COUNTY, IT'S OFFICERS AND EMPLOYEES HARMLESS FROM ANY LIABILITY OWING TO PROPERTY DEFECTS OR NEGLIGENCE NOT ATTRIBUTABLE TO THEM AND ACKNOWLEDGES THAT THE IMPROVEMENTS MAY BE REMOVED BY THE COUNTY AND THAT THE OWNER OF THE IMPROVEMENT SHALL BE RESPONSIBLE FOR THE RELOCATION AND/OR REPLACEMENT OF THE IMPROVEMENT.	STATE OF TEXAS \$ KNOW ALL MEN BY THESE PRESENTS: COUNTY OF WILLIAMSON \$
10. THE OWNER SHALL CREATE A MANDATORY HOMEOWNERS ASSOCIATION THAT SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND LIABILITY OF ANY LANDSCAPING, IRRIGATION, SIDEWALKS, ILLUMINATION, SUBDIVISION IDENTIFICATION SIGNS, WATER QUALITY FEATURES, ETC. PLACED WITHIN THE WILLIAMSON COUNTY RIGHT—OF—WAY. THIS HOMEOWNERS ASSOCIATION SHALL HAVE ASSESSMENT AUTHORITY TO INSURE THE PROPER FUNDING FOR MAINTENANCE.	THAT I, NANCY RISTER, CLERK OF THE COUNTY COURT OF SAID COUNTY, DO HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT IN
ASSOCIATION SHALL HAVE ASSESSMENT AUTHORITY TO INSURE THE PROPER FUNDING FOR MAINTENANCE.	WRITING, WITH ITS CERTIFICATION OF AUTHENTICATION, WAS FILED FOR RECORD IN MY OFFICE ON THEDAY OF
TOTAL TOTAL	20 A.D., AT O'CLOCKM. AND DULY RECORDED ON THEDAY OF, 20 A.D., AT
FIREFLY POINTE	O'CLOCKM. IN THE PLAT RECORDS OF SAID COUNTY, IN DOCUMENT NO WITNESS MY HAND AND SEAL OF THE COUNTY COURT OF SAID COUNTY, AT MY OFFICE IN GEORGETOWN, TEXAS, THE DATE
PHASE 1	LAST ABOVE WRITTEN. BGE, Inc.
I HACE I	NANCY RISTER, CLERK, COUNTY COURT Austin Teyas 78728
A SUBDIVISION OF 42.175 ACRES OF LAND	WILLIAMSON COUNTY, TEXAS Tel: 512-879-0400 ● www.bgeinc.com TBPELS Registration No. F-1046
LOCATED IN THE JOHN DYKES SURVEY, ABSTRACT NO. 186, WILLIAMSON COUNTY, TEXAS	BY: DEPUTY TBPELS Licensed Surveying Firm No. 10106502 SHEET 5 OF 5