NOTICE OF PROPOSED INSTALLATION

UTILITY LINE ON WILLIAMSON COUNTY RIGHT-OF-WAY

| TO: | Williamson County Unified Road System | DATE: 8-6-08 | | |
|--|---|---|--|--|
| | 3151 S. E. Inner Loop, Suite B | | | |
| | Georgetown, Texas 78626 | 100-1 | | |
| Forma | I notice is hereby given thatSouthwest | Milam Water Supply Corp. | | |
| Company proposes to place a ROAD BORE | | | | |
| Line within the right-of-way of County ROAD 436 | | | | |
| as follows: (give location, length, general design, etc.) Location - CR426 approximately 50 ft. North of CR435 intersection. Approximately 50 ft. long, parallel to ROAD, 36" minimum depth, 4" Casing From R.O.W. to R.O.W. | | | | |
| The line will be constructed and maintained on the road right-of-way as directed by the Williamson County Unified Road System in accordance with governing laws. | | | | |
| Our firm further understands that the County considers proper traffic control measures as those complying with applicable portions of the <u>Texas Manual of Traffic Control Devices</u> required for adoption by the "Transportation Code" (V.C.T.A. CH.251) The location and description of the proposed line and appurtenances is more fully shown by <u>o</u> copies of drawings attached to this notice. | | | | |
| Construction of this line is proposed to begin on or after the <u>21st</u> day of <u>August</u> 2008. | | | | |
| | APPROVAL | Firm: Southwest, Milam W.S.C. | | |
| | plication is hereby approved subject to the gunderstandings and restrictions. | Authorized Signature | | |
| Commis | ressly understood that the said County ssioners' Court does not imply hereby to | KEN HALL, General Managen Printed Name Address: | | |
| grant any right, claim, title or easement in or upon this County Road; and it is further understood that In the future, should Williamson County, for any | | 706 E. Cameron Ave. | | |
| reason, need to work, improve, relocate, widen, | | Rockdole TX 76567 | | |
| increase, add to, decrease, or in any manner change the structure of this road or right-of-way, this line, | | Phone: (512) 446-2604 | | |
| if affected, will be moved at the direction of the | | Fax (512) 446-7376 | | |
| Williamson County Engineer or County Commissioner. This installation work shall not damage any part of the | | Fax. (5/3) 496 /3/6 | | |
| roadway and adequate provisions shall be made to | | 8-11-08 | | |
| cause a minimum of inconvenience to traffic and adjacent property owners. | | | | |
| APPROVED BY WILLIAMSON COUNTY COMMISSIONERS' COURT | | | | |
| ВҮ: | LINE RUY | COURT BOALS | | |
| DATE: _ | 8/14/08 | $\mathcal{B}_{\mathcal{C}}$ | | |
| | | | | |

CONTRACTOR'S LIABILITY AGREEMENT

| I KEN | HALL Eng | player for Southwest Milam W.S.Z. |
|---|--|---|
| in Williamson | n County, Texas do hereby agree way of County Rogo H | to the following schedules and conditions for doing work within |
| | y Williamson County. | |
| 1. | I will contact the Williamson C prior to start of construction. | ounty Unified Road System at least 48 hours |
| 2. | All work in the right-of-way will be done between the hours of 8:30 a.m. and 4:30 p.m. on Monday through Friday only. | |
| 3. | Cuts will be opened for one-half the roadway only, with flagmen on both sides of the work area, allowing one-way traffic through. This type of operation will be held to a minimum and all advance warning signs and barricades shall be as specified in the Texas Manual on Uniform Traffic Control Devices. These cuts will also be filled and entire roadway opened at night and on weekends. | |
| 4. | Roadside work in ditches alongside the trenched surface may be left opened at night, only if they can be barricaded solidly between open ditch and traveled roadway leaving a minimum 6' of road shoulder between the pavement edge and the barricades. The barricades must be reflective and lighted with warning lights and conform to the requirements of the T.M.U.T.C.D. for nighttime use. | |
| 5. | Any construction area to be maintained from dusk to dawn shall have Type B High Intensity Steady Burn Warning Lights to delineate the traveled way through and around obstructions in a construction or maintenance area. All warning lights shall be installed to a minimum mounting height of 36" to the bottom of the lens. | |
| 6. | Construction work and road repair on County right-of-way will be done to Williamson County Standards and to the approval of the Williamson County Unified Road System. | |
| 7. | | County Unified Road System and obtain from this agreement if required due to soil |
| 8-6-0 | <u>0h</u> | Lan /fall/ |
| DATE | | SIGNED |
| Williamson County Unified Road System 3151 S. E. Inner Loop, Ste. B Georgetown, Texas 78626 | | KEN HALL, GRIPE MONGER CONTRACTOR (PRINT NAME) |
| | | 706 E. Cameron Ave. |
| | | Rockdule TX 76567 CITY, STATE, ZIP CODE |
| | | 517-441-7604 |

