## NOTICE OF PROPOSED INSTALLATION

## UTILITY LINE ON WILLIAMSON COUNTY RIGHT-OF-WAY

TO:	Williamson County Unified Road System	DATE: 8-28-08
	3151 S. E. Inner Loop, Suite B Georgetown, Texas 78626	
Formal	notice is hereby given that	Trail S.U.D
Compa	iny proposes to place a 2"Caseing and	1" foly water line
Line w	ithin the right-of-way of $CM2/2$	
7. 1	ws: (give location, length, general design, etc.)  Le exsitng Rd is 15 ft lone and the Road on the west side of CR 2120  Cat Road if Not Ken Isaell con. h	WA HANDOS. CHYSNOW MALL WILL
	e will be constructed and maintained on the road right-of Road System in accordance with governing laws.	-way as directed by the Williamson County
with a "Trans The lo	m further understands that the County considers proper to policable portions of the <u>Texas Manual of Traffic Con</u> portation Code" (V.C.T.A. CH.251) cation and description of the proposed line and appurtenags attached to this notice.	trol Devices required for adoption by the
Constr	uction of this line is proposed to begin on or after the $f$	5+ day of 5+f+ 2008.
	APPROVAL	Firm: Chisholm Frail
•	oplication is hereby approved subject to the ng understandings and restrictions.	Authorized Signature
Comm grant a this Co in the i reason increas the str	pressly understood that the said County issioners' Court does not imply hereby to iny right, claim, title or easement in or upon ounty Road; and it is further understood that outure, should Williamson County, for any in need to work, improve, relocate, widen, se, add to, decrease, or in any manner change oucture of this road or right-of-way, this line,	Harry L. Randall  Printed Name Address: 851 CR 970  Florence TX 76527  Phone: 254-793-3103
	ted, will be moved at the direction of the asson County Engineer or County Commissioner.	Fax: 254-793-3100
roadwa cause	stallation work shall not damage any part of the ay and adequate provisions shall be made to a minimum of inconvenience to traffic and adjacent by owners.	received Pet. 2 9-2-08 9-3-88
APPRO	OVED BY WILLIAMSON COUNTY COMMISSIONERS' C	JUIN
BY:	AND BERGER	Road Boke BC.
ר אידר.	9/1/20	LS Ce

## **CONTRACTOR'S LIABILITY AGREEMENT**

n Williamson County, Texas do hereby agree to the following schedules and conditions for doing we he right-of-way of	
<ol> <li>I will contact the Williamson County Unified Road System at least 48 hours prior to start of construction.</li> <li>All work in the right-of-way will be done between the hours of 8:30 a.m. and 4:30 p.m. on Monday through Friday only.</li> <li>Cuts will be opened for one-half the roadway only, with flagmen on both sides of the work area, allowing one-way traffic through. This type of operation will be held to a minimum and all advance warning signs and barricades shall be as specified in the Texas Manual on Uniform Traffic Control Devices. These cuts will also be filled and entire roadway opened at night and on weekends.</li> <li>Roadside work in ditches alongside the trenched surface may be left opened at night, only if they can be barricaded solidly between open ditch and traveled roadway leaving a minimum 6' of road shoulder between the pavement edge and the barricades. The barricades must be reflective and lighted with warning lights and conform to the requirements of the</li> </ol>	
<ol> <li>All work in the right-of-way will be done between the hours of 8:30 a.m. and 4:30 p.m. on Monday through Friday only.</li> <li>Cuts will be opened for one-half the roadway only, with flagmen on both sides of the work area, allowing one-way traffic through. This type of operation will be held to a minimum and all advance warning signs and barricades shall be as specified in the Texas Manual on Uniform Traffic Control Devices. These cuts will also be filled and entire roadway opened at night and on weekends.</li> <li>Roadside work in ditches alongside the trenched surface may be left opened at night, only if they can be barricaded solidly between open ditch and traveled roadway leaving a minimum 6' of road shoulder between the pavement edge and the barricades. The barricades must be reflective and lighted with warning lights and conform to the requirements of the</li> </ol>	•
<ol> <li>4:30 p.m. on Monday through Friday only.</li> <li>Cuts will be opened for one-half the roadway only, with flagmen on both sides of the work area, allowing one-way traffic through. This type of operation will be held to a minimum and all advance warning signs and barricades shall be as specified in the Texas Manual on Uniform Traffic Control Devices. These cuts will also be filled and entire roadway opened at night and on weekends.</li> <li>Roadside work in ditches alongside the trenched surface may be left opened at night, only if they can be barricaded solidly between open ditch and traveled roadway leaving a minimum 6' of road shoulder between the pavement edge and the barricades. The barricades must be reflective and lighted with warning lights and conform to the requirements of the</li> </ol>	
sides of the work area, allowing one-way traffic through. This type of operation will be held to a minimum and all advance warning signs and barricades shall be as specified in the Texas Manual on Uniform Traffic Control Devices. These cuts will also be filled and entire roadway opened at night and on weekends.  4. Roadside work in ditches alongside the trenched surface may be left opened at night, only if they can be barricaded solldly between open ditch and traveled roadway leaving a minimum 6' of road shoulder between the pavement edge and the barricades. The barricades must be reflective and lighted with warning lights and conform to the requirements of the	
opened at night, only if they can be barricaded solldly between open ditch and traveled roadway leaving a minimum 6' of road shoulder between the pavement edge and the barricades. The barricades must be reflective and lighted with warning lights and conform to the requirements of the	
<ul> <li>5. Any construction area to be maintained from dusk to dawn shall have Type B High Intensity Steady Burn Warning Lights to delineate the traveled way through and around obstructions in a construction or maintenance area. All warning lights shall be installed to a minimum mounting height of 36" to the bottom of the lens.</li> <li>6. Construction work and road repair on County right-of-way will be done to Williamson County Standards and to the approval of the Williamson County Unified Road System.</li> </ul>	
The last and the l	n f
DATE SIGNED	7
Williamson County Unified Road System  C.T. 54 d or Tsbe.  Georgetown, Texas 78626  CONTRACTOR (PRINT NAME)	11 600
<u>\$59 CA 970</u> ADDRESS	
	27
Floresce Tx 765. CITY, STATE, ZIP CODE	~ ′
254-466-4165	

