



FREIGHTLINER OF AUSTIN

1701 Smith Rd. (Hwy. 183 So.)
Austin, Texas 78721

Bus: 512-389-0000
FAX: 512-389-2663
Wats: 1-800-395-2005

Invoice Number

Date: 10-17-2016

PURCHASING NAME

Williamson County

TELEPHONE

512-943-3368

ADDRESS

3151 SE Inner Loop

CITY

Georgetown

STATE

Tx

ZIP CODE

78626

YEAR	MAKE	MODEL/BODY	VIN	LICENSE PLATE
2017	Freightliner	M2-106	Order	

MILEAGE:

Contract #430-13

2017 Freightliner M2-106 chassis per specs

69,840.00

to accommodate asphalt dist

Ethyre Centennial 2000 Gal dist

109,742.65

to include requested options

Extended Warranties:

Engine 5yr/200K

2,225.00

Trans 5yr/Unl

568.00

Tx Buy Board fee (per PO)

\$400.00

Disclaimer of Warranties

Any warranties on the products sold hereby are those made by the factory. The Seller, *Freightliner of Austin*, hereby expressly disclaims all warranties, either expressed or implied including any implied warranty of merchantability or fitness for a particular purpose, and *Freightliner of Austin*, neither assumes nor authorizes any other person to assume for it any liability in connection with the sale of this vehicle.

CUSTOMER SIGNATURE

SALESMAN SIGNATURE

Tom Standard (512) 468-7270

CONTRACTUAL DISCLOSURE STATEMENT FOR USED VEHICLE ONLY.

The information you see on the window form for this vehicle is part of this contract. Information on the window form overrides any contrary provisions in the contract of sale.

MILEAGE:	TRADE-IN
----------	----------

YEAR	MAKE	MODEL/BODY	VIN	LICENSE PLATE

MILEAGE:	TRADE-IN
----------	----------

YEAR	MAKE	MODEL/BODY	VIN	LICENSE PLATE

					TOTAL	182,775.65
--	--	--	--	--	--------------	------------

PAYOFF TO:					Trade Allowance	
------------	--	--	--	--	------------------------	--

ADDRESS:					Trading Difference	
----------	--	--	--	--	---------------------------	--

					Sales Tax	
--	--	--	--	--	------------------	--

GOOD UNTIL:					Vehicle Inventory Tax	
-------------	--	--	--	--	------------------------------	--

QUOTED BY:					License Fee	
------------	--	--	--	--	--------------------	--

SHOW LEIN TO:			Body Type:		Documentary Fee	
---------------	--	--	------------	--	------------------------	--

ADDRESS:			License Wt.:		Federal Excise Tax	
----------	--	--	--------------	--	---------------------------	--

			State Insp.:		TOTAL SALE PRICE	182,775.65
--	--	--	--------------	--	-------------------------	------------

DATED:		LIEN AMOUNT \$		License:	Payoff on Trade	
--------	--	----------------	--	----------	------------------------	--

DRAFT FOR \$				Title:	Ext. Service Agreement	
--------------	--	--	--	--------	-------------------------------	--

DRAFT THRU:				Transfer:	Less Deposit	
-------------	--	--	--	-----------	---------------------	--

ADDRESS:					Total Balance Due	182,775.65
----------	--	--	--	--	--------------------------	------------



17474 Judson Road
Phone (210) 657-5151

San Antonio, TX 78247
Fax (210) 657-5871

Williamson County Fleet Operations
Mr. Randy Rogers; Director, Fleet Services
3151 SE Inner Loop, Suite B
Georgetown, TX 78626
Attn: Mr. Jeff Ivey, Asst. Director, Road & Bridge

September 12, 2016
Randy, Direct: 512.943.3368
Randy, Fax: 512.943.3398
Randy, Cell: 512.
Jeff, Cell: 512.639.0144
rrogers@wilco.org
jivey@wilco.org

**BuyBoard Quotation to Williamson County Fleet Services
For: Road & Bridge Department**

TASB / BuyBoard Contract # 424-13, October 1, 2013

2017 Etnyre Centennial Distributor Body, 2,000 Gallon Tank	\$ 91,200.00
2 in. Dial Thermometer	\$ Std.
Power Wash Down System	\$ 520.00
Variable Spray Bar w/ 1 ft. Hydraulic Folding Wing, ea. side (18 ft total)	\$ 15,000.00
Power Bar Latch	Included
Install Standard Nozzles (P/N 3352205)	Included
Series 90 H.D. Hydraulic Pump, (4.57 CID)	\$ 2,000.00
PTO off Trans, includes PTO	\$ 700.00
Two LPG Burners	\$ 10.00
Texas Railroad Commission Specs. For LPG System	\$ 900.00
Wet Storage Box w/drain plug & hinged lid	\$ 300.00
Bar circulate override switch for suckback tube	\$ 150.00
Tank Isolation Switch - On / Off	\$ 150.00
Rubber Load Hose, 12' X 3", w/Camlocks, 1-Cap, 2 ea - Male & Female	\$ 675.00
Total List Price, 2017 Etnyre Cent. Distributor Body, per above specs	\$ 111,605.00
Less: 7 % Contract Discount	- 7,812.35
Sale Amount	\$ 103,792.65
Factory Freight, PDI, Delivery, Training	\$ 5,950.00
Contract Sale Amount	\$ 109,742.65
2017 Freightliner M2 Truck-Chassis w/Auto Trans- Two Speed Axle	\$ 69,840.00
BuyBoard Motor Vehicle Contract Fee	\$ 400.00
Contract Sale Amount	\$ 179,982.65
Total Sale Amount for Two (2) Units	\$ 359,563.30

NOTE: PURCHASE CO-OP PRICES GOOD THROUGH OCTOBER, 2016

Delivery: Approximately 90 Days, ART

[ART - After Receipt of Truck: Truck to be shipped to Etnyre from Freightliner]

Etnyre Distributor Std. Body Warranty: One Year - Parts & Labor

Freightliner Truck Std. Warranty: Two Year "Bumper to Bumper", Unlimited Miles

Optional Warranty: Truck Engine - 5Yr / 200,000 miles **\$ 2,225.00**

Allison Trans - 5Yr / Unlimited miles **\$ 568.00**

[Per TMV Law, Body to be Sold, Titled & Licensed by a Authorized Franchise Motor Vehicle Dealer]

Purchase Order to be issued to: Freightliner of Austin; 1701 Smith Rd.; Austin, TX 78721

Attn: Tom Standard, tstandard@ftl1.com, Cell 512 468 7270

Respectfully Submitted,

Rick Chapman, District Manager

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Rick Chapman,

2017 Freightliner M2-106 chassis for Etnyre asphalt unit chassis includes Cummins ISB 250 hp, Allison 3500RDS auto trans with 2 speed rear axle, set up for transmission PTO operation. Drop shipped to Etnyre. Updated 8-30-16

Thanks ,

Tom Standard



Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftr1.com

Q U O T A T I O N

M2 106 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK
CUM ISB 6.7-250 250 HP @ 2300 RPM, 2600 GOV, 660
LB/FT @ 1600 RPM
ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH
PTO PROVISION
21065T 21,000# R-SERIES 2-SPEED SINGLE REAR AXLE
23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING
REAR SUSPENSION WITH LEAF SPRING
HELPER

DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP
SINGLE FRONT AXLE
12,000# DUAL TAPERLEAF FRONT SUSPENSION
106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL
CAB
4800MM (189 INCH) WHEELBASE
11/32X3-1/2X10-15/16 INCH STEEL FRAME
(8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
2275MM (90 INCH) REAR FRAME OVERHANG

		PER UNIT	TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$ 69,640	\$ 69,640
EXTENDED WARRANTY		\$ 200	\$ 200
DEALER INSTALLED OPTIONS		\$ 0	\$ 0
CUSTOMER PRICE BEFORE TAX		\$ 69,840	\$ 69,840

TAXES AND FEES

TAXES AND FEES	\$ 0	\$ 0
OTHER CHARGES	\$ 0	\$ 0

TRADE-IN

TRADE-IN ALLOWANCE	\$ (0)	\$ (0)
--------------------	--------	--------

BALANCE DUE	(LOCAL CURRENCY)	\$ 69,840	\$ 69,840
-------------	------------------	-----------	-----------

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X  Date: 11/13/16

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Q U O T A T I O N D E T A I L S

EXTENDED WARRANTY

TOWING: 1 YEAR/UNLIMITED	\$	200	\$	200
MILES/KM EXTENDED TOWING				
COVERAGE \$550 CAP				

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.



Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
Price Level			
PRL-14M	M2 PRL-14M (EFF:10/05/15)		
Data Version			
DRL-028	SPECPRO21 DATA RELEASE VER 028		
Vehicle Configuration			
001-172	M2 106 CONVENTIONAL CHASSIS	5,759	3,503
004-217	2017 MODEL YEAR SPECIFIED		
002-004	SET BACK AXLE - TRUCK		
019-002	STRAIGHT TRUCK PROVISION		
003-001	LH PRIMARY STEERING LOCATION		
General Service			
AA1-002	TRUCK CONFIGURATION		
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE		
A84-1UT	UTILITY BUSINESS SEGMENT		
AA4-002	LIQUID BULK COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-091	MEDIUM TRUCK WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs		
Truck Service			
AA3-003	TANK BODY		
AF4-99D	EXPECTED EMPTY BODY WEIGHT : 0.0 lbs		



Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in		
Engine			
101-2NT	CUM ISB 6.7-250 250 HP @ 2300 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM		
Electronic Parameters			
79A-075	75 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM		
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM		
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
80G-002	PTO MINIMUM RPM - 700		
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
Engine Equipment			
99C-016	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG17 BUT NOT FINAL GHG17 CONFIGURATION		
99D-010	NO 2008 CARB EMISSION CERTIFICATION		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
133-004	ONE PIECE VALVE COVER		
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1900 CCA THREADED STUD BATTERIES, NON FCCC ONLY		
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	8	
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		
239-020	10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD(S)		
273-035	HORTON HT650 FRONTAL AIR ON/OFF ENGINE FAN CLUTCH		
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-001	FULL FLOW OIL FILTER		
266-078	950 SQUARE INCH ALUMINUM RADIATOR		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
138-010	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK HEATER	4	
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
134-001	ALUMINUM FLYWHEEL HOUSING		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH		

Transmission

342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60
---------	---	-----	----

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84N-000	NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES
353-022	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED
362-035	CUSTOMER INSTALLED CHELSEA 277 SERIES PTO
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		

Front Axle and Equipment

400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
402-021	MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-023	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001	FRONT BRAKE DUST SHIELDS	5	
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-050	TRW THP-60 POWER STEERING		
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE		

Front Suspension

620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION	42	
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
62H-998	NO FRONT SUSPENSION SPRING BRACKET OPTIONS		
410-001	FRONT SHOCK ABSORBERS		

Rear Axle and Equipment

420-182	21065T 21,000# R-SERIES 2-SPEED SINGLE REAR AXLE		90
421-037	6.17/8.42 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES		

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)		
451-023	CONMET CAST IRON REAR BRAKE DRUMS		
425-002	REAR BRAKE DUST SHIELDS		
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS		
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS		
876-004	ELECTRIC OVER AIR CONTROL WITH INDICATOR LAMP FOR 2-SPEED REAR AXLE		
87C-001	LOW RANGE TWO-SPEED DEFAULT WITH IGNITION OFF		
898-002	AIR SHIFTER FOR 2-SPEED REAR AXLE		
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE		
Rear Suspension			
622-1MJ	23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER		110
621-001	SPRING SUSPENSION - NO AXLE SPACERS		
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
Brake System			
018-002	AIR BRAKE PACKAGE		
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20	
479-015	AIR DRYER FRAME MOUNTED		
460-001	STEEL AIR BRAKE RESERVOIRS		

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
Trailer Connections			
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT		
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT		
30L-998	NO HIGH CURRENT TRAILER/BODY CABLE		
Wheelbase & Frame			
545-480	4800MM (189 INCH) WHEELBASE		
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	70	130
552-054	2275MM (90 INCH) REAR FRAME OVERHANG		
55W-008	FRAME OVERHANG RANGE: 81 INCH TO 90 INCH	-30	130
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 123.45 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 120.45 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 308.39		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 123.45 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 108.66 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 132.51 in		
553-001	SQUARE END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-001	STANDARD SUSPENSION CROSSMEMBER		
Chassis Equipment			
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS		
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15	
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
Fuel Tanks			

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
204-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	20	
218-005	RECTANGULAR FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-084	ALLIANCE FUEL FILTER/WATER SEPARATOR WITH PRIMER PUMP		
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
093-2C5	HANKOOK AL11 11R22.5 14 PLY RADIAL FRONT TIRES	8	
094-2C6	HANKOOK DL11 11R22.5 14 PLY RADIAL REAR TIRES		60
Hubs			
418-056	CONMET PRESET PLUS IRON FRONT HUBS		
450-056	CONMET PRESET PLUS IRON REAR HUBS		
Wheels			
502-524	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS		
505-524	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS		
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
Cab Exterior			
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTS		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
678-001	LH AND RH GRAB HANDLES		
646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE		
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
727-1AM	DUAL 24 INCH ROUND POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	8	
726-001	SINGLE ELECTRIC HORN		
728-002	DUAL HORN SHIELDS		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL		
302-047	LED AERODYNAMIC MARKER LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)	8	
663-013	TINTED WINDSHIELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		

Cab Interior

707-1AK	OPAL GRAY VINYL INTERIOR		
706-013	MOLDED PLASTIC DOOR PANEL		
708-013	MOLDED PLASTIC DOOR PANEL		
772-006	BLACK MATS WITH SINGLE INSULATION		
785-001	DASH MOUNTED ASH TRAYS AND LIGHTER		
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
694-010	IN DASH STORAGE BIN		
696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	20	
742-007	(2) CUP HOLDERS LH AND RH DASH		



Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
680-006	GRAY/CHARCOAL FLAT DASH		
860-004	SMART SWITCH EXPANSION MODULE		
720-002	2-1/2 LB. FIRE EXTINGUISHER	5	
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR		
702-002	BINARY CONTROL, R-134A		
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-014	DOMELIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
284-023	(1) 12 VOLT POWER SUPPLY IN DASH		
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10	
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	
760-1DC	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-036	VINYL WITH VINYL INSERT DRIVER SEAT		
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT		
763-032	3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10	
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL
734-004	GRAY CENTER INSTRUMENT PANEL
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS		
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-1B3	AM/FM/WB RADIO WITH BLUETOOTH AND MICROPHONE, FRONT USB PORT, FRONT AND REAR AUXILIARY INPUTS AND J1939	10	
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
162-011	IDLE LIMITER, ELECTRONIC ENGINE		
329-010	TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT		
81Y-001	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH		

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Data Code	Description	Weight Front	Weight Rear
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-003	MARKER LIGHT/HEADLIGHT SWITCH WITH SEPARATE INTERRUPTER FOR CLEARANCE LIGHTS		
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
869-998	NO MISCELLANEOUS GAUGES		

Design

065-000	PAINT: ONE SOLID COLOR
---------	------------------------

Color

980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
98K-998	NO FUEL TANK CABINET PAINT
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX
963-003	STANDARD E COAT/UNDERCOATING

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

Secondary Factory Options

998-001	CORPORATE PDI CENTER IN-SERVICE ONLY
---------	--------------------------------------

TOTAL VEHICLE SUMMARY

Weight Summary



Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	6252 lbs	4108 lbs	10360 lbs
<hr/>			
Total Weight ⁺	6252 lbs	4108 lbs	10360 lbs

Extended Warranty

WAG-010 TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING
COVERAGE \$550 CAP


(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133


Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

OPERATING RANGE



Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com



VEHICLE SPECIFICATIONS SUMMARY - OPERATING RANGE

Model.....	M2106
Cab Size (829).....	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Desired Cruise Speed (mph).....	65.0
Engine (101).....	CUM ISB 6.7-250 250 HP @ 2300 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM
RPM at Peak Torque.....	1600
Governed RPM.....	2600
Transmission (342).....	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
Gear Ratio: LL.....	N/A
Gear Ratio: L.....	N/A
Gear Ratio: 1.....	4.59
Gear Ratio: 2.....	2.25

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Gear Ratio: 3 1.54
Gear Ratio: 4 1
Gear Ratio: 5 0.75
Gear Ratio: 6 0.65
Gear Ratio: 7 N/A
Gear Ratio: 8 N/A
Gear Ratio: 9 N/A
Gear Ratio: 10 N/A
Gear Ratio: 11 N/A
Gear Ratio: 12 N/A
Gear Ratio: 13 N/A
Gear Ratio: 14 N/A
Gear Ratio: 15 N/A
Gear Ratio: 16 N/A
Gear Ratio: 17 N/A
Gear Ratio: 18 N/A
Auxiliary Transmission (352) NO AUXILIARY TRANSMISSION
Low Gear Ratio N/A
High Gear Ratio N/A
Transfer Case (373) NO TRANSFER CASE
Low Gear Ratio N/A
High Gear Ratio N/A
Rear Axle (420) 21065T 21,000# R-SERIES 2-SPEED SINGLE REAR AXLE
Number of Speeds 2
Rear Axle Gear Ratio(s) 6.17/8.42 REAR AXLE RATIO
Rear Tires (094) HANKOOK DL11 11R22.5 14 PLY RADIAL REAR TIRES
Revolutions per Mile 496

TABLE SUMMARY - OPERATING RANGE

Transmission Gear	Transmission Gear Ratio	Rear Axle Ratio	Overall Gear Ratio	Minimum Speed (MPH)	Maximum Speed (MPH)
1L	4.59	8.41	38.60	0	8.1
2L	2.25	8.41	18.92	10.2	16.6
3L	1.54	8.41	12.95	14.9	24.3
4L	1.00	8.41	8.41	23.0	37.4
5L	0.75	8.41	6.31	30.7	49.9
6L	0.65	8.41	5.47	35.4	57.5

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com


Transmission Gear	Transmission Gear Ratio	Rear Axle Ratio	Overall Gear Ratio	Minimum Speed (MPH)	Maximum Speed (MPH)
1H	4.59	6.17	28.32	0	11.1
2H	2.25	6.17	13.88	13.9	22.7
3H	1.54	6.17	9.50	20.4	33.1
4H	1.00	6.17	6.17	31.4	51.0
5H	0.75	6.17	4.63	41.8	68.0
6H	0.65	6.17	4.01	48.3	78.4

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

DIMENSIONS



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model.....M2106
Wheelbase (545) 4800MM (189 INCH) WHEELBASE
Rear Frame Overhang (552) 2275MM (90 INCH) REAR FRAME OVERHANG
Fifth Wheel (578) NO FIFTH WHEEL
Mounting Location (577)..... NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)0
Maximum Rearward Position (in)0
Amount of Slide Travel (in).....0
Slide Increment (in).....0
Desired Slide Position (in).....0.0
Cab Size (829).....106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682) NO SLEEPER BOX/SLEEPER CAB
Exhaust System (016)..... RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY
WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

TABLE SUMMARY - DIMENSIONS

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

Dimensions	Inches
Bumper to Back of Cab (BBC)	106.3
Bumper to Centerline of Front Axle (BA)	40.7
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	123.4
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	120.4
Back of Cab Protrusions (Exhaust/Intake) (CP)	1.5
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	213.4
Cab Height (CH)	62.8
Wheelbase (WB)	189.0
Frame Overhang (OH)	90.0
Overall Length (OAL)	319.7
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	41.6

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

GVWR

VEHICLE SPECIFICATIONS SUMMARY - GVWR

Model.....	M2106
Cab Size (829).....	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Expected Front Axle(s) Load (lbs).....	12000.0
Expected Pusher Axle(s) Load (lbs).....	0.0
Expected Rear Axle(s) Load (lbs).....	21000.0
Expected Tag Axle(s) Load (lbs).....	0.0
Expected GVW (lbs).....	33000
Expected GCW (lbs).....	0.0
Front Axle (400).....	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
Front Suspension (620).....	12,000# DUAL TAPERLEAF FRONT SUSPENSION
Front Hubs (418).....	CONMET PRESET PLUS IRON FRONT HUBS
Front Disc Wheels (502).....	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS
Front Tires (093).....	HANKOOK AL11 11R22.5 14 PLY RADIAL FRONT TIRES
Front Brakes (402).....	MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
Steering Gear (536).....	TRW THP-60 POWER STEERING
Rear Axle (420).....	21065T 21,000# R-SERIES 2-SPEED SINGLE REAR AXLE
Rear Suspension (622).....	23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER
Rear Hubs (450).....	CONMET PRESET PLUS IRON REAR HUBS
Rear Disc Wheels (505).....	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS
Rear Tires (094).....	HANKOOK DL11 11R22.5 14 PLY RADIAL REAR TIRES
Rear Brakes (423).....	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
Pusher / Tag Axle (443).....	NO PUSHER OR TAG AXLE
Pusher / Tag Suspension (626).....	NO PUSHER OR TAG SUSPENSION
Pusher / Tag Hubs (449).....	NO PUSHER OR TAG HUBS
Pusher/Tag Disc Wheels (509).....	NO PUSHER/TAG DISC WHEELS
Pusher / Tag Tires (095).....	NO PUSHER/TAG TIRES
Pusher / Tag Brakes (456).....	NO PUSHER/TAG BRAKES

TABLE SUMMARY - GVWR

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com


	Front	Rear
Axle Component Weight Ratings		
Axles	12000	21000
Suspension	12000	23000
Hubs	14700	26000
Brakes	13200	22000
Wheels	14800	29600
Tires	12350	23360
Power Steering	13300	N/A
GAWR (per axle)	12000	21000
GAWR (per axle system)	12000	21000
Expected Load (per axle system)	12000	21000
Vehicle GVWR Summary		
Calculated GVWR	33000	
Expected GVWR	33000	
All weights displayed in pounds		

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

TRUCK WEIGHT



VEHICLE SPECIFICATIONS SUMMARY - TRUCK WEIGHT

Model.....M2106
Cab Size (829).....106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Expected Front Axle(s) Load (lbs).....12000.0
Expected Pusher Axle(s) Load (lbs).....0.0
Expected Rear Axle(s) Load (lbs).....21000.0
Expected Tag Axle(s) Load (lbs).....0.0
Expected GVW (lbs).....33000
Expected GCW (lbs).....0.0
Wheelbase (545).....4800MM (189 INCH) WHEELBASE
Pusher / Tag Axle (443).....NO PUSHER OR TAG AXLE
Front Axle to Back of Cab (in).....65.551
Cab to Body Clearance (in).....3.0
Front Axle to Body (in).....68.551
Truck Configuration (AA3).....TANK BODY
 Body Length (ft).....15.0
 Body Weight (lbs).....0.0
 Body Horiz CG from Body Front (ft).....7.5
 Body Front to Rear Axle(s) CL (ft).....10.04
Driver Weight (lbs).....500.0
Driver Horizontal CG from Front Axle (in).....46.302
Left-Hand Fuel Tank (204).....50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH
 Left Fuel Tank Horizontal CG (in).....47.34
Right-Hand Fuel Tank (206).....NO RH FUEL TANK
 Right Fuel Tank Horizontal CG (in).....0

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@fl1.com

TABLE SUMMARY - TRUCK WEIGHT

Item	Front(s)	Rear(s)	Total
Chassis Tare	6252	4108	10360
Fuel / Oil	303	111	414
Driver	378	122	500
Dealer Installed Options	0	0	0
Accessories	0	0	0
Body	0	0	0
Truck Tare Weight	6933	4341	11274
Payload	3500	18226	21726
Calculated Axle Loads	10433	22567	33000
Expected Axle Loads / GVW	12000	21000	33000
GAWR / GVWR	12000	21000	33000
Payload CG From Front of Body	7.5 feet		
Payload CG From Front Axle	13.2 feet		
Payload Distribution	Water Level		
All weights displayed in pounds			

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:
Rick Chapman
Cooper Equipment
17474 Judson Rd
San Antonio, TX 78247
Phone: 210-867-6133

Prepared by:
Tom Standard
FREIGHTLINER OF AUSTIN
1701 SMITH ROAD
AUSTIN, TX 78721
Phone: 512-389-0000
E-Mail: tstandard@ftl1.com

FRAME RBM

VEHICLE SPECIFICATIONS SUMMARY - FRAME RBM

Wheelbase (545) 4800MM (189 INCH) WHEELBASE
Frame Rails (546) 11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI(546)
Yield Strength (psi)..... 120000
Section Modulus (per rail) (cu in)..... 16.979
RBM (per rail) (lbf-in).....2040000
Inner Frame Reinforcement (547) NO INNER FRAME REINFORCEMENT
Outer Frame Reinforcement (548) NO OUTER FRAME REINFORCEMENT

TABLE SUMMARY - FRAME RBM

Item	Description / Value
Wheelbase	4800MM (189 INCH) WHEELBASE
Frame	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
Inner Frame Reinforcement	NO INNER FRAME REINFORCEMENT
Outer Frame Reinforcement	NO OUTER FRAME REINFORCEMENT
Yield Strength (psi)	120000
Section Modulus - per rail (cu. in.)	16.98
Frame RBM - per rail (lbf-in)	2037600

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



FREIGHTLINER OF AUSTIN

1701 Smith Rd. (Hwy. 183 So.)
Austin, Texas 78721

Bus: 512-389-0000
FAX: 512-389-2663
Wats: 1-800-395-2005

Invoice Number

Date: 10-17-2016

PURCHASING NAME

Williamson County

TELEPHONE

512-943-3368

ADDRESS

3151 SE Inner Loop

CITY

Georgetown

STATE

Tx

ZIP CODE

78626

YEAR	MAKE	MODEL/BODY	VIN	LICENSE PLATE
2017	Freightliner	M2-106	Order	

MILEAGE:

Contract #430-13

2017 Freightliner M2-106 chassis per specs

69,840.00

to accommodate asphalt dist

Ethyre Centennial 2000 Gal dist

109,742.65

to include requested options

Extended Warranties:

Engine 5yr/200K

2,225.00

Trans 5yr/Unl

568.00

Tx Buy Board fee (per PO)

\$400.00

Disclaimer of Warranties

Any warranties on the products sold hereby are those made by the factory. The Seller, *Freightliner of Austin*, hereby expressly disclaims all warranties, either expressed or implied including any implied warranty of merchantability or fitness for a particular purpose, and *Freightliner of Austin*, neither assumes nor authorizes any other person to assume for it any liability in connection with the sale of this vehicle.

CUSTOMER SIGNATURE

SALESMAN SIGNATURE

Tom Standard (512) 468-7270

CONTRACTUAL DISCLOSURE STATEMENT FOR USED VEHICLE ONLY.

The information you see on the window form for this vehicle is part of this contract. Information on the window form overrides any contrary provisions in the contract of sale.

MILEAGE:	TRADE-IN
----------	----------

YEAR	MAKE	MODEL/BODY	VIN	LICENSE PLATE
------	------	------------	-----	---------------

MILEAGE:	TRADE-IN
----------	----------

YEAR	MAKE	MODEL/BODY	VIN	LICENSE PLATE
------	------	------------	-----	---------------

				TOTAL 182,775.65
--	--	--	--	-------------------------

PAYOFF TO:		Trade Allowance
------------	--	------------------------

ADDRESS:		Trading Difference
----------	--	---------------------------

		Sales Tax
--	--	------------------

GOOD UNTIL:		Vehicle Inventory Tax
-------------	--	------------------------------

QUOTED BY:		License Fee
------------	--	--------------------

SHOW LEIN TO:	Body Type:	Documentary Fee
---------------	------------	------------------------

ADDRESS:	License Wt.:	Federal Excise Tax
----------	--------------	---------------------------

	State Insp.:	TOTAL SALE PRICE 182,775.65
--	--------------	------------------------------------

DATED:	LIEN AMOUNT \$	Payoff on Trade
--------	----------------	------------------------

DRAFT FOR \$	Title:	Ext. Service Agreement
--------------	--------	-------------------------------

DRAFT THRU:	Transfer:	Less Deposit
-------------	-----------	---------------------

ADDRESS:		Total Balance Due 182,775.65
----------	--	-------------------------------------