WORK AUTHORIZATION NO. 8

PROJECT: On Call Geotechnical and Lab Testing Services (14RFQ00104)

This Work Authorization is made pursuant to the terms and conditions of the Williamson County Contract for Engineering Services, being dated <u>February 10, 2015</u> and entered into by and between Williamson County, Texas, a political subdivision of the State of Texas, (the "County") and <u>PaveTex Engineering and Testing Inc.</u> (the "Engineer").

- Part1. The Engineer will provide the following Engineering Services set forth in Attachment "B" of this Work Authorization.
- Part 2. The maximum amount payable for services under this Work Authorization without modification is \$50,000.00.
- Part 3. Payment to the Engineer for the services established under this Work Authorization shall be made in accordance with the Contract.
- Part 4. This Work Authorization shall become effective on the date of final acceptance and full execution of the parties hereto and shall terminate on <u>September 30, 2017</u>. The Engineering Services set forth in Attachment "B" of this Work Authorization shall be fully completed on or before said date unless extended by a Supplemental Work Authorization.
- Part 5. This Work Authorization does not waive the parties' responsibilities and obligations provided under the Contract.
- Part 6. County believes it has sufficient funds currently available and authorized for expenditure to finance the costs of this Work Authorization. Engineer understands and agrees that County's payment of amounts under this Work Authorization is contingent on the County receiving appropriations or other expenditure authority sufficient to allow the County, in the exercise of reasonable administrative discretion, to continue to make payments under this Contract. It is further understood and agreed by Engineer that County shall have the right to terminate this Contract at the end of any County fiscal year if the governing body of County does not appropriate sufficient funds as determined by County's budget for the fiscal year in question. County may effect such termination by giving written notice of termination to Engineer.
- Part 7. This Work Authorization is hereby accepted and acknowledged below.

EXECUTED this 17th day of January, 2017.

| ENGINEER: | COUNTY: |
|---|---------------------------|
| PaveTex Engineering and Testing Inc. | Williamson County, Texas |
| By: Yand Thomas Signature Sarah Tamminess i | By: Signature Dan Gattis |
| Printed Name | Printed Name |
| CFO Title | County Judge |
| | |

LIST OF ATTACHMENTS

Attachment A - Services to be Provided by County

Attachment B - Services to be Provided by Engineer

Attachment C - Work Schedule

Attachment D - Fee Schedule

Attachment A - Services to be Provided by County

- 1. County will direct type of services to be provided.
- 2. County will provide timely reviews and decisions necessary to enable PaveTex to maintain an
- 3. agreed upon project schedule as developed in attached Attachment C.
- 4. County will provide points of contact, to be identified upon Notice to Proceed.
- 5. County will provide project management.

Attachment B - Services to be Provided by Engineer

- Perform services and related reports associated with Attachment D.
 Miscellaneous.

Attachment C - Work Schedule

PaveTex shall provide a work schedule for the assigned tasks. Work shall begin immediately upon receipt of agreement between County and PaveTex on the work schedule and authorization to proceed on assigned services.

Attachment D - Fee Schedule

| Field Technician | Unit | Unit Cost | |
|----------------------------------|------|-----------|------|
| | | Reg. | ОТ |
| 1A | hr. | \$58 | \$69 |
| IB . | hr. | \$58 | \$69 |
| Soils | hr. | \$50 | \$61 |
| Concrete | hr. | \$50 | \$61 |
| Nuclear Gauge Calibration | br. | \$75 | - |
| Concrete Plant/ Truck Inspection | hr. | \$75 | |
| Asphalt Distributor Calibration | hr. | \$75 | |
| Senior Professional Engineer | hr. | \$195 | |
| Professional Engineer | hr. | \$145 | |
| EIT | hr. | \$85 | |
| Project Manager | hr. | \$98 | |
| Administrative Assistant | hr. | \$45 | |

| Field Testing Equipment | | Unit Cost | |
|---|------|-------------------|--|
| (2 Hr Min, Tech Time Not Included) | | | |
| HMAC Coring | | | |
| Coring Equipment Mobilization | trip | \$75 | |
| 0"-6" Depth & 6" a (incl. Patching & Sample Prep) | ea. | \$95 | |
| > 6"-10" Depth & 6" a (incl. Patching & Sample Prep) | ca. | \$110 | |
| > 10"-14" Depth & 6" a (incl. Patching & Sample Prep) | ea. | \$150 | |
| > 14" Depth & 6" & (incl. Patching & Sample Prep) | ea, | \$4/ in. over 14" | |
| Concrete Coring | | | |
| Concrete Coring Equipment | hr. | \$55.00 | |
| Concrete Core Bit Charges | | | |
| 3" Diameter Core | in. | \$5 | |
| 4" Diameter Core | in. | \$6 | |
| 6" Diameter Core | in. | \$8 | |
| | | | |

PaveTex Rate Schedule: Page 1 of 5 - January 2015

| | Aggregates (100-E Series) | | |
|--------------------------------|------------------------------|-----------|--------------|
| Test For | Test Method | Unit | Unit Cost |
| Sample Preparation | Tex-101-E | ea. | \$50 |
| Moisture Content | Tex-103-E | ea. | \$25 |
| Atterberg Limits | Tex-104-E, 105-E & 106-E | ea. | \$75 |
| Linear Bar Shrinkage | Tex-107-E | ea. | \$75 |
| Sieve Analysis | Tex-110-E, Pt. 1 | ea. | \$55 |
| Sieve Analysis | Tex-110-E, Pt. 2 | ca. | \$85 |
| Moisture- Density Relationship | Tex-113-E | ea. | \$350 |
| Moisture- Density Relationship | Tex-114-E | ea. | \$250 |
| Wet Ball Mill | Tex-116-E | ea. | \$250 |
| Texas Triaxial Compression | Tex-117-E, Pt. 1 | ea. | \$1,100 |
| Full Triaxial Testing * | * See Note | ea. | \$1,700 |
| Soil- Cement Testing | Tex-120-E, Pt. 1 | ca. | \$1,100 |
| Soil- Cement Testing | Tex-120-E, Pt. 2 | ca. | \$300 |
| Soil- Lime Testing | Tex-121-E, Pt. 1 | ca. | \$1,100 |
| Soil- Lime Testing | Tex-121-E, Pt. 2 | ea. | \$300 |
| Lime-Fly Ash Compression | Tex-127-E | ea. | \$1,100 |
| Soil pH | Tex-128-E | ea. | \$50 |
| Resistivity | Tex-129-E | ea. | \$300 |
| Tube Suction Test | Tex-144-E | ca. | \$100 |
| Sulfate Content | Tex-145-E | ea. | \$225 |
| Conductivity of Soils | Tex-146-E | ea. | \$25 |
| Hydrometer Analysis | AASHTO T 88 | ea. | \$450 |
| California Bearing Ratio | AASHTO T 193/ ASTM C 1883 | ea. point | \$300 |

^{*} Full Triaxial Testing includes the following: Washed Gradation, Atterberg Limits, Moisture- Density Relationship, Wet Ball Mill & Texas Triaxial

PaveTex Rate Schedule: Page 2 of 5 - January 2015

| Bitumino | ous (200-F Series) | | |
|--|--|------------|--------------|
| Test For | Test Method | Unit | Unit Cost |
| Dry Sieve Analysis | Tex-200-F, Part I | ea. | \$50 |
| Washed Sieve Analysis | Tex-200-F, Part II | ca. | \$85 |
| Bulk Specific Gravity & % Absorption | Tex-201-F | ea. | \$85 |
| Apparent Specific Gravity | Tex-202-F | ea. | \$85 |
| Sand Equivalent | Tex-203-F | ea. | \$85 |
| Mix Design | Tex-204-F | ea. | \$2,500 |
| Mixing | Tex-205-F | set of 3 | \$75 |
| Molding (TGC) | Tex-206-F | set of 3 | \$60 |
| Laboratory-Molded Density | Tex-207-F, Part I | set of 3 | \$40 |
| In-Place Density (Core Testing) | Tex-207-F, Part I | ea. | \$25 |
| In-Place Density (Nuclear Method) | Tex-207-F, Part III (Min. of 3) | ea. | \$30 |
| In-Place Air Voids (Core Lock) | Tex-207-F, Part VI | set of 2 | \$75 |
| Hveem Stability | Tex-208-F | set of 3 | \$120 |
| Asphalt Content by Extraction & Gradation | Tex-210-F | ca. | \$175 |
| Asphalt Recovery from Abson Process | Tex-211-F | ca. | \$250 |
| Moisture Content | Tex-212-F | ca. | \$25 |
| Deleterious Material | Tex-217-F | ea. | \$50 |
| Decantation | Tex-217-F, Part II | ea. | \$100 |
| Flakiness Index | Tex-224-F | 64. | \$100 |
| Indirect Tensile Strength | Tex-226-F | ea. | \$50 |
| Theoretical Maximum Specific Gravity | Tex-227-F | en. | \$60 |
| Drain-down Test | Tex-235-F | ea. | \$75 |
| Asphalt Content by Ignition Oven & Gradation | Tex-236-F | ea. | \$175 |
| Ignition Oven Correction Factors | Tex-236-F | ea. | \$500 |
| Hamburg Wheel-Tracking Test | Tex-242-F | ea. | \$500 |
| Cantabro Loss | Tex-245-F | ea. | \$200 |
| Overlay Test | Tex-248-F | ea. | \$750 |
| Flat and Elongated Particles | Tex-280-F | ca. | \$100 |
| | A CONTRACTOR OF THE CONTRACTOR | A C. C. P. | |

PaveTex Rate Schedule: Page 3 of 5 - January 2015

| | te (400-A Series) | | |
|---|----------------------------------|------|--------------|
| Test For | Test Mcthod | Unit | Unit Cost |
| Sieve Analysis of Fine and Coarse Aggregate & Fineness Modulus | Tex-401-A & Tex-402-A | ea. | \$85 |
| Saturated Surface-Dry Specific Gravity & Absorption of Aggregates | Tex-403-A | ea. | \$85 |
| Unit Weight | Tex-404-A | ca. | \$85 |
| Material Finer than 75 Micrometer (No. 200) Sieve in Mineral Aggregates (Decantation) | Tex-406-A | ea. | \$100 |
| Acid Insoluble Residue for Concrete Aggregate | Tex-406-A, Part III | ea. | \$350 |
| Organic Matter Content | ASTM D 5268 | ea. | \$100 |
| Organic Impurities in Fine Aggregate for Concrete | Tex-408-A | ea. | \$100 |
| Los Angeles Abrasion | Tex-410-A | ea. | \$300 |
| Magnesium or Sodium Sulfate Soundness | Tex-411-A | ea. | \$300 |
| Concrete Cylinder Compressive Strength | Tex-418-A | ea. | \$22 |
| Concrete Flexural Beam Compressive Strength | Tex-419-A | ea. | \$22 |
| Pressure Stake | Tex-431-A | ea. | \$250 |
| Freezer Thaw | Tex-432-A | ea. | \$250 |
| 24 Hr Water Absorption | Tex-433-A | ea. | \$85 |
| Polish Test for Coarse Aggregate | AASHTO T 278 & 279/ Tex-438-A | ea. | \$1,200 |
| Coarse Aggregate Angularity (Crushed Faces) | Tex-460-A | ea. | \$30 |
| Micro-Deval Abrasion | Tex-461-A | ea. | \$300 |
| Moisture Susceptibility | Tex-530-C | ea. | \$50 |
| Alkali-Silica Reactivity (ASR) | AASHTO T 303 (ASTM C 1260) | ea. | \$1,200 |
| | ASTM C1567 | | |

PaveTex Rate Schedule: Page 4 of 5 - January 2015

| Test For | Test Method | Unit | Unit Cost |
|---|--------------|------|--------------|
| Boil Test | Tex-530-C | ea. | \$50 |
| Penetration | AASHTO T 49 | ea. | \$50 |
| Ductility | AASHTO T 51 | ca. | \$200 |
| Softening Point | AASHTO T 53 | ea. | \$150 |
| Distillation of Cutback Asphalt Products | AASHTO T 78 | ea. | \$150 |
| Rolling Thin-Film Oven (RTFO) | AASHTO T 240 | ca. | \$250 |
| Elastic Recovery | AASHTO T 301 | ea. | S250 |
| Dynamic Shear Rheometer (DSR) | AASHTO T 315 | ca. | \$100 |
| -Additional DSR Readings | | ea. | \$50 |
| Rotational Viscosity | AASHTO T 316 | ea. | \$50 |
| Rubber Property—Resilience by Vertical Rebound | ASTM D 2632 | ea. | \$50 |

PaveTex Rate Schedule: Page 5 of 5 - January 2015