

**WORK AUTHORIZATION NO. 1**

**PROJECT: On Call Geotechnical Engineering and Materials Testing**

This Work Authorization is made pursuant to the terms and conditions of the Williamson County Contract for Engineering Services, being dated **January 10, 2017** and entered into by and between Williamson County, Texas, a political subdivision of the State of Texas, (the "County") and **PaveTex Engineering & Testing, Inc.** (the "Engineer").

Part 1. The Engineer will provide the following Engineering Services set forth in Attachment "B" of this Work Authorization.

Part 2. The maximum amount payable for services under this Work Authorization without modification is **\$50,000.**

Part 3. Payment to the Engineer for the services established under this Work Authorization shall be made in accordance with the Contract.

Part 4. This Work Authorization shall become effective on the date of final acceptance and full execution of the parties hereto and shall terminate on **September 30, 2017.** The Engineering Services set forth in Attachment "B" of this Work Authorization shall be fully completed on or before said date unless extended by a Supplemental Work Authorization.

Part 5. This Work Authorization does not waive the parties' responsibilities and obligations provided under the Contract.

Part 6. County believes it has sufficient funds currently available and authorized for expenditure to finance the costs of this Work Authorization. Engineer understands and agrees that County's payment of amounts under this Work Authorization is contingent on the County receiving appropriations or other expenditure authority sufficient to allow the County, in the exercise of reasonable administrative discretion, to continue to make payments under this Contract. It is further understood and agreed by Engineer that County shall have the right to terminate this Contract at the end of any County fiscal year if the governing body of County does not appropriate sufficient funds as determined by County's budget for the fiscal year in question. County may effect such termination by giving written notice of termination to Engineer.

Part 7. This Work Authorization is hereby accepted and acknowledged below.

EXECUTED this 7<sup>th</sup> day of February, 2017.

ENGINEER:

PaveTex Engineering & Testing, Inc.

By: Sarah Tahmoressi  
Signature

Sarah Tahmoressi  
Printed Name

CFO

Title

COUNTY:

Williamson County, Texas

By: [Signature]  
Signature

Dan A. Gattis, County Judge  
Printed Name

County Judge  
Title

## LIST OF ATTACHMENTS

Attachment A - Services to be Provided by County

Attachment B - Services to be Provided by Engineer

Attachment C - Work Schedule

Attachment D - Fee Schedule

### **Attachment A - Services to be Provided by County**

Williamson County Road & Bridge Division personnel will provide project direction, review and oversight.

### **Attachment B - Services to be Provided by Engineer**

- Perform Quality Assurance (QA) and Quality Control (QC) construction materials sampling and testing as requested, including both laboratory and field testing of soils, base, concrete and hot mix materials, using ASTM or TxDOT testing methods.
- Perform geotechnical investigations and forensic investigations including borings, pavement cores, non-destructive testing, and other geotechnical testing as directed.
- Collect samples, perform laboratory testing, interpret field data, and prepare Geotechnical Reports.
- Provide recommendations and prepare written reports for pavement design, foundation design, slope stability, and other geotechnical issues.

### **Attachment C - Work Schedule**

PaveTex shall provide a work schedule for the assigned task. Work shall begin immediately upon receipt of agreement between County and PaveTex on the work schedule and authorization to proceed on assigned services.

**Attachment D - Fee Schedule**

See Attached

## Williamson County 2016 Price List

Field Technician	Unit	Unit Cost	
		Reg.	OT
1A	hr.	\$58	\$69
1B	hr.	\$58	\$69
Soils	hr.	\$50	\$61
Concrete	hr.	\$50	\$61
Nuclear Gauge Calibration	hr.		\$75
Concrete Plant/ Truck Inspection	hr.		\$75
Asphalt Distributor Calibration	hr.		\$75
Senior Professional Engineer	hr.		\$195
Professional Engineer	hr.		\$145
EIT	hr.		\$85
Project Manager	hr.		\$98
Administrative Assistant	hr.		\$45

Field Testing Equipment (2 Hr Min, Tech Time Not Included)	Unit	Unit Cost
<b>HMAC Coring</b>		
Coring Equipment Mobilization	trip	\$75
0"-6" Depth & 6" $\phi$ (incl. Patching & Sample Prep)	ea.	\$95
> 6"-10" Depth & 6" $\phi$ (incl. Patching & Sample Prep)	ea.	\$110
> 10"-14" Depth & 6" $\phi$ (incl. Patching & Sample Prep)	ea.	\$150
> 14" Depth & 6" $\phi$ (incl. Patching & Sample Prep)	ea.	\$4/ in. over 14"
<b>Concrete Coring</b>		
Mileage- State Allowable Rate (Portal to Portal)	mile	IRS Rate
Concrete Coring Equipment	hr.	\$55.00
Concrete Core Bit Charges		
3" Diameter Core	in.	\$5
4" Diameter Core	in.	\$6
6" Diameter Core	in.	\$8
Traffic Control		at Cost

### Soils & Aggregates (100-E Series)

Test For	Test Method	Unit	Unit Cost
Sample Preparation	Tex-101-E	ea.	\$50
Moisture Content	Tex-103-E	ea.	\$25
Atterberg Limits	Tex-104-E, 105-E & 106-E	ea.	\$75
Linear Bar Shrinkage	Tex-107-E	ea.	\$75
Sieve Analysis	Tex-110-E, Pt. 1	ea.	\$55
Sieve Analysis	Tex-110-E, Pt. 2	ea.	\$85
Moisture- Density Relationship	Tex-113-E	ea.	\$350
Moisture- Density Relationship	Tex-114-E	ea.	\$250
Wet Ball Mill	Tex-116-E	ea.	\$250
Texas Triaxial Compression	Tex-117-E, Pt. 1	ea.	\$1,100
Full Triaxial Testing *	* See Note	ea.	\$1,700
Soil- Cement Testing	Tex-120-E, Pt. 1	ea.	\$1,100
Soil- Cement Testing	Tex-120-E, Pt. 2	ea.	\$300
Soil- Lime Testing	Tex-121-E, Pt. 1	ea.	\$1,100
Soil- Lime Testing	Tex-121-E, Pt. 2	ea.	\$300
Lime-Fly Ash Compression	Tex-127-E	ea.	\$1,100



## Williamson County 2016 Price List

<b>Soils &amp; Aggregates (100-E Series)- Cont.</b>			
<b>Test For</b>	<b>Test Method</b>	<b>Unit</b>	<b>Unit Cost</b>
Soil pH	Tex-128-E	ea.	\$50
Resistivity	Tex-129-E	ea.	\$300
Tube Suction Test	Tex-144-E	ea.	\$100
Sulfate Content	Tex-145-E	ea.	\$225
Conductivity of Soils	Tex-146-E	ea.	\$25
Hydrometer Analysis	AASHTO T 88	ea.	\$450
California Bearing Ratio	AASHTO T 193/ ASTM C 1883	ea. point	\$300

\* Full Triaxial Testing includes the following: Washed Gradation, Atterberg Limits, Moisture- Density Relationship, Wet Ball Mill & Texas Triaxial

<b>Bituminous (200-F Series)</b>			
<b>Test For</b>	<b>Test Method</b>	<b>Unit</b>	<b>Unit Cost</b>
Dry Sieve Analysis	Tex-200-F, Part I	ea.	\$50
Washed Sieve Analysis	Tex-200-F, Part II	ea.	\$85
Bulk Specific Gravity & % Absorption	Tex-201-F	ea.	\$85
Apparent Specific Gravity	Tex-202-F	ea.	\$85
Sand Equivalent	Tex-203-F	ea.	\$85
Mix Design	Tex-204-F	ea.	\$2,500
Mixing	Tex-205-F	set of 3	\$75
Molding (TGC)	Tex-206-F	set of 3	\$60
Laboratory-Molded Density	Tex-207-F, Part I	set of 3	\$40
In-Place Density (Core Testing)	Tex-207-F, Part I	ea.	\$25
In-Place Density (Nuclear Method)	Tex-207-F, Part III (Min. of 3)	ea.	\$30
In-Place Air Voids (Core Lock)	Tex-207-F, Part VI	set of 2	\$75
Hveem Stability	Tex-208-F	set of 3	\$120
Asphalt Content by Extraction & Gradation	Tex-210-F	ea.	\$175
Asphalt Recovery from Abson Process	Tex-211-F	ea.	\$250
Moisture Content	Tex-212-F	ea.	\$25
Hydrocarbon Volatile Content	Tex-213-F	ea.	\$100
Deleterious Material	Tex-217-F	ea.	\$50
Decantation	Tex-217-F, Part II	ea.	\$100
Flakiness Index	Tex-224-F	ea.	\$100
Indirect Tensile Strength	Tex-226-F	ea.	\$50
Theoretical Maximum Specific Gravity	Tex-227-F	ea.	\$60
Drain-down Test	Tex-235-F	ea.	\$75
Asphalt Content by Ignition Oven & Gradation	Tex-236-F	ea.	\$175
Ignition Oven Correction Factors	Tex-236-F	ea.	\$500
Hamburg Wheel-Tracking Test	Tex-242-F	ea.	\$500
Cantabro Loss	Tex-245-F	ea.	\$200
Overlay Test	Tex-248-F	ea.	\$750
Flat and Elongated Particles	Tex-280-F	ea.	\$100

## Williamson County 2016 Price List

<b>Concrete (400-A Series)</b>			
<b>Test For</b>	<b>Test Method</b>	<b>Unit</b>	<b>Unit Cost</b>
Sieve Analysis of Fine and Coarse Aggregate & Fineness Modulus	Tex-401-A & Tex-402-A	ea.	\$85
Saturated Surface-Dry Specific Gravity & Absorption of Aggregates	Tex-403-A	ea.	\$85
Unit Weight	Tex-404-A	ea.	\$85
Material Finer than 75 Micrometer (No. 200) Sieve in Mineral Aggregates (Decantation)	Tex-406-A	ea.	\$100
Acid Insoluble Residue for Concrete Aggregate	Tex-406-A, Part III	ea.	\$350
Organic Matter Content	ASTM D 5268	ea.	\$100
Organic Impurities in Fine Aggregate for Concrete	Tex-408-A	ea.	\$100
Los Angeles Abrasion	Tex-410-A	ea.	\$300
Magnesium or Sodium Sulfate Soundness	Tex-411-A	ea.	\$300
Concrete Cylinder Compressive Strength	Tex-418-A	ea.	\$22
Concrete Flexural Beam Compressive Strength	Tex-419-A	ea.	\$22
Pressure Slake	Tex-431-A	ea.	\$250
Freezer Thaw	Tex-432-A	ea.	\$250
24 Hr Water Absorption	Tex-433-A	ea.	\$85
Polish Test for Coarse Aggregate	AASHTO T 278 & 279/ Tex-438-A	ea.	\$1,200
Coarse Aggregate Angularity (Crushed Faces)	Tex-460-A	ea.	\$30
Micro-Deval Abrasion	Tex-461-A	ea.	\$300
Moisture Susceptibility	Tex-530-C	ea.	\$50
Alkali-Silica Reactivity (ASR)	AASHTO T 303 (ASTM C 1260)	ea.	\$1,200
	ASTM C1567		

<b>Asphalt (500-C Series)</b>			
<b>Test For</b>	<b>Test Method</b>	<b>Unit</b>	<b>Unit Cost</b>
Boil Test	Tex-530-C	ea.	\$50
Penetration	AASHTO T 49	ea.	\$50
Ductility	AASHTO T 51	ea.	\$200
Softening Point	AASHTO T 53	ea.	\$150
Distillation of Cutback Asphalt Products	AASHTO T 78	ea.	\$150
Rolling Thin-Film Oven (RTFO)	AASHTO T 240	ea.	\$250
Elastic Recovery	AASHTO T 301	ea.	\$250
Dynamic Shear Rheometer (DSR)	AASHTO T 315	ea.	\$100
-Additional DSR Readings		ea.	\$50
Rotational Viscosity		ea.	\$50
Rubber Property—Resilience by Vertical Rebound	ASTM D 2632	ea.	\$50
Float Test	AASHTO T 50 (ASTM D 139)	ea.	\$100
Flash Point by Cleveland Open Cup	AASHTO T 48 & T 72 (ASTM D 92)	ea.	\$55
Settlement and Storage Stability of Emulsified Asphalts	AASHTO T 59 (ASTM D 6930)	ea.	\$75
Oversized Particles in Emulsified Asphalt	AASHTO T 59 (ASTM 6933)	ea.	\$85
Residue by Evaporation of Emulsified Asphalt	AASHTO T 59 (ASTM D6934)	ea.	\$55
Demulsibility of Emulsified Asphalt	AASHTO T 59 (ASTM D6936)	ea.	\$55
Distillation of Emulsified Asphalt	AASHTO T 59 (ASTM D 86)	ea.	\$150
Saybolt Viscosity	AASHTO T 72 (ASTM D 88)	ea.	\$100
Spot Test	AASHTO T 102	ea.	\$200
Specific Gravity of Emulsified Asphalt	ASTM D 244	ea.	\$55