

WORK AUTHORIZATION NO. 3

PROJECT: On Call Geotechnical Engineering and Material Testing

This Work Authorization is made pursuant to the terms and conditions of the Williamson County Contract for Engineering Services, being dated **January 10, 2017** and entered into by and between Williamson County, Texas, a political subdivision of the State of Texas, (the "County") and **Rodriguez Engineering Laboratories, LLC** (the "Engineer").

Part 1. The Engineer will provide the following Engineering Services set forth in Attachment "B" of this Work Authorization.

Part 2. The maximum amount payable for services under this Work Authorization without modification is **\$50,000.00.**

Part 3. Payment to the Engineer for the services established under this Work Authorization shall be made in accordance with the Contract.

Part 4. This Work Authorization shall become effective on the date of final acceptance and full execution of the parties hereto and shall terminate on **September 30, 2019.** The Engineering Services set forth in Attachment "B" of this Work Authorization shall be fully completed on or before said date unless extended by a Supplemental Work Authorization.

Part 5. This Work Authorization does not waive the parties' responsibilities and obligations provided under the Contract.

Part 6. County believes it has sufficient funds currently available and authorized for expenditure to finance the costs of this Work Authorization. Engineer understands and agrees that County's payment of amounts under this Work Authorization is contingent on the County receiving appropriations or other expenditure authority sufficient to allow the County, in the exercise of reasonable administrative discretion, to continue to make payments under this Contract. It is further understood and agreed by Engineer that County shall have the right to terminate this Contract at the end of any County fiscal year if the governing body of County does not appropriate sufficient funds as determined by County's budget for the fiscal year in question. County may effect such termination by giving written notice of termination to Engineer.

Part 7. This Work Authorization is hereby accepted and acknowledged below.

EXECUTED this 31 day of July, 2018.

ENGINEER:

Rodriguez Engineering Laboratories, LLC

By: _____

Signature

Jose Malendez, P.E.

Printed Name

Laboratory Engineer

Title

COUNTY:

Williamson County, Texas

By: _____

Signature

Dr. J. C. A. 7/17

Printed Name

County July

Title

LIST OF ATTACHMENTS

Attachment A - Services to be Provided by County

Attachment B - Services to be Provided by Engineer

Attachment C - Work Schedule

Attachment D - Fee Schedule

Attachment B - Services to be Provided by Engineer

The following scope of services will be provided as requested by Williamson County (County) or the County's representative. The Engineer, Rodriguez Engineering Laboratories, LLC (REL) understands that the County has particular project requirements; therefore, scope of services and qualified staff is assigned to meet the needs defined in those specifications.

Construction Materials Sampling and Testing

REL understands the importance of QC/QA testing of the construction process so that our clients obtain a quality-constructed project that both satisfies the project plans and the specifications. REL will provide construction materials sampling and testing services for the County on an as-needed basis for the Geotechnical Engineering and Materials Testing Projects; including both laboratory and field testing of soils, base, concrete, and hot-mix materials, using ASTM or TxDOT testing methods. The testing frequency will be based on the current TxDOT Guide Schedule of Sampling and Testing or as directed by the County. The testing services are including but not are limited to the following:

Geotechnical Investigation:

- Perform geotechnical investigation as requested by the County including borings, pavement cores, non-destructive testing, etc.
- Collect samples, perform laboratory testing, interpret field data, and prepare reports of substrate properties.
- Provide recommendations and prepare written geotechnical reports for pavement design, bridge foundation, select fill, etc.

Soils Testing:

- Perform soils testing as required by project specifications or as requested by the County for liquid limit, plasticity index, gradation, moisture/density relations, Texas triaxial, wet ball mill, bar linear shrinkage, soil -lime compression, CTB testing, resistivity of soils, organic content, soil pH, pH/lime series, PI/lime series, deleterious materials, sulfate content of soils, in-place density, thickness determination, pulverization gradation, etc.

Hot Mix Asphaltic Concrete Testing:

- Perform asphaltic mixture testing as required by project specifications or as requested by the County for voids in mineral aggregates, lab molded density, maximum theoretical specific gravity, gradation, asphalt content, boil test, indirect tensile strength, moisture content, draindown test, hamburg wheel-tracking test, overlay test, thickness, in-place air voids, etc.
- Test HMA pavement as required by project specifications or as requested by the County during installation for segregation profile, joint density, thermal profile, ride quality test, etc.
- Test HMA aggregate as required by project specifications or as requested by the County for L.A. abrasion, magnesium sulfate soundness, SAC, micro-deval, sand equivalent, etc. Hveem stability will be tested if needed.
- Review mix design of HMA as requested.

Microsurfacing Mixture Testing:

- Test microsurfacing aggregate as required by project specifications or as requested by the County for magnesium sulfate soundness, gradation, crushed face count, acid insoluble, SAC, and sand equivalent.
- Obtain a minimum of one binder and tack-coat sample per project/source if not pre-approved by CST/M&P before use.

Seal Coat Testing:

- Perform seal-coat aggregate testing as required by project specifications or as requested by the County for gradation, LA abrasion, magnesium sulfate soundness, SAC, pressure slake, freeze thaw, unit weight, absorption, angularity, deleterious material, decantation, flakiness index, etc.

Portland Cement Concrete Testing:

- Perform PCC testing as required by project specifications or as requested by the County for compressive strength, slump, air content, temperature test, etc.
- Perform concrete aggregate testing as required by project specifications or requested by the County for gradation, decantation, deleterious materials, L.A. abrasion, magnesium sulfate soundness, sand equivalent, organic impurities, fineness modulus, acid insoluble residue, etc.
- Review mix design of concrete as requested.

Attachment C - Work Schedule

Rodriguez Engineering Laboratories, LLC will provide geotechnical engineering and construction materials testing services for Williamson County Road & Bridge Division (County). These services will be provided as requested by the County or County's representative on an as-needed basis for the Geotechnical Engineering and Materials Testing projects.

Attachment D - Fee Schedule

See attached

EXHIBIT D

RATE SCHEDULE

Rodriguez Engineering Laboratories, LLC	Unit	Fee
1. Field Technician (2 hr. minimum)		
1.1 Soil Technician	Per hr	\$65.00
1.2 Concrete Technician TxDOT or ACI Grade I	Per hr	\$65.00
1.3 Asphalt Technician		
1.3.1 TxDOT Certified Technician (Level IA & IB)	Per hr	\$65.00
1.3.2 TxDOT Certified Technician (Level II)	Per hr	\$75.00
1.4 Senior Field Inspector	Per hr	\$75.00
1.5 Structural Steel Technician		
1.5.1 CWI	Per hr	\$90.00
1.5.2 NDT Level II	Per hr	\$90.00
1.6. Boiling Inspection	Per hr	\$90.00
1.7 NISCT Level III	Per hr	\$90.00
2. Field Testing Equipment (2 hr. minimum, technician time not included)		
2.1 Vehicle		
2.1.1 Vehicle (Within 60 miles from our office)	Per day	\$60.00
2.1.2 Vehicle (More than 60 miles from our office)	Per mile	IRS Rate
2.2 Dye Penetrant -- Magnetic Particle Supplies		At Cost
2.3 Ultrasonic Testing Equipment	Per hr	\$23.00
2.4 Concrete Coring Equipment	Per hr	\$39.00
2.4.1 Concrete Core Bit Charges		
2.4.1.1 3 inch diameter core	Per inch	\$4.80
2.4.1.2 4 inch diameter core	Per inch	\$6.00
2.4.1.3 6 inch diameter core	Per inch	\$7.70
2.5 Heavy Faling Weight Deflectometer (20 Test-points minimum, Technician time not included)	Test Point	\$20.00
2.6 Profilograph Testing (Technician time not included)	Day	\$400.00
3. Testing of Soils and Base Materials		
3.1 Bulk Sample Pick-Up		
3.1.1 Inside the City of Austin ETJ (2 hrs or less tech time)	Per Trip	\$110.00
3.1.2 Outside the City of Austin ETJ (2 hrs Minimum)	Per hr	\$55.00
3.2 Field Nuclear Density (Without Technician Time (3 Minimum))	Per ea	\$39.00
3.3 Sample Preparation (TEX-101-E)	Per ea	\$68.00
3.4 Natural Moisture Content (TEX-103-E)	Per ea	\$20.00
3.5 Slave Analysis (TEX-110-E)	Per ea	\$71.00
3.6 Atterberg Limits (Liquid and Plastic Limits) (TEX-104-E, TEX-105-E, TEX-106-E)	Per ea	\$71.00
3.7 Percent Passing No. 200 Sieve (TEX-111-E)	Per ea	\$48.00
3.8 Bar Linear Shrinkage of Soils (TEX-107-E)	Per ea	\$80.00
3.9 Moisture Density Relationship (ASTM D 888) Standard Proctor Compaction Test)	Per ea	\$253.00
3.10 Moisture Density Relationship (ASTM D 1557) (Modified Proctor Compaction Test)	Per ea	\$253.00
3.11 Moisture Density Relationship (TEX-113-E) Compaction Test	Per ea	\$253.00
3.12 Moisture Density Relationship (TEX-114-E, Part I) Compaction Test	Per ea	\$253.00
3.13 Moisture Density Relationship (TEX-114-E, Part II) Compaction Test	Per ea	\$280.00
3.14 Texas Triaxial Compression Test on Base Material TEX-117E, Part II, including the		
3.15 Molding, Curing and Testing 8 Specimens	Per ea	\$1,265.00
3.3 Sample Preparation (TEX-101-E)	Per ea	\$68.00
3.5 Slave Analysis (TEX-110-E)	Per ea	\$71.00
3.6 Atterberg Limits (TEX-104-E, TEX-105-E, TEX-106-E)	Per ea	\$71.00
3.8 Bar Linear Shrinkage of Soils (TEX-107-E)	Per ea	\$80.00
3.11 Moisture Density Relationship (TEX-113-E) Compaction Test	Per ea	\$253.00
3.10 Wet Ball Mill (TEX-118-E)	Per ea	\$220.00

EXHIBIT D

RATE SCHEDULE

Rodriguez Engineering Laboratories, LLC	Unit	Price
3.17 Permeability/Conductivity of Silt or Clay (ASTM D 5084)	Per ea	\$425.00
3.18 Sample Remolding	Per ea	\$55.00
3.19 Soil Specific Gravity (TEX-108-E)	Per ea	\$68.00
3.20 Soil Line Compression Test (TEX-121-E), per specimen	Per ea	\$74.00
3.21 Resistivity of Soils (TEX-120-E)	Per ea	\$89.00
3.22 Lime Series Curve (ASTM D 4318)	Per point	\$89.00
3.23 Stabilization Ability of Lime by Soil pH (TEX-121-E Part III) up to 6 Points	Per Each	\$270.00
3.24 Field Gradation of Lime Soil (1.75, 0.75, No 4 Sieve), in addition to technician time	Per Point	\$20.00
3.25 Soluble Sulfate Content (TEX-145-E)	Per ea	\$65.00
3.26 pH of Soils (TEX-120-E)	Per ea	\$65.00
3.27 Hydrometer Analysis (ASTM D 422) (Without mechanical sieve analysis)	Per ea	\$104.00
3.28 Thickness Determination (Tex-140-E), in addition to technician time	Per ea	\$18.00
4. Testing of Concrete and Aggregates		
4.1 Sample Pick-Up		
4.1.1 Inside the City of Austin ETJ (2 hrs or less tech time)	Per Trip	\$110.00
4.1.2 Outside the City of Austin ETJ (2 hrs Minimum)	Per hr	\$55.00
4.2 Aggregate Gradation (TEX-401-A)	Per ea	\$71.00
4.3 Specific Gravity of Aggregate	Per ea	\$55.00
4.4 Absorption of Aggregate	Per ea	\$36.00
4.5 Unit Weight of Aggregate	Per ea	\$38.00
4.6 Abrasion Test (TEX-410-A)	Per ea	\$242.00
4.7 Decantation (TEX-406-E)	Per ea	\$33.00
4.8 Organic Impurities, Tex-408-A	Per ea	\$50.00
4.9 Soundness, Sodium or Magnesium, 5 cycles (Tex-411-A)	Per ea	\$355.00
4.10 Concrete Cylinder Compressive Strength (TEX-418-A)	Per ea	\$25.50
4.11 Beam Flexural Strength (TEX-420-A or TEX-448-A)	Per ea	\$38.50
4.12 Coarse Aggregate Angularity	Per ea	\$74.00
4.13 Fine Aggregate Angularity	Per ea	\$74.00
4.14 Flat, Elongated Particles	Per ea	\$74.00
4.15 Deleterious Materials (Clay Lumps/Friable Part I)	Per ea	\$66.00
4.16 Crushed Face Count	Per ea	\$75.00
4.17 Sand Equivalent (Clay Content), Tex-203-F	Per ea	\$88.00
5. Testing of HMA and Liquid Asphalt		
5.1 Bag Sample Pick-up From Source, Project, or Field Office		
5.1.1 Inside the City of Austin ETJ (2 hrs or less tech time)	Per Trip	\$110.00
5.1.2 Outside the City of Austin ETJ (2 hrs Minimum)	Per hr	\$55.00
5.2 Obtaining Field-cut Specimens		
5.2.1 0" to 6" Depth & 6" Ø, including patching & sample Preparation, 3 minimum	Per ea	\$93.50
5.2.2 > 6" to 10" Depth & 6" Ø, including patching & sample Preparation, 3 minimum	Per ea	\$104.50
5.2.3 > 10" to 14" Depth & 6" Ø, including patching & sample Preparation, 3 minimum	Per ea	\$137.50
5.2.4 > 14" Depth & 6" Ø, including patching & sample Preparation, 3 minimum		\$137.50
plus \$5 per inch beyond 14"		\$5.50
5.3 Specimen Molding by TGC, Tex-208-F (3 per set)	Per ea	\$60.00
5.4 Specimen Molding by SGC, Tex-241-F (3 per set)	Per ea	\$85.00
5.5 Bulk Density of Compacted Specimens, Tex-207-F, Part I (3 per set)	Per ea	\$60.00
5.6 Hygroscopic Stability, Tex-208-F (3 per set)	Per ea	\$60.00
5.7 Asphalt Content by Extraction, Tex-210-F	Per ea	\$161.00
5.8 Asphalt Content by Ignition Oven, Tex-238-F	Per ea	\$161.00
5.9 Gradation of Aggregate from Extraction or Ignition, Tex-200-F	Per ea	\$71.00

EXHIBIT D

RATE SCHEDULE

Rodriguez Engineering Laboratories, LLC	Unit	Fees
5.10 Maximum Theoretical Specific Gravity, Rice Method (TEX-227-F)		
5.10.1 Bag Sample, Rice	Per ea	\$50.00
5.10.2 Core Sample, Rice	Per ea	\$60.00
5.11 Bulk Density of Core Specimens (Tex-207-F, Part I)	Per ea	\$24.00
5.12 Bulk Density of Core Specimens (Vacuum Method) (Tex-207-F, Part I & VI)	Per ea	\$60.00
5.13 Sand Equivalent, Tex-203-F	Per ea	\$88.00
5.14 Micro Deval Abrasion (Tex-461-A)	Per ea	\$220.00
5.15 Indirect Tensile Strength, Tex-228-F (Molding Not Included)	Per ea	\$66.00
5.16 Residue by Evaporation	Per ea	\$135.00
5.17 Boiling Stripping Test (Tex-530-C)	Per ea	\$100.00
5.18 Hamburg Wheel Tracker (Tex-242-F)	Per ea	\$600.00
5.19 Hamburg Wheel Tracker (Tex-242-F) (Molded by Client)	Per ea	\$350.00
5.20 Cantabro Loss (Tex-245-F) (Molding Not Included)	Per ea	\$100.00
5.21 Absorb Recovery, Tex-211-F (Extraction Not Included)	Per ea	\$214.00
5.22 Storage Stability (24 Hrs)	Per ea	\$100.00
5.23 Density of Emulsified Asphalt (ASTM D6937)	Per ea	\$66.00
5.24 Demulsibility (Anionic or Cationic Emulsions)	Per ea	\$66.00
5.25 Viscosity (Brookfield or Saybolt)	Per ea	\$66.00
5.26 Penetration	Per ea	\$67.00
5.27 Ductility	Per ea	\$91.00
5.28 Float Test	Per ea	\$76.00
5.29 Elastic Recovery	Per ea	\$76.00
5.30 Cement Mlx	Per ea	\$66.00
5.31 Softening Point (Ring and Ball)	Per ea	\$91.00
5.32 Absolute Viscosity (Cutback Asphalt or Coal Tar)	Per ea	\$67.00
5.33 Residue by Distillation (Cutback or Emulsified Asphalts)	Per ea	\$135.00
5.34 Breaking Index (Asphalt Emulsions)	Per ea	\$66.00
5.35 Sieve Test	Per ea	\$40.00
6. Geotechnical Services		
6.1 Mobilization/Demobilization (Within 60 miles from our office), 2-Man Crew with Rig	Per ea	\$260.00
6.2 Mobilization/Demobilization, 2-Man Crew with Rig (More than 60 miles from our office)	Per mile	\$3.20
6.3 Vehicle (Water Truck, Pick-Up, etc.)		
6.3.1 Vehicle (Within 60 miles from our office)	Per day	\$80.00
6.3.2 Vehicle (More than 60 miles from our office)	Per mile	IRS Rate
6.4 Technician (Drilling Support)		
6.4.1 Helper, Engineering Technician (Mobilization/Demobilization)	Per hr	\$56.00
6.4.2 Logger, Senior Engineering Technician (Portal to Portal)	Per hr	\$76.00
6.5 Drilling		
6.5.1 Auger or Wash Borings, Soil (Add \$3.00/LF for drilling deeper than 60 ft)	Per LF	\$16.00
6.5.2 Auger or Coring, Soft Rock	Per LF	\$20.00
6.5.3 Rock Coring	Per LF	\$22.00
6.6 Grout/Bentonite Backfill	Per LF	\$1.60
6.7 Undisturbed Shelby Tube Sample	Per ea	\$26.00
6.8 Standard Penetration Test	Per ea	\$46.00
6.9 Texas Cone Penetration Test	Per ea	\$46.00
6.10 Dynamic Cone Penetrometer (Without Technician time)	Per ea	\$125.00
6.11 Unconsolidated/Consolidated Undrained Triaxial (Multiple Stages)	Per ea	\$515.00
6.12 Consolidated Drained Triaxial (Multiple Stages)	Per ea	\$760.00
6.13 Organic Content Determination	Per ea	\$96.00

EXHIBIT D

RATE SCHEDULE

Rodriguez Engineering Laboratories, LLC		Unit	Price
6.14 Consolidation Test		Per ea	\$525.00
6.15 California Bearing Ratio (CBR) Test		Per ea	\$455.00
6.16 Dry Unit Weight Test		Per ea	\$35.00
6.17 Unconfined Compressive Strength Test		Per ea	\$55.00
6.18 Traffic Control (Safety Cones and Signs)		Per day	\$250.00
6.19 Traffic Control (Single Moving Lane Closure)		Per day	\$880.00
6.20 Flagging Services (Incl. Equipment, Set-up, Two-man Crew)		Per day	\$950.00
6.21 Patching Bore/Cores		Per ea	\$25.00
6.22 Bulk Sample (Triaxial, Proctor, etc)		Per hr	\$65.00
6.23 Cut & Excavate Test Pit on Pavement, Approx. 18"x18", Inc. Sampling		Per ea	\$200.00
6.24 Standby Time (Drill Rig and Crew)		Per hr	\$195.00
7. Engineering Consultation			
7.1 Principal		Per hr	\$145.00
7.2 Senior Project Manager		Per hr	\$130.00
7.3 Project Manager		Per hr	\$115.00
7.4 Project Engineer		Per hr	\$115.00
7.5 Senior Geologist		Per hr	\$105.00
7.6 Laboratory Manager		Per hr	\$105.00
7.7 Graduate Engineer		Per hr	\$95.00
7.8 Senior Engineering Technician		Per hr	\$75.00
7.9 Secretary/Clerical		Per hr	\$45.00
8. Outside Services (Reimbursables)			At Cost
9. Subconsultants			At Cost

- Ø Minimum call-out charge for technician and equipment is 2 hours. Charges are accrued portal to portal.
- Ø The densities test unit rate is based on a minimum of 3 tests per trip.
- Ø Transportation charges are applicable for all field testing assignments including sample pick up, but, if the technician is already at the job site, there is no sample pick up charges.
- Ø Subconsultants' fees shall be approved previous to work beginning.