## IN THE COMMISSIONERS' COURT OF WILLIAMSON COUNTY, TEXAS

### **RESOLUTION**

WHEREAS, the Commissioners' Court of Williamson County, Texas, has found and determined that in order to promote the public safety, to facilitate the safety and movement of traffic, and to preserve the financial investment of the public in its roadways, public necessity requires acquisition of a drainage easement in and across that certain tract of land being 2.039 acres described by metes and bounds in Exhibit "A", owned by TEXAS CRUSHED STONE COMPANY, for the purpose of constructing, reconstructing, maintaining, and operating County Road 176 roadway improvements and related appurtenances, storm water drainage and utility adjustments ("Project"), excluding all the oil, gas, and sulphur which can be removed from beneath said real property, without any right whatever remaining to the owner of such oil, gas, and sulphur of ingress to or egress from the surface of said real property for the purpose of exploring, developing, or mining of the same, as a part of the improvements to the Project, at such locations as are necessary and that such constructing, reconstructing, maintaining, and operating shall extend across and upon, and will cross, run through, and be upon the hereinafter described real properties; and

WHEREAS, the Commissioners' Court of Williamson County, Texas, has, through agents employed by the said office, entered into bona fide good faith negotiations with the owners of the hereinafter described properties and has failed to agree with the owners on the compensation and damages, if any, due to said owners. Now, therefore, the Commissioners' Court of Williamson County, Texas is authorizing the use of its power of eminent domain to condemn property.

BE IT RESOLVED BY THE COMMISSIONERS' COURT OF THE COUNTY

OF WILLIAMSON, that the County Attorney or his designated agent be and he is hereby

authorized and directed to file or cause to be filed against the owners of any interest in,

and the holders of any lien secured by, the following described tracts of land, described in

Exhibit "A" attached hereto, a suit in eminent domain to acquire the property interests for

the aforesaid purposes; and

It is the intent of the Commissioners' Court that this resolution authorizes the

condemnation of all property interests required to complete the construction and

maintenance of the Project and associated public purposes. If it is later determined that

there are any errors in the descriptions contained herein or if later surveys contain more

accurate revised descriptions, the County Attorney is authorized to have such errors

corrected or revisions made without the necessity of obtaining a new resolution of the

Commissioners' Court authorizing the condemnation of the corrected or revised Property.

BE IT FURTHER RESOLVED that the County Attorney or his designated agent

be and he is hereby authorized and directed to incur such expenses and to employ such

experts as he shall deem necessary to assist in the prosecution of such suit in eminent

domain, including, but not limited to, appraisers, engineers, and land use planners or

other required expert consultants.

Adopted this \_\_\_\_\_\_ day of \_\_\_\_\_\_\_\_, 2021.

Bill Gravell (Oct 20, 2021 08:03 CDT)

Bill Gravell, Jr.

Williamson County Judge

2

# EXHIBIT "A"

Williamson County, Texas I. Donagan Survey, A-178

2.039 Acres Page 1 of 6

#### FIELD NOTES DESCRIPTION

DESCRIPTION OF 2.039 ACRES OF LAND IN THE I. DONAGAN SURVEY, ABSTRACT NO. 178, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF A CERTAIN CALLED 190.40 ACRE TRACT DESCRIBED IN THE DEED TO TEXAS CRUSHED STONE COMPANY OF RECORD IN VOLUME 743, PAGE 47, DEED RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 2.039 ACRES OF LAND, AS SURVEYED BY LANDDEV CONSULTING, LLC, BEING COMPRISED OF TRACT 1 (1.317 ACRES), AND TRACT 2 (0.722 OF ONE ACRE), AND SHOWN ON THE ACCOMPANYING SKETCH, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

#### **TRACT 1: 1.317 ACRES**

COMMENCING at a calculated point in the approximate centerline of the South Fork of the San Gabriel River, at the northwest corner of the said 190.40 acre tract, same being a re-entrant corner in the east line of a certain called 1,143.511 acre tract designed as Tract 1 and described in the deed to HM PARKSIDE, LP of record in Document No. 2018114043, Official Public Records of Williamson County, Texas, from which a ½-inch iron rod with a plastic cap stamped "1847" found at an angle point in the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract bears S 01°52'09" E, a distance of 1,026.81 feet;

THENCE S 01°52'09" E, with the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract, a distance of 626.15 feet to a calculated point for the northwest corner and **POINT OF BEGINNING** of the tract described herein; from which the said ½-inch iron rod with a plastic cap stamped "1847" found at an angle point in the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract bears S 01°52'09" E, a distance of 400.66 feet;

**THENCE** leaving the east line of the said 1,143.511 acre tract, crossing the said 190.40 acre tract, with the north, east, and south lines of the tract described herein, the following twenty (20) courses and distances:

- 1. S 82°41'00" E, a distance of 63.31 feet to a calculated angle point,
- 2. S 71°25'17" E, a distance of 95.54 feet to a calculated angle point,
- 3. S 68°01'05" E, a distance of 31.78 feet to a calculated angle point,
- 4. S 57°18'45" E, a distance of 70.37 feet to a calculated angle point,
- 5. S 62°49'34" E, a distance of 79.52 feet to a calculated angle point,
- 6. N 85°29'50" E, a distance of 53.00 feet to a calculated angle point,
- 7. N 87°54'09" E, a distance of 106.48 feet to a calculated angle point,
- 8. S 82°38'29" E, a distance of 34.15 feet to a calculated point for the east corner of the tract described herein,
- 9. S 73°20'38" W, a distance of 12.09 feet to a calculated angle point,
- 10. S 68°11'32" W, a distance of 40.92 feet to a calculated angle point,
- 11. S 60°32'55" W, a distance of 29.38 feet to a calculated angle point,
- 12. S 75°58'35" W, a distance of 68.77 feet to a calculated angle point,
- 13. S 66°03'16" W, a distance of 43.80 feet to a calculated angle point,
- 14. N 86°02'55" W, a distance of 32.31 feet to a calculated angle point,
- 15. S 72°35'52" W, a distance of 59.44 feet to a calculated angle point,
- 16. S 80°13'55" W, a distance of 65.46 feet to a calculated angle point;
- 17. S 80°16'00" W, a distance of 39.46 feet to a calculated angle point,
- 18. S 58°27'42" W, a distance of 16.99 feet to a calculated angle point,

- 19. N 81°01'52" W, a distance of 64.16 feet to a calculated angle point, and
- 20. N 77°31'56" W, a distance of 48.06 feet to a calculated point in the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract, for the southwest corner of the tract described herein, from which the said ½-inch iron rod with a plastic cap stamped "1847" found at an angle point in the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract bears S 01°52'09" E, a distance of 190.12 feet;

THENCE N 01°52'09" W, with the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract, with the west line of the tract described herein, a distance of 210.54 feet to the **POINT OF BEGINNING** and containing 1.317 acres of land, more or less.

#### TRACT 2: 0.722 OF ONE ACRE

**COMMENCING** at a calculated point in the approximate centerline of the South Fork of the San Gabriel River, at the northwest corner of the said 190.40 acre tract, same being a re-entrant corner in the east line of a certain called 1,143.511 acre tract designed as Tract 1 and described in the deed to HM PARKSIDE, LP of record in Document No. 2018114043, Official Public Records of Williamson County, Texas;

**THENCE**, with the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract, the following three (3) courses and distances:

- 1. S 01°52'09" E, a distance of 1,026.81 feet to a 1/2-inch iron rod with a plastic cap stamped "1847" found at an angle point,
- 2. S 01°10'35" E, a distance of 167.79 feet to a calculated point for an angle point, from which a 3/8-inch iron rod found bears S 01°12'20" E, a distance of 2.69 feet, and
- 3. S 00°03'58" W, a distance of 22.59 feet to a calculated point for the northwest corner and **POINT OF BEGINNING** of the tract described herein;

**THENCE** leaving the east line of the said 1,143.511 acre tract, crossing the said 190.40 acre tract, with the north, east, and south lines of the tract described herein, the following twenty-eight (28) courses and distances:

- 1. S 85°07'30" E, a distance of 38.55 feet to a calculated angle point,
- 2. S 78°30'02" E, a distance of 61.29 feet to a calculated angle point,
- 3. N 86°25'44" E, a distance of 53.48 feet to a calculated angle point,
- 4. S 79°41'37" E, a distance of 37.29 feet to a calculated angle point,
- 5. S 58°01'07" E, a distance of 31.46 feet to a calculated angle point,
- 6. N 69°55'06" E, a distance of 48.53 feet to a calculated angle point,
- 7. N 52°23'39" E, a distance of 67.37 feet to a calculated angle point,
- 8. N 47°28'19" E, a distance of 55.87 feet to a calculated angle point,
- 9. N 51°10'01" E, a distance of 51.39 feet to a calculated angle point,
- 10. S 78°41'26" E, a distance of 28.34 feet to a calculated angle point,
- 11. N 36°22'37" E, a distance of 23.56 feet to a calculated angle point,
- 12. N 79°50'51" E, a distance of 41.55 feet to a calculated angle point,
- 13. N 72°31'07" E, a distance of 30.57 feet to a calculated angle point,
- 14. N 66°48'36" E, a distance of 32.44 feet to a calculated angle point,
- 15. N 86°22'18" E, a distance of 25.95 feet to a calculated angle point,

- 16. N 77°23'53" E, a distance of 22.52 feet to a calculated angle point,
- 17. N 65°25'35" E, a distance of 46.48 feet to a calculated angle point,
- 18. N 60°45'55" E, a distance of 46.96 feet to a calculated angle point,
- 19. N 57°40'56" E, a distance of 26.60 feet to a calculated angle point,
- 20. N 81°52'31" E, a distance of 4.85 feet to a calculated angle point,
- 21. S 04°20'45" W, a distance of 12.34 feet to a calculated angle point,
- 22. S 58°43'52" W, a distance of 95.37 feet to a calculated angle point,
- 23. S 74°34'29" W, a distance of 49.46 feet to a calculated angle point,
- 24. S 61°41'30" W, a distance of 156.24 feet to a calculated angle point,
- 25. S 66°14'13" W, a distance of 68.73 feet to a calculated angle point,
- 26. S 43°49'19" W, a distance of 83.44 feet to a calculated angle point,
- 27. S 58°34'41" W, a distance of 97.35 feet to a calculated angle point, and
- 28. N 84°48'12" W, a distance of 224.98 feet to a calculated point in the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract, for the southwest corner of the tract described herein, from which a ½-inch iron pipe found at an angle point in the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract bears S 00°03'58" W, a distance of 250.49 feet;

**THENCE** N 00°03'58" E, with the west line of the said 190.40 acre tract and the east line of the said 1,143.511 acre tract, with the west line of the tract described herein, a distance of 68.65 feet to the **POINT OF BEGINNING** and containing 0.722 of one acre of land, more or less.

FOR A TOTAL AREA OF 2.039 ACRES, BEING ALL OF TRACT 1 (1.317 ACRES) AND ALL OF TRACT 2 (0.722 OF ONE ACRE).

Bearing Basis: Texas Coordinate System, Central Zone, NAD83, Grid.

THE STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS

That I, Ernesto Navarrete, a Registered Professional Land Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and belief and that the parcel of land described herein is based upon a survey performed upon the ground under my direct supervision during the month of March, 2021.


WITNESS MY HAND AND SEAL at Austin, Travis County, Texas, this 03rd day of May 2021 A.D.


LANDDEV CONSULTING, LLC 5508 Highway 290 West, Suite 150 Austin, Texas 78735

Ernesto Navarrete Registered Professional Land Surveyor

No. 6642 – State of Texas







.90 WEST, SUITE 150 -X · 78735 512.872.6696 No. 10194101

DONAGAN SURVEY, ABSTRACT No.

178

GRAPHIC SCALE:

11 140

WILLIAMSON COUNTY,

PAGE 5 유

LINE TABLE		
LINE #	BEARING	DISTANCE
L1	S 82'41'00" E	63.31'
L2	S 71'25'17" E	95.54'
L3	S 68'01'05" E	31.78'
L4	S 57'18'45" E	70.37'
L5	S 62'49'34" E	79.52'
L6	N 85'29'50" E	53.00'
L7	N 87'54'09" E	106.48'
L8	S 82'38'29" E	34.15'
L9	S 73'20'38" W	12.09'
L10	S 68'11'32" W	40.92'
L11	S 60'32'55" W	29.38'
L12	S 75'58'35" W	68.77'
L13	S 66'03'16" W	43.80'
L14	N 86'02'55" W	32.31'
L15	S 72'35'52" W	59.44'
L16	S 80'13'55" W	65.46'
L17	S 80'16'00" W	39.46'
L18	S 58'27'42" W	16.99'
L19	N 81°01'52" W	64.16'
L20	N 77°31'56" W	48.06'
L21	N 01'52'09" W	210.54
L22	S 85'07'30" E	38.55'
L23	S 78'30'02" E	61.29'
L24	N 86'25'44" E	53.48'
L25	S 79'41'37" E	37.29'

LINE TABLE		
LINE #	BEARING	DISTANCE
L26	S 58'01'07" E	31.46'
L27	N 69'55'06" E	48.53'
L28	N 52'23'39" E	67.37'
L29	N 47'28'19" E	55.87'
L30	N 51'10'01" E	51.39'
L31	S 78'41'26" E	28.34'
L32	N 36'22'37" E	23.56'
L33	N 79'50'51" E	41.55'
L34	N 72'31'07" E	30.57'
L35	N 66'48'36" E	32.44'
L36	N 86'22'18" E	25.95'
L37	N 77'23'53" E	22.52'
L38	N 65'25'35" E	46.48'
L39	N 60'45'55" E	46.96'
L40	N 57'40'56" E	26.60'
L41	N 81°52'31" E	4.85'
L42	S 04'20'45" W	12.34'
L43	S 58°43'52" W	95.37'
L44	S 74'34'29" W	49.46'
L45	S 61°41'30" W	156.24'
L46	S 66'14'13" W	68.73'
L47	S 43°49'19" W	83.44'
L48	S 58'34'41" W	97.35'
L49	N 84'48'12" W	224.98'
L50	N 00'03'58" E	68.65'

FILE No. 1380



C D N S U L T I N G , L L C 5508 HIGHWAY 290 WEST, SUITE 150 AUSTIN, TX · 78735 DFFICE: 512.872.66996 TBPLS FIRM NO. 10194101 SURVEY SKETCH to Accompany Description:

TRACT 1 — 1.317 ACRES
TRACT 2 — 0.722 ACRE

I. DONAGAN SURVEY, ABSTRACT No. 178
WILLIAMSON COUNTY, TEXAS