

November 21, 2022

**Honorable Nancy Rister
Williamson County Clerk**

Preservation of Probate Records

SUBMITTED BY:

Billy Gerwick
Account Executive
billy.gerwick@kofile.com
(832) 373-9124



6300 Cedar Springs Road, Dallas, TX 75235
p: 214.442.6668 | f: 214.442.6669
info@kofile.com | www.Kofile.com

Dear Honorable Nancy Rister,

This proposal addresses Williamson County Clerk's probate records and is presented by Kofile Technologies, Inc. (Kofile). Quoted services include conservation treatments, rehousing, and imaging. Archival rehousing includes encapsulation and loose-leaf binding into Archival Recorder Binders. Note that prices for the inventory herein are good for 90 days from the date of this assessment.

Kofile Technologies, Inc. (Kofile) is uniquely qualified to complete Williamson County Clerk's modernization goals by taking an innovative approach to this project to ensure a successful outcome. Kofile's basis for success is decades of experience, realistic solutions, and professional analysis and each project is unique and deserves special attention. Our team provides realistic solutions, professional analysis, and innovative archival products to equip records stewards with the information and resources needed to preserve collections.

Kofile performs all services in accordance with the Code of Ethics & Guidelines for Practice of the American Institute for Conservation (AIC).

Preservation minimizes the chemical and physical deterioration of the page which prolongs the existence and useful life of the original format. Preservation can include removal of the original from public access, creating a security copy, treatment, stabilization, preventative care, or digitization - or any maintenance or repair of the existing resource.

AREAS OF CONCERN

Sound preservation ensures accessibility to these irreplaceable and permanent documents forever.

Acidic Paper

Past papermaking utilized bleach to obtain white sheets. As a result, this paper becomes increasingly acidic as evidenced by embrittlement and yellowish-brown discoloring. Paper also embrittles when relative humidity drops or fluctuates.

Acidic Ink

Acidic inks can "eat" or "burn" through a sheet. Unmonitored temperature and relative humidity (RH) accelerate this process. Inks can also fade with exposure to UV light. Historically, iron gall inks were the standard. These inks contain sulfuric acid - which fades with time. With proper treatments, chemical breakdowns (such as acid hydrolysis) are remedied.

Mechanical Damage (Use & Abuse)

Everyday use greatly affects collections. Sheets bear signs of grime and the natural oils of hands. Exposed sheets are susceptible to damage and loss. Dirt and other pollutants can serve as ignition sources and weaken exposed paper. Exposed fragments become abused even with careful use.

Binding Margin

The binding margins of many volumes are compromised due to guillotining. In order to rebind and protect these sheets, encapsulation is the only solution. If a volume were rebound as is, without encapsulation, vital information would be lost in the binding margin.

Always question vendors if they recommend power cutters (guillotining) to dismantle sewn books. Kofile never attempts any procedure that could result in a loss of text or weaken the integrity of the paper. A sheet's binding margin should never be compromised.

Broken Book Block

Once a binding fails, damage escalates. Sheets are free to drift from the protection of the book block. With exposure, fragments become abused and susceptible to loss.

Failing Index Stacks

Index Books sustain the most use. Thus, they suffer greater risks of text loss and sheet deterioration. Paper strength is completely depleted from continuous use. Eventually, tabs and sheet fragments are lost. Immediate attention is required.

Tape & Non-Archival Adhesives

The Library of Congress warns about the culprits of “pressure sensitive tapes—such as scotch, masking, ‘invisible,’ quick-release, cellophane, and even so-called ‘archival’ tapes”—all are unstable. These tapes and adhesives “will stain the paper and may cause inks and colors to ‘bleed.’ Many lose their adhesive properties and fall off with age, leaving behind a residue that is unsightly, damaging to the item and difficult to remove.”¹

Adhesive stains lead to issues during imaging. Awarding a low-bid imaging and microfilm project may result in illegible images. To enhance image quality, conservation is essential. A conservator can remove water-based, synthetic, and pressure sensitive adhesives.

Page extenders are an inappropriate “quick fix” to a prevailing problem. To save this collection, the underlying issues causing the deterioration of the sheets’ margins need correcting. The acid content of the sheet extenders only adds to the chemical breakdown of the paper’s fibers.

Lamination Removal

Kofile conservators address the “Laminate” process to the fullest extent possible damage to underlying paper and inks in accordance with the AIC Code of Ethics and Guidelines Item 21. Conservators reverse the process and remove the laminate using a proprietary solvent solution. The possibility of removing the “Laminate” depends on careful testing at our conservation lab. In a small percentage of cases, the adhesive is resistant to the solvent solution and cannot be removed safely. Conservators will not attempt removal if the removal process will damage either the document’s paper or ink. If conservators cannot remove the laminate safely, Kofile will contact the County directly to discuss alternatives.

Non-Archival Quality Materials

The off gasses of deteriorating metals contribute to the chemical breakdown of paper. Major culprits include the metal content of book spines, the surrounding physical environment, and non-archival fasteners (such as binder clips, paper clips, and staples). These off gasses eventually destroy the fabric of the volume. Another symptom of metal oxidation is foxing, or foxlike (reddish and brown color) stains or blotches on paper.

TEMPERATURE & HUMIDITY MONITORING

While temperature and limited air circulation are crucial to a document’s longevity, humidity and water are the most destructive threats.

Relative Humidity (RH) refers to the amount of water vapor present in the air. Maintaining a set point

of 40-45% RH is optimal, but costly. The maximum acceptable total RH variation, or operating range, is 5% on either side of this set point. RH should never exceed 55% or drop below 30%.

Even slight changes in temperature can double the natural aging rate of paper. In reality, temperature and RH are not consistent in a local courthouse (especially on weekends).

Temperatures above 75° F and RH higher than 60% encourage mold and other bacteria growth within 48—72 hours.

Red inks smear first, then blue inks, and lastly, black inks.

After exposure to water, pages adhere to one another when in a compressed environment. Separation without loss of text and water soluble inks (such as signatures) is vital. These records are extremely fragile.

The mitigation of mold or micro-organics (which can result with the introduction of water or humidity fluctuations), should only be attempted by a trained professional. Water damage can also lead to other issues such as binding failure. The necessary treatments are time consuming and require a highly skilled conservator.

Visit the Image Permanence Institute (IPI) at www.dipcalc.org to explore the correlation of temperature and RH on natural aging, mechanical damage, mold risk, and metal corrosion (as exemplified above). The image above is property of IPI.

TREATMENT SPECIFICATIONS

Kofile regularly addresses historical and permanent documents, including manuscripts, typescripts, negative Photostats, tri-folds, blueprints, re-creations, plats, and maps. No treatment, repair, or maintenance is used that is not 100% reversible.

Dismantle

Original binding materials, such as threads and adhesive residues, are carefully removed. Old manuscripts often have protein-based binding adhesives such as fish, bone, or rabbit skin glues. The application of steam with specialized equipment can soften the materials that are otherwise difficult to remove. Guillotine cutters are never employed. If trimming is necessary, it is accomplished with handheld scissors or specialized shears designed for trimming fragile sheets carefully and accurately. One document is cut at a time to ensure no text is lost.

Surface Cleaning

Surface cleaning sheets removes materials and deposits including dust, soot, airborne particulate, sediment from water damage, mold/mildew residue, active micro-organic growth, insect detritus, or biological or mineral contaminants. Tools include a microspatula, soft dusting brush, latex sponge, powdered vinyl eraser, or soft block eraser.

Removal of Fasteners

Kofile removes fasteners, page markers, and any metal mechanisms. Fasteners, such as binder clips, staples, paper clips, string ties, rubber bands, brads, straight pins, etc., cause damage in short periods. This includes physical damage (decreased paper strength due to punctures or distortion) and chemical damage (rust).

Removal of Tape, Adhesives, Varnish, or Old Repairs

Varnish, tape, and adhesive residue are reduced as much as possible without further degrading the original. When possible, peelers and tape are removed with two primary mechanical techniques: Heat Removal or Peeling. Heat removal is used when adhesive is loose, old, or brittle. Peeling is used

when removal by heat is unnecessary. Solvents are a last resort, and local application occurs only after testing.

A microspatula (sometimes heated) coaxes threads, tape, and glue from the paper. A Hot Tools remover can soften adhesive for removal. Dial-Temp controls the transfer of heat and guards against scorching. Remaining adhesive is treated with a gum compound eraser.

Adhesive reduction begins with the most benign process. If mechanical tape removal is unsuccessful, the next alternative is chemical. This is either a local or spot treatment or immersion in a solvent bath. Kofile ensures that its laboratories are equipped to process chemical treatments correctly and safely. Previous repairs that cannot be removed safely will remain.



If possible, water-soluble repairs are removed with water or steam. Only fully-trained, experienced, and supervised staff attempt removal of water-soluble repairs. While iron gall ink is safe for aqueous treatment, many inks may fade and compromise legibility. Extensive testing is required.

Flattening and Humidification

Improperly stored paper becomes inflexible and retains a memory of the storage position. Kofile's technicians are experienced with all methods and tools to "flatten" paper including the use of tacking irons, heat presses, and an Ultrasonic Humidification Chamber.



After careful testing, the Ultrasonic Humidification Chamber is used to correct the most fragile documents folds and bends. This significant investment, with which other private labs are rarely equipped, represents Kofile's foresight and commitment to offering the best available technology.

Mending torn paper is an art form and requires a variety of materials depending on the paper's color, tone, condition, and weight. The length of the tear(s) and the degree of embrittlement or fragmentation are also concerns. Kofile generally mends tears greater than 1/2" if the document is going to be encapsulated.

A specialized paper and paste is commonly used and all mending materials are acid free and reversible. Mending strips are cut so the edge of the paper visually integrates with the page without clashing aesthetically or historically. Fragmented edges, folds, tears, cracks, voids, and losses are all mended in this fashion.

The mending paper used is strong and is transparent after application and while visible to the trained eye, it does not distract from the document.



A low-temperature, acrylic adhesive that bonds to the paper may also be used for reinforcement of damaged sheets. Kofile also constructs its own version with acid-free tissue paper and liquid acrylic adhesive.

An 1848 Probate Record before and after treatment. The image to the right shows the page after deacidification, tape removal, and mending with archival tissue.

Deacidification

Deacidification is only performed after careful pH and compatibility testing. Kofile is equipped with multiple custom-built spray exhaust booths. All are routed through a HVAC system for optimum performance.



A commercially-prepared buffer solution is applied to both sides of the sheet with compressed air sprayer equipment (see right picture). The solution is non-flammable and non-toxic. The active ingredient, magnesium oxide, neutralizes acid and provides an alkaline reserve. This chemical is inert, safe, and does not degrade the sheet.

Once the buffer is applied, the paper's pH alters slowly. After deacidification, random testing ensures an 8 pH with a deviation of no more than 2-4%.



Encapsulation

In archival encapsulation, the document floats freely and is not taped or glued to the pocket. Kofile uses SKC SH725 polyester (Polyethylene Terephthalate - PET) which is the most inert, rigid,

dimensionally stable (dimstab), and strongest plastic film. Otherwise known as Mylar® Type D or Melinex® 516, it is crystal clear, smooth, odorless, and is resistant to distorting or melting in case of fire.

Each sheet is encapsulated in a 2 mil patented polyester pocket: Lay Flat Archival Polyester Pocket™, US Patent #7,943,220 B1, 5/17/2011. This pocket is welded closed on three sides, and a Reemay® strip, or spunbond polyester, statically seals out atmospheric pollutants while allowing off-gassing on the fourth side. This provides easy access to the original document without cutting the pocket (some companies weld all four sides).




This construction allows for a flat book block and reinforces the binding edge for added strength and years of service. Available in custom sizes, the Pocket dimensions will match the 'book block' dimensions with a 1½" or 1¼" binding margin.

ARCHIVAL RECORDER BINDERS


Volumes are hand-cased at 250 pages or less and pockets are punched (on the binding edge). Books with large capacities may be split to account for the weight of the Mylar. Kofile punches pockets to any hole specifications and can repair/replace index tabs.

Kofile manufactures binder components at 1/4" incremental capacities on a per-book basis. Kofile punches sheets to any hole specifications and repair/replace index tabs as necessary. Kofile can manufacture custom binder sizes, shapes, spines, colors, and lettering. Each binder features durable cover boards and a spine to support the pages' weight. All materials, including the cover boards and adhesives, are acid free.



Stamping

Title stamping can follow the same format/style of the originals. A stamping sheet is sent for approval. If any titling, dates, or other information from an original volume is noted in error, Williamson County Clerk is notified. Any changes are approved by Williamson County Clerk. Tooling is performed with 23-karat gold foil.



Heritage Recorder Binder

The Heritage Recorder Binder (pictured right) is a post binder, but the binding can also be sewn. This binder is available in various colors in genuine or imitation leather, or canvas. Cover printing is foil on the leathers and hot stamp printing on the canvas.

SCOPE OF SERVICES

General treatments and services are outlined in the following. Services are tailored to the needs of the specific item.

Preservation—Conservation Treatments, Deacidify, Encapsulate, & Bind (PRV)

- Kofile creates a permanent log (noting condition, page order, characteristics, and treatments) for each item upon receipt. Items are inspected and control numbered as necessary. A final quality check references this log.
- Dismantle volumes by hand (if applicable).
- Surface clean sheets. Tools include a microspatula, soft dusting brush, latex sponge, powdered vinyl eraser, or soft block eraser. Surface cleaning removes materials and deposits—e.g., dust, soot, airborne particulate, sediment from water damage, mold/mildew residue, active micro-organic growth, insect detritus, or biological or mineral contaminants.
- Remove any non-archival repairs, adhesives, residual glues, or fasteners to the extent possible without causing damage to paper and inks.
- Mend tears and guard burns on back side of sheets with acid free and reversible mending materials.
- Deacidify sheets (each side of each sheet) after careful testing with Bookkeepers®. This commercial solution of magnesium oxide, which neutralizes acidic inks and paper by providing an alkaline reserve (after pH and compatibility testing). Random testing ensures an 8.5 pH with a deviation of no more than $\pm .5$.
- Encapsulate each sheet in a Lay Flat Archival Polyester Pocket™. Each custom envelope is composed of Skyroll SH72S® Mylar and includes a patented lay flat design. Dimensions match the “book block” dimensions, with a 1¼” binding margin.
- Re-bind in custom-fitted and stamped archival quality binder. Each binder is manufactured on a per-book basis and sized to 1/4” incremental capacities. This binder is available with four hubs, a gold-tooled spine, and is roller shelf-compatible. A volume may return split due to the added weight of the Mylar, depending on page count.
- A dedication/treatment report is included in each binder.

PROJECT PRICING

This project is presented via TXMAS Contract No. **TXMAS-18-3602**. Please reference this number on the P.O. Without a signed agreement, prices are good for 90 days. Pricing is based on estimated page counts and condition levels. Pricing is finalized upon review at the Kofile lab. Billing occurs on actuals per mutually agreed upon pricing, not to exceed the P.O. without authorization.

Williamson County Clerk			
Project Overview			
Record Series	Page Count	Level of Service	Estimated Total
Probate Records	38,939	PRV	\$249,988.00

This proposal shall be governed by the terms of use found at <https://kofile.com/termsandconditions>.
Payment Terms: Net 30 Days upon completion.

CUSTOMER ACCEPTANCE

Cynthia Long

Cynthia Long (Dec 6, 2022 16:33 CST)

Signature of Authorized Official

Cynthia Long

Print Name of Authorized Official

Presiding Officer

Title of Authorized Official

Dec 6, 2022

Date

KOFILE ACCEPTANCE

[Signature]

Signature of Authorized Official

Michael Hill

Print Name of Authorized Official

Chief Revenue Officer

Title of Authorized Official

11.30.22

Date

PURCHASING VIA TXMAS

Please reference Contract No.
TXMAS-18-3602 directly on the
P.O.

STATE OF TEXAS CO-OP MEMBER LISTING FOR Williamson County Clerk

LINK	https://comptroller.texas.gov/auto-data/purchasing/co-op/c2460.php
CO-OP #	C2460
Contact	Joy Simonton; joy.simonton@wilco.org
Expiration	31-MAY-2023

Williamson County Clerk is billed using the following TXMAS line items:

TXMAS BILLING LINE ITEM						
Part No.	NIGP	DESCRIPTION	UNIT	UNIT PRICE	QUANTITY	LINE TOTAL
PRV701	96272	Record Book Preservation by Page	Page	\$6.42	38,939	\$249,988.00

ACCESSIBILITY OF RECORDS

Records held at Kofile are maintained as private and confidential material. Williamson County Clerk is guaranteed access to records via email or toll-free fax at our expense. Upon receipt of a records request, Kofile will flag the requested record and verify inventory control, pull supporting paperwork, and email/fax a response to the approved requester or alternate. The turnaround time for a records request will meet or exceed requirements.

Please note that all records (including volumes, documents, digital images, metadata or microfilm) serviced by Kofile shall remain the property of Williamson County Clerk. This policy applies to any

agreement, verbal or written, between Williamson County Clerk and Kofile.

The records are not used by Kofile other than in connection with providing the services pursuant to any agreement between Kofile and Williamson County Clerk. The records are not commercially exploited by or on behalf of Kofile, its employees, officers, agents, invitees or assigns, in any respect.

Please let me know if you have any questions. We look forward to serving Williamson County Clerk and to working together for the preservation and access of its public and historical assets.

Sincerely,

Billy Gerwick

Billy Gerwick

c: (832) 373-9124

e: billy.gerwick@kofile.com

rac