Sheets & Crossfield, PLLC

ATTORNEYS AT LAW

309 East Main Street , Round Rock, TX 78664-5246 Phone 512-738-8740 (D,) fax 512-255-8986 erik@scrrlaw.com

April 3, 2025

RULE 11 CONDEMNATION SETTLEMENT AGREEMENT

R. Mattthew Molash Shupe Ventura, PLLC 9406 Biscayne Blvd. Dallas, Texas 75218

Re: Williamson County, Texas v. CSM-Mason Family, LP, Cause No. 23- 1256-CC5, County Court at Law No. 5, Williamson County, Texas (the "Condemnation Proceedings") (Hero Way Project, Parcels 209, 209D part l, and 209D part 2).

Dear Mr. Molash:

This letter is a Rule 11 Settlement Agreement (the "Letter Agreement") between Williamson County, Texas ("County") and CSM-Mason Family, LP ("CSM") (CSM and County, the "Parties") for the settlement of the matters at issue in the Condemnation Proceedings. The terms of this Agreement and the settlement reached are as follows:

The County agrees to pay SEVEN MILLION SIX HUNDRED AND THREE THOUSAND TWO HUNDRED AND THIRTY-NINE AND NO/100 DOLLARS (\$7,603,239.00) in complete settlement of any and all claims for compensation that have been made, or which could have been made, in the Condemnation Proceedings, including claims for compensation for both the property interests to be acquired, damages (if any) to any remaining property, and costs to cure in connection with the County's acquisition of the property interests described in Exhibits "A," "B-1," and "B-2" attached hereto and incorporated herein (the "Property Interests").

The County agrees that within seven (7) days following the execution of this Letter Agreement by the County and counsel for CSM, the County shall file an amended petition in the form described in <u>Exhibit "C"</u> (the "<u>Amended Petition</u>") to reflect the updated property descriptions of the Property Interests the County is acquiring in the settlement of the Condemnation Proceedings.

In addition, within seven (7) days of filing the Amended Petition, the Parties agree to file an Agreed Final Judgment, in the form attached as Exhibit "D," which Agreed Final Judgment awards to CSM the total sum of SEVEN MILLION SIX HUNDRED AND THREE THOUSAND TWO HUNDRED AND THIRTY-NINE AND NO/100 DOLLARS (\$7,603,239.00). CSM acknowledges that County previously deposited THREE MILLION TWO HUNDRED SEVENTY- FIVE THOUSAND FIFTY-FIVE AND NO/100 DOLLARS (\$3,275,055.00) into

the registry of the Court, leaving a balance of FOUR MILLION THREE HUNDRED TWENTY-EIGHT THOUSAND ONE HUNDRED EIGHTY-FOUR AND NO/100 DOLLARS (\$4,328,184.00) owed by the County to CSM.

County agrees to pay to CSM the remaining balance due to CSM of FOUR MILLION THREE HUNDRED TWENTY-EIGHT THOUSAND ONE HUNDRED EIGHTY-FOUR AND NO/100 DOLLARS (\$4,328,184.00) within sixty (60) days of final execution and entry of the Agreed Final Judgment. As provided in the form of Agreed Final Judgment, each party agrees to pay their own fees and costs.

In addition to the foregoing, County hereby confirms and agrees that, as part of the settlement of the Condemnation Proceeding and as a condition to CSM accepting the monetary compensation outlined above, CSM will retain access to both the north and south remainder parcels through and across the Property Interests until such time as the County has constructed new roadways adjacent to each of the remainder parcels and CSM has access from such newly constructed roadways into each of the remainder parcels. In the event it is necessary for the County to remove or close the existing gate into the property located at the northeast corner of the CSM property or any parts of the internal roads accessed from that gate, the County will provide a suitable alternative access gate and road(s), of like manner and kind, for CSM's use in a location as close to the existing gate and existing road(s) as reasonably possible.

If this letter correctly sets forth the terms of our agreement and the settlement reached between County and CSM, please indicate by having the appropriate persons execute this letter in the space indicated below and return it to my attention.

Sincerely,

Erik L. Cardinell

Sheets & Crossfield, PLLC

Counsel for Williamson County, Texas

AGREED AND ACCEPTED:

R. Matthew Molash

Counsel for CSM-Mason Family, LP

Date: April 3, 2025

AGREED AND ACCEPTED:

WILLIAMSON COUNTY, TEXAS

By: Valerie Covey

Its: Presiding Officer

Date: Apr 9, 2025

EXHIBIT A TO RULE 11

EXHIBIT	Г
---------	---

County:

Williamson

Parcel:

209

Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR PARCEL 209

METES & BOUNDS DESCRIPTION FOR A 36.029 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 36.029 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

BEGINNING at a 5/8-inch iron rod found on the curving south right-of-way line of FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, at the northeast corner of said CSM-Mason remainder Tract and at the northwest corner of a called 89.41 acre tract of land as conveyed to Amelia Valdez, Anita Martinez and Irene Torrez by Probate Orders recorded in Document Numbers 2012066513 and 2012067088, both of the Official Public Records of Williamson County, Texas, and described in Volume 457, Page 595 of the Deed Records of Williamson County, Texas, for the northeast corner and **POINT OF BEGINNING** of the herein described tract, from which a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243, bears along a curve to the left, an arc distance of 412.62 feet, having a radius of 1,949.86 feet, a central angle of 12°07'29" and a chord which bears N 75°35'18" E a distance of 411.86 feet;

THENCE, with the east line of said CSM-Mason Tract and the west line of said Valdez, Martinez and Torrez Tract, S 21°40'36" E a distance of 303.21 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" (NAD-83, Central Zone Grid Coordinates: N: 10,188,739.06, E: 3,096,434.97) set for the southeast corner of the herein described tract, 175.00 feet right of FM 2243 baseline station 254+70.53, from which a 1/2-inch iron rod with cap stamped "RJ Surveying" found on the east line of said CSM-Mason Tract, at the southwest corner of said Valdez, Martinez and Torrez Tract, bears S 21°40'36" E a distance of 1,347.02 feet;

THENCE, departing the west line of said Valdez, Martinez and Torrez Tract, over and across said CSM-Mason Tract, S 76°53'04" W a distance of 384.25 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for a point of curvature of a curve to the right, 180.62 feet right of FM 2243 baseline station 250+94.60;

THENCE, continuing over and across said CSM-Mason Tract, along said curve to the right, an arc distance of 1,600.05 feet, having a radius of 5,047.00 feet, a central angle of 18°09'52" and a chord which bears S 85°58'01" W a distance of 1,593.36 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 247.19 feet right of FM 2243 baseline station 235+61.91;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 785.42 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 247.00 feet right of FM 2243 baseline station 227+78.58;

THENCE, continuing over and across said CSM-Mason Tract, N 85°48'08" W a distance of 187.82 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an interior corner of the herein described tract, 258.15 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, S 07°36'00" W a distance of 31.36 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an exterior corner of the herein described tract, 289.51 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, N 71°05'21" W a distance of 130.07 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 264.00 feet right of FM 2243 baseline station 224+63.55;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 392.21 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set on the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder tract, for the southwest corner of the herein described tract, 264.00 feet right of FM 2243 baseline station 220+71.34, from which a TXDOT Type I concrete monument found on the southeast right-of-way of said FM 2243, bears S 34°00'38" W a distance of 1,317.81 feet;

THENCE, with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, N 34°00'38" E a distance of 260.65 feet to a calculated point at the beginning of a non-tangent curve to the right;

THENCE, continuing with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, along said curve to the right, an arc distance of 792.49 feet, having a radius of 1,105.92 feet, a central angle of 41°03'27" and a chord which bears N 54°31'52" E a distance of 775.64 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the most northerly corner of the herein described tract, 499.12 feet left of FM 2243 baseline station 227+53.92, from which a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243, bears along a curve to the right an arc distance of 750.78 feet, having a radius of 1,105.92 feet, a central angle of 38°53'48" and a chord which bears S 85°29'31" E a distance of 736.45 feet;

THENCE, departing the southeast right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 06°29'15" W a distance of 215.29 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an interior corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 227+58.10:

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'01" E a distance of 1,288.63 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set on the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of Georgetown and Leander Public Road (right-of-way varies) (unimproved) (no deed of record found) as referenced in Deed recorded in Volume 147, Page 112 of the Deed Records of Williamson County, Texas, for an angle point, 254.49 feet left of FM 2243 baseline station 240+76.14;

THENCE, with the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of said Georgetown and Leander Public Road, S 68°45'06" E a distance of 11.60 feet to an 18-inch cedar fence post found for an angle point, 250.51 feet left of FM 2243 baseline station 240+87.62;

THENCE, continuing with the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of said Georgetown and Leander Public Road, S 82°27'50" E a distance of 23.43 feet to a 10-inch cedar fence post found for an angle point, 247.82 feet left of FM 2243 baseline station 241+12.12;

THENCE, continuing with the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of said Georgetown and Leander Public Road, S 87°48'47" E a distance of 41.95 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the beginning of a non-tangent curve to the left, 246.63 feet left of FM 2243 baseline station 241+56.28;

THENCE, departing the south right-of-way line of said Georgetown and Leander Public Road, over and across said CSM-Mason Tract, along said curve to the left, an arc distance of 380.49 feet, having a radius of 3,933.00 feet, a central angle of 05°32'35" and a chord which bears S 89°51'04" E a distance of 380.34 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set on the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, for the beginning of a non-tangent curve to the left, 232.47 feet left of FM 2243 baseline station 245+55.54;

THENCE, with the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, along said curve to the left, an arc distance of 139.48 feet, having a radius of 1,472.39 feet, a central angle of 05°25'39" and a chord which bears S 88°43'50" E a distance of 139.42 feet to a TXDOT Type I concrete monument found for an angle point;

THENCE, continuing with the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, N 88°35'53" E a distance of 472.90 feet to a TXDOT Type I concrete monument found for the beginning of a non-tangent curve to the left;

THENCE, continuing with the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, along said curve to the left, an arc distance of 235.50 feet, having a radius of 1,949.86 feet, a central angle of 06°55'13" and a chord which bears N 85°06'39" E a distance of 235.36 feet to the **POINT OF BEGINNING** and containing 36.029 acres of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

02/14/2025

Date

Jonathan O. Nobles RPLS Number 5777 BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728 Telephone: 512-879-0400


TBPELS Licensed Surveying Firm Number 10106500


Client: Date: Williamson County September 20, 2022 February 14, 2025


Project Number:


Revised


7473-00











LEGEND

CMP CORRUGATED METAL PIPE

C.O. CLEAN OUT DOC. DOCUMENT

D.R.W.C. DEED RECORDS OF WILLIAMSON COUNTY

E.M. ELECTRIC METER
F.P. FENCE POST
M.H. MANHOLE
NO. NUMBER
NOS. NUMBERS

O.P.R.W.C. OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY

PED. PEDESTAL PG. PAGE

P.O.B. POINT OF BEGINNING
P.P. POWER POLE
R.P. REFLECTOR POST
R.W. RETAINING WALL
R.O.W. RIGHT-OF-WAY
TEL. TELEPHONE

TRANS. TRANSFORMER
U.C.M. UNDERGROUND CABLE MARKER

VOL. VOLUME W.W. WATER WELL

() RECORD INFO FOR DOC. NO. 2011086909 O.P.R.W.C. RECORD INFO FOR DOC. VOL. 457, PG. 595 D.R.W.C.

RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C.

FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED)

FOUND TDDOT TYPE I CONCRETE MONUMENT

O SET 1/2" IRON ROD W/CAP "WILCO ROW 5777"

CEDAR FENCE POST

• FOUND 3/8" IRON PIPE (UNLESS OTHERWISE NOTED)

WIRE FENCE

METAL FENCE

OVERHEAD TELEPHONE

OVERHEAD TELEPHON
OVERHEAD POWER
EDGE OF ASPHALT

[10.2] SCHEDULE B ITEM

	CURVE TABLE						
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE		
C1	1,600.05	5,047.00	18'09'52"	S 85*58'01" W	1,593.36′		
C2	792.49'	1,105.92'	41°03'27"	N 54*31'52" E	775.64'		
С3	380.49'	3,933.00	5'32'35"	S 89 * 51'04" E	380.34'		
C4	139.48'	1,472.39	5°25'39"	S 88°43′50" E	139.42'		
C5	235.50'	1,949.86	6'55'13"	N 85°06'39" E	235.36'		
C6	412.62'	1,949.86	12*07'29"	N 75*35'18" E	411.86'		
C7	750.78'	1,105.92	38*53'48"	S 85°29'31" E	736.45'		
C8	511.99'	1,472.39	19'55'24"	S 76'03'19" E	509.41'		

RECORD CURVE TABLE						
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE	
{C2}		{1,105.92'}				
{C4}		{1,472.39'}				
{C5}		{1,949.86'}				
{C6}		{1,949.86'}				
{C7}		{1,105.92'}				
{C8}		{1,472.39'}				

	LINE TABLE					
NUMBER	BEARING	DISTANCE				
L1	S 07*36'00" W	31.36'				
L2	N 71 ' 05'21" W	130.07				
L3	S 34*00'38" W	1,317.81				
L4	S 68'45'06" E	11.60'				
L5	S 82°27'50" E	23.43'				
L6	S 87'48'47" E	41.95'				
L7	S 21°40'36" E	1,347.02				

RE	CORD	LINE	TA	BLE
NUMBER	BEARI	NG		DISTANCE
(L6)	(EAST	-)		

REMSED 7/20/2023 — UPDATED PARCEL BOUNDARY AND UPDATED TITLE COMMITMENT REMSED 2/14/2025 — UPDATED PARCEL BOUNDARY



BGE, Inc. 101 West Louis Henna Blvd, Suite 400, Austin, TX 78728 Tel: 512-879-0400 • www.bgeinc.com

TBPLS Licensed Surveying Firm No. 10106502

PARCEL PLAT SHOWING PARCEL 209 36.029 ACRES FM 2243

WILLIAMSON COUNTY, TEXAS

Scale: Job No.: Date: Page: 1"=100' 7473-00 09/20/2022 9 of 10

GENERAL NOTES:

- BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NAD83. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012
- 2. A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.
- 3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T-163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20, 2023.

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- 10.2 A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DOES AFFECT</u> THE SUBJECT TRACT, AS SHOWN HEREON.
- 10.3 ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DO AFFECT</u> THE SUBJECT TRACT.

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. The property has access to a public roadway and there are no visible encroachments, except as shown hereon.



02/14/2025

JONATHAN O. NOBLES RPLS NO. 5777 BGE, INC.

101 WEST LOUIS HENNA BLVD., SUITE 400

AUSTIN, TEXAS 78728 TELEPHONE: (512) 879-0400

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY AND UPDATED TITLE COMMITMENT REVISED 2/14/2025 — UPDATED PARCEL BOUNDARY



BGE, Inc.
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
Tel: 512-879-0400 ● www.bgeinc.com
TBPLS Licensed Surveying Firm No. 10106502

Copyright 2025

PARCEL PLAT SHOWING PARCEL 209 36.029 ACRES FM 2243

WILLIAMSON COUNTY, TEXAS

Scale: Job No.: Date: Page: 1"=100' 7473-00 09/20/2022 10 of 10

EXHIBIT B-1 TO RULE 11

EXHIBIT

Page 1 of 4

County: Parcel:

Williamson 209D Part 1

Highway:

FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 1

METES & BOUNDS DESCRIPTION FOR A 0.334 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.334 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the southeast right-of-way line of FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and the northwest line of the above described CSM-Mason remainder Tract, from which a 1/2-inch iron rod with cap stamped "Stanley Consultants" found on the southeast right-of-way line of said FM 2243, bears along a curve to the right, an arc distance of 224.86 feet, having a radius of 5,769.58 feet, a central angle of 02°13'59" and a chord which bears S 35°16'39" W a distance of 224.85 feet; Thence, with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, N 34°00'38" E a distance of 1,317.81 feet to a calculated point; Thence, departing the southeast right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 82°24'00" E a distance of 317.59 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,188,678.36, E: 3,093,304.70) for the northwest corner and POINT OF BEGINNING of the herein described tract, 264.00 feet right of FM 2243 baseline station 223+88.93;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'00" E a distance of 74.62 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 264.00 feet right of FM 2243 baseline station 224+63.55;

THENCE, continuing over and across said CSM-Mason Tract, S 71°05'21" E a distance of 130.07 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the northeast corner of the herein described tract, 289.51 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, S 07°36'00" W a distance of 54.49 feet to a calculated point for the southeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 202.16 feet to a calculated point for the southwest corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 07°36'00" E a distance of 80.00 feet to the **POINT OF BEGINNING** and containing 0.334 acre (14,546 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

07/20/2023

Date

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106502

Client:

Williamson County

Date:


September 20, 2022

Revised:

July 20, 2023

Project Number:

7473-00



LEGEND

BARBED WIRE FENCE B.W.F. CMP CORRUGATED METAL PIPE DOC. DOCUMENT DEED RECORDS OF WILLIAMSON COUNTY D.R.W.C. ESMT. **EASEMENT** HOG WIRE FENCE H.W.F. N.T.S. NOT TO SCALE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY O.P.R.W.C. PED. PEDESTAL PG. PAGE P.O.B. POINT OF BEGINNING P.O.R. POINT OF REFERENCE R.O.W. RIGHT-OF-WAY REFLECTOR POST R.P. **TELEPHONE** TEL. **VOLUME** VOL. RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP { } DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND TYPE I TXDOT CONCRETE MONUMENT FOUND 3/8" IRON PIPE (•) FOUND 1/2" IRON ROD 0 SET 1/2" IRON ROD W/CAP "WILCO ROW 5777" 0 CALCULATED POINT Δ WIRE FENCE METAL FENCE OVERHEAD TELEPHONE -DHT--OVERHEAD POWER -nup-EDGE OF ASPHALT

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. The property has access to a public roadway and there are no visible encroachments, except as shown hereon.

JONATHAN O. NOBLESP

07/20/2023

JONATHAN O. NOBLES RPLS NO. 5777

BGE, INC. 101 WEST LOUIS HENNA BLVD., SUITE 400 AUSTIN, TEXAS 78728

TELEPHONE: (512) 879-0400

		CL	JRVE TA	BLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
C1	224.86'	5,769.58	2'13'59"	S 35*16'39" W	224.85'

		RECORI	D CURVE	E TABLE		
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD	DISTANCE
{C1}		{5,769.58'}				

GENERAL NOTES:

- 1. BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NAD83. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012
- 2. A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.
- 3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T—163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20, 2023.

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- 10.2 A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DOES NOT AFFECT</u> THE SUBJECT TRACT, AS SHOWN HEREON.
- 10.3 ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, DO AFFECT THE SUBJECT TRACT.

LINE TABLE				
NUMBER	BEARING	DISTANCE		
L1	N 34°00'38" E	1,317.81		
L2	S 82*24'00" E	74.62'		
L3	S 71°05'21" E	130.07'		
L4	s 07*36'00" W	54.49'		
L5	N 82*24'00" W	202.16'		
L6	N 07'36'00" E	80.00'		
L7	N 55°59'22" W	80.00'		

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION



BGE, Inc.
101 West Louis Henna Bivd, Suite 400, Austin, TX 78728
Tel: 512-879-0400 • www.bgeinc.com
TBPLS Licensed Surveying Firm No. 10106502

Copyright 2023

PARCEL PLAT SHOWING EASEMENT PARCEL 209D P1 0.334 ACRE FM 2243

WILLIAMSON COUNTY, TEXAS

 Scale:
 Job No.:
 Date:
 Page:

 1"=100'
 7473-00
 09/20/2022
 4 of 4

EXHIBIT B-2 TO RULE 11

Page 1 of 4

County:
Parcel:
Highway:

Williamson 209D Part 2 FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 2

METES & BOUNDS DESCRIPTION FOR A 0.099 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.099 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and on the north line of the above described CSM-Mason remainder Tract; Thence, with the south right-of-way line of said FM 2243 and the north line of said CSM-Mason remainder Tract, along a curve to the left, an arc distance of 750.78 feet, having a radius of 1,105.92 feet, a central angle of 38°53'48" and a chord which bears N 85°29'31" W a distance of 736.45 feet to a set 1/2-inch iron rod with cap stamped "WILCO ROW 5777"; Thence, departing the south right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 06°29'15" W a distance of 155.54 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,189,231.89, E: 3,093,749.77) for the northwest corner and **POINT OF BEGINNING** of the herein described tract, 343.60 feet left of FM 2243 baseline station 227+56.94;

THENCE, continuing over and across said CSM-Mason Tract, S 83°30'45" E a distance of 13.00 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 37°57'23" E a distance of 57.11 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'01" E a distance of 96.29 feet to a calculated point for the northeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, S 07°35'59" W a distance of 20.00 feet to a calculated point for the southeast corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 229+07.00;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'01" W a distance of 148.90 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the southwest corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 227+58.10;

02/14/2025

Date

THENCE, continuing over and across said CSM-Mason Tract, N 06°29'15" E a distance of 59.75 feet to the **POINT OF BEGINNING** and containing 0.099 acre (4,300 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106500


Client:

Williamson County

Date: Revised: September 20, 2022 February 14, 2025

Project Number:

7473-00



GENERAL NOTES:

DEED RECORDS OF WILLIAMSON COUNTY ELECTRIC METER DOCUMENT D.R.W.C. ESMT. E.M.

A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS

RESTRICTIVE COVENANT AND

EASEMENT NOTES:

10.2

BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NADB3. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012

DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DOES AFFECT</u> THE SUBJECT TRACT, AS SHOWN HEREON.

FIRE HYDRANT EASEMENT

H.H.

FIBER OPTIC MARKER GUARD RAIL MANHOLE F.O.M G.R. M.H.

OFFICIAL PUBLIC RECORDS OF MILLIAMSON COUNTY NUMBER NO. O.P.R.W.C.

PEDESTAL PAGE

RIGHT-OF-WAY STONE RETAINING WALL POINT OF BEGINNING POINT OF REFERENCE

SPRINKLER VALVE FLEPHONE TEL. TRANS.

S.V.

TRANSFORMER **TELEVISION**

J.Y. U.C.M.

VOL. W.M. W.W.

JNDERGROUND CABLE MARKER WATER METER **VOLUME**

SET 1/2-INCH IRON ROD W/CAP "WILCO ROW 5777" DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED) RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP FOUND TYPE I TXDOT CONCRETE MONUMENT CALCULATED POINT WATER WELL

OVERHEAD TELEPHONE EDGE OF ASPHALT MIRE FENCE

나무

0

DISTANCE

BEARING

NUMBER

LINE TABLE

13.00,

S 83.30'45" E

 \Box

ARC LENGTH | RADILIS I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. There are no visible encroachments, except as shown hereon. NUMBER {C1} \overline{c}

VANOFESSION OF SURVEY JONATHAN O. NOBLES 9

> 148.90 20.00,

> > N 82"24"01" W

S 07.35'59" W

S 82.24'01" S 37.57'23"

> 2 4 [2

7

59.75

ш

N 06*29'15"

9

CURVE TABLE

NUMBER

DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DO AFFECT</u> THE SUBJECT TRACT.

THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T—163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20 2023.

ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN

10.3

A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.

ri

'n

ARC LENGTH RADIUS	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
750.78	1,105.92	38*53'48"	N 85*29*31" W	736.45

RECORD CURVE TABLE

		IDARY
DELTA CHORD BEARING CHORD DISTANCE		REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION
CHORD BEARING		REVISED 7/20/2023 — UPDATED PARCEL & ADDED TITLE COMMITMENT INFORMATION
DELTA		ASED 7/
ENGTH RADIUS	{1,105.92'}	
ENGTH		round and is

REVISED 2/14/2025 — UPDATED PARCEL BOUNDARY

02/14/2025

RPLS NO. 5777 ONATHAN O. NOBLES BGE, INC.

400 101 WEST LOUIS HENNA BLVD., SUITE (512) 879-0400 78728 AUSTIN, TEXAS TELEPHONE:

BGE, Inc.
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
1151: 512-873-0400 • www.bgeinc.com
1181: 512-675-0400 • www.bgeinc.com
1181: 512-675-6400 • www.bgeinc.com

8CE

EASEMENT PARCEL 209D P2 PLAT SHOWING 0.099 ACRE FM 2243 PARCEL

4 of 4 09/20/2022 COUNTY, 7473-00 WILLIAMSON Job No.: 1"=100

//bgeinc/dafa/TXC/Projects/County_Williamson/7473-00_RM 2243/06_Survey/04_Finals/Drawings/7473-00_P209D P2_EX1.dwg, 2/14/2025 2:47 PM, Andrea Higner

EXHIBIT C TO RULE 11

CAUSE NO. 23-1256-CC5

WILLIAMSON COUNTY, TEXAS

§ IN THE COUNTY COURT

Condemnor

8

V.

AT LAW NO. 5

CSM-MASON FAMILY, LP

Condemnee

WILLIAMSON COUNTY, TEXAS

PLAINTIFF'S FIRST AMENDED PETITION FOR CONDEMNATION

Williamson County, Texas, identified herein as "Plaintiff" or "Condemnor," files this First Amended Petition seeking condemnation, and in support thereof shows the following:

I.

Discovery in this case shall be conducted pursuant to Level 2 of Rule 190.3 of the Texas Rules of Civil Procedure.

II.

Plaintiff, Williamson County, Texas, is empowered by the legislature and the Constitution of the State of Texas to exercise the right of eminent domain for the purpose of acquiring property according to the Constitution and laws of the State of Texas.

III.

Plaintiff has determined that there exists a public need and necessity to acquire, for the purpose of promoting the public safety in its roadways and the roadways of the State of Texas, and for constructing, reconstructing, widening, and/or maintaining of improvements to the Hero Way/RM 2243 roadway improvements and related public utility adjustments (the "Project"), fee simple title interest in and to approximately 36.029 acres (Parcel 209) of land located in Williamson County, Texas (the "R.O.W") and more

particularly described by metes and bounds in Exhibit "A" attached hereto and incorporated fully herein, excluding all the oil, gas, and sulfur which can be removed from beneath said real property, without any right whatever remaining to the owner of such oil, gas, and sulfur, of ingress or egress from the surface of said real property for the purpose of exploring, developing, or mining of the same.

Plaintiff has further determined that there exists a public need and necessity to acquire for the completion of the Project, drainage easement interests in and tracts of land land being approximately 0.334 acres (Parcel 209D pt 1) and 0.099 acres (Parcel 209D pt 2) of land located in Williamson County, Texas, (the "Drainage Easements"), and more particularly described by metes and bounds in Exhibit "B," which are attached hereto and incorporated fully herein.

The Drainage Easement interest rights sought to be acquired herein are more particularly described in further detail in the proposed Drainage Easement document as set out in Exhibit "C" attached hereto, and for no other purpose.

Collectively the R.O.W. and Drainage Easements may be referred to herein as the "Property".

IV.

The Property interests referred to in Paragraph III will be used for purposes for which Plaintiff possesses the power of eminent domain, namely, constructing, reconstructing, widening, and/or maintaining the proposed Project improvements and related drainage, utility relocation, driveway access reconnection, and to perform associated public use and purposes, in Williamson County, Texas. Plaintiff has found and determined that it is necessary and convenient to make the above-described improvements on the Property to be acquired, and Plaintiff has found and determined that

it is necessary to acquire fee simple title and/or easement interests in and to the Property, the same to be paid for by Plaintiff, with such property interests thereto vesting in Plaintiff, for the purposes set forth in this paragraph of this Petition, through these proceedings in eminent domain.

V.

The owner of the land referred to in Paragraph III, as far as known to Condemnor,

Fee Owner:

are:

CSM-MASON FAMILY, LP

Carolyn D. Meihaus Registered Agent 7515 Stone Cliff Circle Austin, Texas 78731

w/ copy to or be serving:

Matt Molash Shupe Ventura, PLLC 9406 Biscayne Blvd Dallas, Texas 75218 T: 817-405-9939

E: matt.molash@svlandlaw.com Attorney for Condemnee

VI.

Condemnor and Condemnee have been unable to agree upon the value of the land and the damages to the remaining property, if any, despite good faith negotiations and a bona fide offer to acquire the property voluntarily from the owner as provided by Texas Property Code Section 21.0113. All fee owners of the property sought to be acquired herein have been provided with a copy of the Landowner's Bill of Rights pursuant to the requirements of Texas Property Code Section 21.0112.

VII.

WHEREFORE, Plaintiff requests the Court to name, designate, and appoint three (3) disinterested property owners residing in Williamson County, Texas, as Special Commissioners, to assess the compensation for this acquisition in accordance with the law. Upon trial of this cause Condemnor requests that it be awarded the property interests sought in the Property, that the amount of compensation be assessed and apportioned if possible, and that Condemnor be granted such other and further relief to which it may be justly entitled.

Respectfully submitted,

SHEETS & CROSSFIELD, PLLC

309 East Main Street Round Rock, Texas 78664 (512) 255-8877

By: /s/ Erik Cardinell

Erik Cardinell

SBN: 00796304

erik@scrrlaw.com

Adam Hill

SBN: 24115847

adam@scrrlaw.com

Don Childs

SBN: 00795056

don@scrrlaw.com

ATTORNEYS FOR PLAINTIFF

AMENDED PETITION EXHIBIT A

EXHIBIT	Г
---------	---

County:

Williamson

Parcel:

209

Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR PARCEL 209

METES & BOUNDS DESCRIPTION FOR A 36.029 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 36.029 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

BEGINNING at a 5/8-inch iron rod found on the curving south right-of-way line of FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, at the northeast corner of said CSM-Mason remainder Tract and at the northwest corner of a called 89.41 acre tract of land as conveyed to Amelia Valdez, Anita Martinez and Irene Torrez by Probate Orders recorded in Document Numbers 2012066513 and 2012067088, both of the Official Public Records of Williamson County, Texas, and described in Volume 457, Page 595 of the Deed Records of Williamson County, Texas, for the northeast corner and **POINT OF BEGINNING** of the herein described tract, from which a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243, bears along a curve to the left, an arc distance of 412.62 feet, having a radius of 1,949.86 feet, a central angle of 12°07'29" and a chord which bears N 75°35'18" E a distance of 411.86 feet;

THENCE, with the east line of said CSM-Mason Tract and the west line of said Valdez, Martinez and Torrez Tract, S 21°40'36" E a distance of 303.21 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" (NAD-83, Central Zone Grid Coordinates: N: 10,188,739.06, E: 3,096,434.97) set for the southeast corner of the herein described tract, 175.00 feet right of FM 2243 baseline station 254+70.53, from which a 1/2-inch iron rod with cap stamped "RJ Surveying" found on the east line of said CSM-Mason Tract, at the southwest corner of said Valdez, Martinez and Torrez Tract, bears S 21°40'36" E a distance of 1,347.02 feet;

THENCE, departing the west line of said Valdez, Martinez and Torrez Tract, over and across said CSM-Mason Tract, S 76°53'04" W a distance of 384.25 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for a point of curvature of a curve to the right, 180.62 feet right of FM 2243 baseline station 250+94.60;

THENCE, continuing over and across said CSM-Mason Tract, along said curve to the right, an arc distance of 1,600.05 feet, having a radius of 5,047.00 feet, a central angle of 18°09'52" and a chord which bears S 85°58'01" W a distance of 1,593.36 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 247.19 feet right of FM 2243 baseline station 235+61.91;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 785.42 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 247.00 feet right of FM 2243 baseline station 227+78.58;

THENCE, continuing over and across said CSM-Mason Tract, N 85°48'08" W a distance of 187.82 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an interior corner of the herein described tract, 258.15 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, S 07°36'00" W a distance of 31.36 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an exterior corner of the herein described tract, 289.51 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, N 71°05'21" W a distance of 130.07 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 264.00 feet right of FM 2243 baseline station 224+63.55;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24′00" W a distance of 392.21 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set on the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder tract, for the southwest corner of the herein described tract, 264.00 feet right of FM 2243 baseline station 220+71.34, from which a TXDOT Type I concrete monument found on the southeast right-of-way of said FM 2243, bears S 34°00′38" W a distance of 1,317.81 feet;

THENCE, with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, N 34°00'38" E a distance of 260.65 feet to a calculated point at the beginning of a non-tangent curve to the right;

THENCE, continuing with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, along said curve to the right, an arc distance of 792.49 feet, having a radius of 1,105.92 feet, a central angle of 41°03'27" and a chord which bears N 54°31'52" E a distance of 775.64 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the most northerly corner of the herein described tract, 499.12 feet left of FM 2243 baseline station 227+53.92, from which a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243, bears along a curve to the right an arc distance of 750.78 feet, having a radius of 1,105.92 feet, a central angle of 38°53'48" and a chord which bears S 85°29'31" E a distance of 736.45 feet;

THENCE, departing the southeast right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 06°29'15" W a distance of 215.29 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an interior corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 227+58.10;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'01" E a distance of 1,288.63 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set on the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of Georgetown and Leander Public Road (right-of-way varies) (unimproved) (no deed of record found) as referenced in Deed recorded in Volume 147, Page 112 of the Deed Records of Williamson County, Texas, for an angle point, 254.49 feet left of FM 2243 baseline station 240+76.14;

THENCE, with the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of said Georgetown and Leander Public Road, S 68°45'06" E a distance of 11.60 feet to an 18-inch cedar fence post found for an angle point, 250.51 feet left of FM 2243 baseline station 240+87.62;

THENCE, continuing with the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of said Georgetown and Leander Public Road, S 82°27'50" E a distance of 23.43 feet to a 10-inch cedar fence post found for an angle point, 247.82 feet left of FM 2243 baseline station 241+12.12;

THENCE, continuing with the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of said Georgetown and Leander Public Road, S 87°48'47" E a distance of 41.95 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the beginning of a nontangent curve to the left, 246.63 feet left of FM 2243 baseline station 241+56.28;

THENCE, departing the south right-of-way line of said Georgetown and Leander Public Road, over and across said CSM-Mason Tract, along said curve to the left, an arc distance of 380.49 feet, having a radius of 3,933.00 feet, a central angle of 05°32'35" and a chord which bears S 89°51'04" E a distance of 380.34 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set on the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, for the beginning of a non-tangent curve to the left, 232.47 feet left of FM 2243 baseline station 245+55.54;

THENCE, with the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, along said curve to the left, an arc distance of 139.48 feet, having a radius of 1,472.39 feet, a central angle of 05°25'39" and a chord which bears S 88°43'50" E a distance of 139.42 feet to a TXDOT Type I concrete monument found for an angle point;

THENCE, continuing with the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, N 88°35'53" E a distance of 472.90 feet to a TXDOT Type I concrete monument found for the beginning of a non-tangent curve to the left;

THENCE, continuing with the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, along said curve to the left, an arc distance of 235.50 feet, having a radius of 1,949.86 feet, a central angle of 06°55'13" and a chord which bears N 85°06'39" E a distance of 235.36 feet to the **POINT OF BEGINNING** and containing 36.029 acres of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

02/14/2025

Date

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106500


Client:


Williamson County


Date: Revised September 20, 2022 February 14, 2025


Project Number:

7473-00









LEGEND

CORRUGATED METAL PIPE CMP

CLEAN OUT C.O. DOCUMENT DOC.

DEED RECORDS OF WILLIAMSON COUNTY D.R.W.C.

ELECTRIC METER E.M. FENCE POST F.P. M.H. MANHOLE NUMBER NO. NOS. NUMBERS

OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY O.P.R.W.C.

PEDESTAL PED. PAGE PG.

P.O.B. POINT OF BEGINNING

P.P. POWER POLE REFLECTOR POST R.P. RETAINING WALL R.W. RIGHT-OF-WAY R.O.W. TELEPHONE TFI. TRANS. TRANSFORMER

UNDERGROUND CABLE MARKER U.C.M.

VOLUME VOL.

W.W. WATER WELL

RECORD INFO FOR DOC. NO. 2011086909 O.P.R.W.C.) RECORD INFO FOR DOC. VOL. 457, PG. 595 D.R.W.C.

RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C.

FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED) FOUND TDDOT TYPE I CONCRETE MONUMENT SET 1/2" IRON ROD W/CAP "WILCO ROW 5777" CEDAR FENCE POST

•

10.2

FOUND 3/8" IRON PIPE (UNLESS OTHERWISE NOTED)

WIRE FENCE - X --METAL FENCE -OHT----OVERHEAD TELEPHONE OVERHEAD POWER ---ПНР---1/1 EDGE OF ASPHALT

SCHEDULE B ITEM

		Cl	JRVE TAE	BLĖ	:
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
C1	1,600.05	5,047.00	18'09'52"	S 85'58'01" W	1,593.36'
C2	792.49'	1,105.92	41°03'27"	N 54 ' 31'52" E	775.64
С3	380.49	3,933.00'	5'32'35"	S 89'51'04" E	380.34'
C4	139.48'	1,472.39	5'25'39"	S 88'43'50" E	139.42'
C5	235.50'	1,949.86	6*55'13"	N 85*06'39" E	235.36'
C6	412.62'	1,949.86	12'07'29"	N 75*35'18" E	411.86'
C7	750.78'	1,105.92	38*53'48"	S 85'29'31" E	736.45'
C8	511.99'	1,472.39	19*55'24"	S 76'03'19" E	509.41'

		RECOR	D CUR	VE TABLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
{C2}		{1,105.92'}			
{C4}		{1,472.39'}			
{C5}		{1,949.86'}			
{C6}		{1,949.86'}			
{C7}		{1,105.92'}			
{C8}		{1,472.39'}			

	LINE TABLE	
NUMBER	BEARING	DISTANCE
L1	S 07*36'00" W	31.36'
L2	N 71'05'21" W	130.07'
L3	S 34'00'38" W	1,317.81
L4	S 68°45'06" E	11.60'
L5	S 82'27'50" E	23.43'
L6	S 87'48'47" E	41.95'
L7	S 21'40'36" E	1,347.02

RE(CORD LINE	TABLE
NUMBER	BEARING	DISTANCE
(L6)	(EAST)	

REVISED 7/20/2023 - UPDATED PARCEL BOUNDARY AND UPDATED TITLE COMMITMENT REMSED 2/14/2025 - UPDATED PARCEL BOUNDARY

TBPLS Licensed Surveying Firm No. 10106502



1"=100'

BGE. Inc. 101 West Louis Henna Blvd, Suite 400, Austin, TX 78728 Tel: 512-879-0400 . www,bgeinc.com

Copyright 2025

09/20/2022 9 of 10

PARCEL PLAT SHOWING PARCEL 209 36.029 ACRES FM 2243

WILLIAI	MSON	COUNTY,	TEXAS
Scale:	Job No.:	Date:	Page:

7473-00

GENERAL NOTES:

- 1. BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NAD83. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012
- 2. A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.
- THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T-163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20, 2023.

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, DOES AFFECT THE SUBJECT TRACT, AS SHOWN HEREON.
- ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, DO AFFECT THE SUBJECT TRACT.

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. The property has access to a public roadway and there are no visible encroachments, except as shown hereon.



02/14/2025

JØNATHAN O. NOBLES RPLS NO. 5777 BGE, INC.

101 WEST LOUIS HENNA BLVD., SUITE 400 AUSTIN, TEXAS 78728

TELEPHONE: (512) 879-0400

REVISED 7/20/2023 - UPDATED PARCEL BOUNDARY AND UPDATED TITLE COMMITMENT REVISED 2/14/2025 - UPDATED PARCEL BOUNDARY



101 West Louis Henna Blvd, Suite 400, Austin, TX 78728 Tel: 512-879-0400 • www.bgeinc.com TBPLS Licensed Surveying Firm No. 10106502

Copyright 2025

PARCEL PLAT SHOWING PARCEL 209 36.029 ACRES FM 2243

WILLIAMSON COUNTY, TEXAS

Scale: 1"=100' Job No.: 7473-00

Date: Page:

09/20/2022 10 of 10

AMENDED PETITION EXHIBIT B

EXH	IBIT	

County: Parcel:

Williamson 209D Part 1

Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 1

METES & BOUNDS DESCRIPTION FOR A 0.334 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.334 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the southeast right-of-way line of FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and the northwest line of the above described CSM-Mason remainder Tract, from which a 1/2-inch iron rod with cap stamped "Stanley Consultants" found on the southeast right-of-way line of said FM 2243, bears along a curve to the right, an arc distance of 224.86 feet, having a radius of 5,769.58 feet, a central angle of 02°13'59" and a chord which bears S 35°16'39" W a distance of 224.85 feet; Thence, with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, N 34°00'38" E a distance of 1,317.81 feet to a calculated point; Thence, departing the southeast right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 82°24'00" E a distance of 317.59 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,188,678.36, E: 3,093,304.70) for the northwest corner and **POINT OF BEGINNING** of the herein described tract, 264.00 feet right of FM 2243 baseline station 223+88.93;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'00" E a distance of 74.62 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 264.00 feet right of FM 2243 baseline station 224+63.55;

THENCE, continuing over and across said CSM-Mason Tract, S 71°05'21" E a distance of 130.07 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the northeast corner of the herein described tract, 289.51 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, S 07°36'00" W a distance of 54.49 feet to a calculated point for the southeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 202.16 feet to a calculated point for the southwest corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 07°36'00" E a distance of 80.00 feet to the **POINT OF BEGINNING** and containing 0.334 acre (14,546 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

07/20/2023

Date

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106502

Client:

Williamson County

Date:

September 20, 2022

Revised:

July 20, 2023

Project Number:

7473-00

LEGEND

B.W.F. BARBED WIRE FENCE CMP CORRUGATED METAL PIPE DOC. DOCUMENT DEED RECORDS OF WILLIAMSON COUNTY D.R.W.C. **EASEMENT** ESMT. H.W.F. HOG WIRE FENCE NOT TO SCALE N.T.S. O.P.R.W.C. OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY PED. PEDESTAL PG. PAGE POINT OF BEGINNING P.O.B. P.O.R. POINT OF REFERENCE R.O.W. RIGHT-OF-WAY REFLECTOR POST R.P. TEL. **TELEPHONE VOLUME** VOL. RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND TYPE I TXDOT CONCRETE MONUMENT FOUND 3/8" IRON PIPE \odot FOUND 1/2" IRON ROD . SET 1/2" IRON ROD W/CAP "WILCO ROW 5777" 0 Λ CALCULATED POINT WIRE FENCE METAL FENCE -DHT---OVERHEAD TELEPHONE OVERHEAD POWER -DHP-EDGE OF ASPHALT

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. The property has access to a public roadway and there are no visible encroachments, except as shown hereon.

JONATHAN O. NOBLESP

07/20/2023

JONATHAN O. NOBLES RPLS NO. 5777 BGE, INC.

101 WEST LOUIS HENNA BLVD., SUITE 400 AUSTIN, TEXAS 78728

TELEPHONE: (512) 879-0400

		CL	JRVE TA	BLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
C1	224.86'	5,769.58	2°13'59"	S 35°16'39" W	224.85'

		RECORI	D CURVE	ETABLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
{C1}		{5,769.58'}			

GENERAL NOTES:

- BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NAD83. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012
- A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.
- 3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T—163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20, 2023.

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- 10.2 A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, DOES NOT AFFECT THE SUBJECT TRACT, AS SHOWN HEREON.
- 10.3 ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, DO AFFECT THE SUBJECT TRACT.

	LINE TABLE	
NUMBER	BEARING	DISTANCE
L1	N 34°00'38" E	1,317.81
L2	S 82°24'00" E	74.62'
L3	S 71°05'21" E	130.07'
L4	S 07°36'00" W	54.49'
L5	N 82°24'00" W	202.16'
L6	N 07°36'00" E	80.00'
L7	N 55°59'22" W	80.00'

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION



BGE, Inc.
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
Tel: 512-879-0400 ● www.bgeinc.com
TBPLS Licensed Surveying Firm No. 10106502

Copyright 202:

PARCEL PLAT SHOWING EASEMENT PARCEL 209D P1 0.334 ACRE FM 2243

WILLIAMSON COUNTY, TEXAS

Scale:	Job No.:	Date:	Page:
1"=100'	7473-00	09/20/2022	4 of 4

EXHIBIT		

County: Williamson Parcel: 209D Part 2 Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 2

METES & BOUNDS DESCRIPTION FOR A 0.099 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.099 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and on the north line of the above described CSM-Mason remainder Tract; Thence, with the south right-of-way line of said FM 2243 and the north line of said CSM-Mason remainder Tract, along a curve to the left, an arc distance of 750.78 feet, having a radius of 1,105.92 feet, a central angle of 38°53'48" and a chord which bears N 85°29'31" W a distance of 736.45 feet to a set 1/2-inch iron rod with cap stamped "WILCO ROW 5777"; Thence, departing the south right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 06°29'15" W a distance of 155.54 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,189,231.89, E: 3,093,749.77) for the northwest corner and POINT OF BEGINNING of the herein described tract, 343.60 feet left of FM 2243 baseline station 227+56.94;

THENCE, continuing over and across said CSM-Mason Tract, S 83°30'45" E a distance of 13.00 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 37°57'23" E a distance of 57.11 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'01" E a distance of 96.29 feet to a calculated point for the northeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, S 07°35'59" W a distance of 20.00 feet to a calculated point for the southeast corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 229+07.00;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'01" W a distance of 148.90 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the southwest corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 227+58.10;

02/14/2025

Date

THENCE, continuing over and across said CSM-Mason Tract, N 06°29'15" E a distance of 59.75 feet to the **POINT OF BEGINNING** and containing 0.099 acre (4,300 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106500

Client:

Williamson County

Date:


September 20, 2022

Revised:

February 14, 2025 7473-00

Project Number:

4/3-00



EGEND

DEED RECORDS OF WILLIAMSON COUNTY ELECTRIC METER DOCUMENT EASEMENT R.W.C. ESMT. 五

FIRE HYDRANT

FIBER OPTIC MARKER GUARD RAIL MANHOLE

F.O.M.

ΞÏ

Š.

G.R.

OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY PEDESTAL NUMBER O.P.R.W.C.

PED.

STONE RETAINING WALL POINT OF BEGINNING POINT OF REFERENCE SPRINKLER VALVE RIGHT-OF-WAY

0.000°. 0.000°. 0.000°. 0.00°

TRANSFORMER TELEPHONE FLEVISION

TRANS.

딜

U.C.M.

۲.

UNDERGROUND CABLE MARKER VOLUME

WATER METER MATER WELL

SET 1/2—INCH IRON ROD W/CAP "WILCO ROW 5777" DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED) RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP FOUND TYPE I TXDOT CONCRETE MONUMENT

CALCULATED POINT WIRE FENCE

남

×

氮 0 ◁ TABLE

HNI H

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. There are no visible encroachments, except as shown hereon. OVERHEAD TELEPHONE EDGE OF ASPHALT

BGE, INC. 101 WEST LOUIS HENNA BLVD., SUITE 400 MATHAN O. NOBLES AUSTIN, TEXAS TELEPHONE: ~ K. & 6 157F JONATHAN WAIS

NOTES

GENERAL

- BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NADB3. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012 , :
- A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.

ςi

3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T—163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20 2023. 'n

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- STATE OF TEXAS ACTING THROUGH THE STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DOES AFFECT</u> THE SUBJECT TRACT, AS SHOWN HEREON. 10.2
- ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, DO AFFECT THE SUBJECT TRACT. 10.3

		ರ	CURVE TABLE	3LE	
NUMBER	NUMBER ARC LENGTH RADIUS DELTA	RADIUS		CHORD BEARING	CHORD BEARING CHORD DISTANCE
2	750.78	1,105.92	38'53'48"	1,105.92' 38'53'48" N 85'29'31" W	736.45'

NUMBER {C1}	NUMBER ARC LENGTH RADIUS [21] [1,105.92]	중	D CUR	RECORD CURVE TABLE ADIUS DELTA CHORD BEARING ,105.92'}	D CURVE TABLE DELTA CHORD BEARING CHORD DISTANCE

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION REVISED 2/14/2025 — UPDATED PARCEL BOUNDARY

SC.

02/14/2025

RPLS NO. 5777

BGE, Inc.
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
1151. 512-879-0400 • www.bgeinc.com
TBPLS Licensed Surveying Firm No. 10105502

P2 PARCEL PLAT SHOWING PARCEL 209D 0.099 ACRE FM 2243 EASEMENT

4 TEXAS φ Page: 4 09/20/2022 COUNT Date: 7473-00 WILLIAMSON Job No.: 1"=100Scale:

> (512) 879-0400 78728

DISTANCE 148.90 20.00, 59.75 13.00 57.11 96.29 82"24"01" W ₹ ш لدا 06.29'15" 37-57'23" 82"24"01" 07.35'59" 83,30,45, BEARING S S S S z z NUMBER

2 7 Ŋ 9

7 \Box

SURVESSION OF SURVEY

VOL. W.M.

AMENDED PETITION EXHIBIT C

NONEXCLUSIVE DRAINAGE EASEMENT

Hero Way

THE STATE OF TEXAS	§	
	§	KNOW ALL BY THESE PRESENTS:
COUNTY OF WILLIAMSON	§	

That **CSM-MASON FAMILY, LP** ("<u>Grantor</u>"), under threat of a pending condemnation proceeding and in partial settlement of such proceeding, without warranty of title, and subject to the exceptions, reservations, and limitations herein, for and in consideration of the sum of Ten and No/100 (\$10.00) Dollars cash in hand paid and other good and valuable consideration paid to Grantor, receipt of which consideration is hereby acknowledged, grants and conveys to **WILLIAMSON COUNTY, TEXAS** ("<u>Grantee</u>") and its Permitted Assigns (as defined below) a nonexclusive, perpetual easement interest in, on, over, upon and across the following property (the "<u>Easement Areas</u>"):

Part One

All of that certain 0.334-acre tract of land out of the Milton Hicks Survey, Abstract No. 287, Williamson County, Texas, being further described by metes and bounds in <u>Exhibit "B-1"</u> attached hereto and incorporated herein (Parcel 209D1); and

Part Two

All of that certain 0.099-acre tract of land out of the Milton Hicks Survey, Abstract No. 287, Williamson County, Texas, being further described by metes and bounds in <u>Exhibit "B-2"</u> attached hereto and incorporated herein (Parcel 209D2); and

The easement rights herein granted shall be used solely for the purposes of: (i) opening, constructing, and maintaining a permanent drainage way and/or channel, along with any related structures, pipes and grading which may be necessary to facilitate the proper drainage of the adjacent property and roadway facilities across, upon, in, and along the Easement Areas; and (ii) the right and privilege at all times of the Grantee and Grantee's agents, employees, and representatives of ingress and egress across the Easement Areas for the purpose of making any improvements, modifications or repairs which Grantee deems necessary and related to the purposes set forth in (i) above.

The easement rights herein granted shall also include the right of Grantee to trim, cut, fell and remove from the Easement Areas all trees, underbrush, vegetation, and obstructions, structures or obstacles within the limits of the Easement Areas, but only such as necessary to carry out the purposes of the easement rights set out above.

Grantor reserves to itself and its successors and assigns all rights to make use of the Easement Areas that do not unreasonably interfere with the easement rights and purposes granted to Grantee herein. Without limiting the foregoing, Grantor can cross the Easement Areas with

driveways, roads, sidewalks, alleys, trails and utilities and install other improvements that do not unreasonably interfere with the easement rights and purposes granted to Grantee herein, all subject to Grantee's approval, which approval will not be unreasonably conditioned, delayed, or denied.

GRANTEE REPRESENTS AND AGREES THAT GRANTEE IS TAKING ITS RIGHTS IN THE EASEMENT AREAS "AS IS, WHERE IS AND WITH ALL FAULTS" AND WITHOUT ANY WARRANTIES OR REPRESENTATIONS OF ANY KIND OR CHARACTER, EXPRESS OR IMPLIED, WITH RESPECT TO THE EASEMENT PROPERTY, GRANTOR'S REMAINING PROPERTY, OR ACCESS THERETO, WHETHER EXPRESS, STATUTORY, IMPLIED OR OTHERWISE. **GRANTEE** DISCLAIMS ANY WARRANTIES AND REPRESENTATIONS, EXPRESS, STATUTORY, IMPLIED, OR OTHERWISE, REGARDING THE SUITABILITY OF THE EASEMENT PROPERTY FOR GRANTEE'S INTENDED USES, AND GRANTEE REPRESENTS AND WARRANTS TO GRANTOR THAT GRANTEE IS RELYING SOLELY ON ITS OWN **INDEPENDENT INSPECTIONS TO DETERMINE SUCH SUITABILITY.** Grantee expressly acknowledges and agrees that: (i) dangerous conditions, risks and hazards may exist on the Easement Areas, including, but not limited to uneven terrain, holes, snakes, dangerous wildlife, trespassers, and livestock; and (ii) entry on to the Easement Areas exposes Grantee and Grantee's agents, representatives, employees, contractors, and subcontractors and property, to the dangers and perils associated thereon including personal injury, property damage, and even death. commencing any work on, in, under, and/or through the Easement Areas, Grantee shall complete a proper inspection and survey to locate all existing pipelines, oil and gas infrastructure, utilities, and all other surface and subsurface improvements (collectively "Other Facilities") in or near the Easement Areas and to avoid any interference with such Other Facilities. Without limiting the foregoing, Grantee waives all claims against Grantor for any unknown or subsurface conditions and assumes liability therefor.

To the extent allowed by law, Grantee shall indemnify Grantor, and Grantor's partners, representatives, successors, and assigns, against any loss and damage which shall be caused by the exercise of the easement rights herein granted and for any wrongful or negligent act or omission of Grantee's agents or Grantee's employees acting in the course of their employment with Grantee. Grantee shall be responsible for the correction of, or compensation for, any damage to Grantor's property which is the result of actions outside the granted scope of this easement.

Grantee may assign this easement agreement to the State of Texas or to any other governmental entity that will operate and maintain the drainage improvements permitted by this Easement Agreement ("Permitted Assigns"), provided, however, any such assignment will not relieve Grantee of any responsibility for acts or omissions occurring before such assignment. By accepting an assignment of this Easement Agreement, the assignees agree to be bound by the terms of this Easement Agreement.

This grant is made without warranty of title of any kind (express, implied, statutory, or arising by use of any word or phrase) and is made subject to: (i) any easements, restrictions,

reservations, covenants, conditions, oil and gas leases, mineral severances, and encumbrances for taxes and assessments (other than liens and conveyances) presently of record in the Official Public Records of Williamson County, Texas, that affect the Easement Areas; and (ii) visible and apparent encumbrances whether or not of record. The easement rights granted to Grantee herein are non-exclusive, however Grantor covenants not to convey any other easement or conflicting rights within the Easement Areas that unreasonably interfere with the purpose or function of any improvements or modifications placed in the Easement Areas in accordance with the terms of this Easement Agreement or the maintenance of the surface of the Easement Areas by Grantor for the conveyance of stormwater drainage in accordance with the terms of this Easement, without the express written consent of Grantee, which consent shall not be unreasonably withheld, delayed, or conditioned.

EXECUTED on this the day o	f, 2025.
GRANTOR CSM-MASON FAMILY, I	∟ P
By:	
Its:	
<u>ACKN</u>	NOWLEDGMENT
STATE OF TEXAS	§ 8
COUNTY OF WILLIAMSON	§
	rledged before me on this the day of n the capacity and for the purposes and consideration
recticu nerem.	
	Notary Public, State of Texas

GRANTEE WILLIAMSON COUNTY, TEX	AS
By:	_
Its:	_
<u>ACKNOWLE</u>	EDGMENT
STATE OF TEXAS	§ 8
COUNTY OF WILLIAMSON	§ §
	before me on this the day of pacity and for the purposes and consideration
recited herein.	
Nota	ary Public State of Texas

EXHIB	IT	
--------------	----	--

County:
Parcel:

Williamson 209D Part 1

Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 1

METES & BOUNDS DESCRIPTION FOR A 0.334 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.334 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the southeast right-of-way line of FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and the northwest line of the above described CSM-Mason remainder Tract, from which a 1/2-inch iron rod with cap stamped "Stanley Consultants" found on the southeast right-of-way line of said FM 2243, bears along a curve to the right, an arc distance of 224.86 feet, having a radius of 5,769.58 feet, a central angle of 02°13'59" and a chord which bears S 35°16'39" W a distance of 224.85 feet; Thence, with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, N 34°00'38" E a distance of 1,317.81 feet to a calculated point; Thence, departing the southeast right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 82°24'00" E a distance of 317.59 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,188,678.36, E: 3,093,304.70) for the northwest corner and POINT OF BEGINNING of the herein described tract, 264.00 feet right of FM 2243 baseline station 223+88.93;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'00" E a distance of 74.62 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 264.00 feet right of FM 2243 baseline station 224+63.55;

THENCE, continuing over and across said CSM-Mason Tract, S 71°05'21" E a distance of 130.07 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the northeast corner of the herein described tract, 289.51 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, S 07°36'00" W a distance of 54.49 feet to a calculated point for the southeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 202.16 feet to a calculated point for the southwest corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 07°36'00" E a distance of 80.00 feet to the **POINT OF BEGINNING** and containing 0.334 acre (14,546 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

07/20/2023

Date

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106502

Client:

Williamson County

Date:

September 20, 2022

Revised:

July 20, 2023

Project Number:

7473-00

LEGEND

B.W.F. BARBED WIRE FENCE CMP CORRUGATED METAL PIPE DOC. DOCUMENT DEED RECORDS OF WILLIAMSON COUNTY D.R.W.C. **EASEMENT** ESMT. H.W.F. HOG WIRE FENCE NOT TO SCALE N.T.S. O.P.R.W.C. OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY PED. PEDESTAL PG. PAGE POINT OF BEGINNING P.O.B. P.O.R. POINT OF REFERENCE R.O.W. RIGHT-OF-WAY REFLECTOR POST R.P. TEL. **TELEPHONE VOLUME** VOL. RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND TYPE I TXDOT CONCRETE MONUMENT FOUND 3/8" IRON PIPE \odot FOUND 1/2" IRON ROD . SET 1/2" IRON ROD W/CAP "WILCO ROW 5777" 0 Λ CALCULATED POINT WIRE FENCE METAL FENCE -DHT---OVERHEAD TELEPHONE OVERHEAD POWER -DHP-EDGE OF ASPHALT

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. The property has access to a public roadway and there are no visible encroachments, except as shown hereon.

JONATHAN O. NOBLESP

07/20/2023

JONATHAN O. NOBLES RPLS NO. 5777 BGE, INC.

101 WEST LOUIS HENNA BLVD., SUITE 400 AUSTIN, TEXAS 78728

TELEPHONE: (512) 879-0400

		CL	JRVE TA	BLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
C1	224.86'	5,769.58	2°13'59"	S 35°16'39" W	224.85'

		RECORI	D CURVE	ETABLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
{C1}		{5,769.58'}			

GENERAL NOTES:

- BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NAD83. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012
- A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.
- 3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T—163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20, 2023.

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- 10.2 A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, DOES NOT AFFECT THE SUBJECT TRACT, AS SHOWN HEREON.
- 10.3 ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, DO AFFECT THE SUBJECT TRACT.

	LINE TABLE	
NUMBER	BEARING	DISTANCE
L1	N 34°00'38" E	1,317.81
L2	S 82°24'00" E	74.62'
L3	S 71°05'21" E	130.07'
L4	S 07°36'00" W	54.49'
L5	N 82°24'00" W	202.16'
L6	N 07°36'00" E	80.00'
L7	N 55°59'22" W	80.00'

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION



BGE, Inc.
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
Tel: 512-879-0400 ● www.bgeinc.com
TBPLS Licensed Surveying Firm No. 10106502

Copyright 202:

PARCEL PLAT SHOWING EASEMENT PARCEL 209D P1 0.334 ACRE FM 2243

WILLIAMSON COUNTY, TEXAS

Scale:	Job No.:	Date:	Page:
1"=100'	7473-00	09/20/2022	4 of 4

EXHIBIT	

County: Williamson Parcel: 209D Part 2 Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 2

METES & BOUNDS DESCRIPTION FOR A 0.099 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.099 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and on the north line of the above described CSM-Mason remainder Tract; Thence, with the south right-of-way line of said FM 2243 and the north line of said CSM-Mason remainder Tract, along a curve to the left, an arc distance of 750.78 feet, having a radius of 1,105.92 feet, a central angle of 38°53'48" and a chord which bears N 85°29'31" W a distance of 736.45 feet to a set 1/2-inch iron rod with cap stamped "WILCO ROW 5777"; Thence, departing the south right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 06°29'15" W a distance of 155.54 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,189,231.89, E: 3,093,749.77) for the northwest corner and POINT OF BEGINNING of the herein described tract, 343.60 feet left of FM 2243 baseline station 227+56.94;

THENCE, continuing over and across said CSM-Mason Tract, S 83°30'45" E a distance of 13.00 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 37°57'23" E a distance of 57.11 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'01" E a distance of 96.29 feet to a calculated point for the northeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, S 07°35'59" W a distance of 20.00 feet to a calculated point for the southeast corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 229+07.00;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'01" W a distance of 148.90 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the southwest corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 227+58.10;

02/14/2025

Date

THENCE, continuing over and across said CSM-Mason Tract, N 06°29'15" E a distance of 59.75 feet to the **POINT OF BEGINNING** and containing 0.099 acre (4,300 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106500

Client:

Williamson County

Date:


September 20, 2022

Revised:

February 14, 2025 7473-00

Project Number:

4/3-00



EGEND

DEED RECORDS OF WILLIAMSON COUNTY ELECTRIC METER DOCUMENT EASEMENT R.W.C. ESMT. 五

FIRE HYDRANT

FIBER OPTIC MARKER GUARD RAIL MANHOLE

F.O.M.

ΞÏ

Š.

G.R.

OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY PEDESTAL NUMBER O.P.R.W.C.

PED.

STONE RETAINING WALL POINT OF BEGINNING POINT OF REFERENCE SPRINKLER VALVE RIGHT-OF-WAY

0.000°. 0.000°. 0.000°. 0.00°

TRANSFORMER TELEPHONE FLEVISION

TRANS.

딜

U.C.M.

۲.

UNDERGROUND CABLE MARKER VOLUME

WATER METER MATER WELL

SET 1/2—INCH IRON ROD W/CAP "WILCO ROW 5777" DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED) RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP FOUND TYPE I TXDOT CONCRETE MONUMENT

CALCULATED POINT WIRE FENCE

남

×

氮 0 ◁ TABLE

HNI H

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. There are no visible encroachments, except as shown hereon. OVERHEAD TELEPHONE EDGE OF ASPHALT

BGE, INC. 101 WEST LOUIS HENNA BLVD., SUITE 400 MATHAN O. NOBLES AUSTIN, TEXAS TELEPHONE: ~ K. & 6 157F JONATHAN WAIS

NOTES

GENERAL

- BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NADB3. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012 , :
- A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.

ςi

3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T—163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20 2023. 'n

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- STATE OF TEXAS ACTING THROUGH THE STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DOES AFFECT</u> THE SUBJECT TRACT, AS SHOWN HEREON. 10.2
- ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, DO AFFECT THE SUBJECT TRACT. 10.3

		ರ	CURVE TABLE	3LE	
NUMBER	NUMBER ARC LENGTH RADIUS DELTA	RADIUS		CHORD BEARING	CHORD BEARING CHORD DISTANCE
2	750.78	1,105.92	38'53'48"	1,105.92' 38'53'48" N 85'29'31" W	736.45'

NUMBER {C1}	NUMBER ARC LENGTH RADIUS [21] [1,105.92]	중	D CUR	RECORD CURVE TABLE ADIUS DELTA CHORD BEARING ,105.92'}	D CURVE TABLE DELTA CHORD BEARING CHORD DISTANCE

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION REVISED 2/14/2025 — UPDATED PARCEL BOUNDARY

SC.

02/14/2025

RPLS NO. 5777

BGE, Inc.
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
1151. 512-879-0400 • www.bgeinc.com
TBPLS Licensed Surveying Firm No. 10105502

P2 PARCEL PLAT SHOWING PARCEL 209D 0.099 ACRE FM 2243 EASEMENT

4 TEXAS φ Page: 4 09/20/2022 COUNT Date: 7473-00 WILLIAMSON Job No.: 1"=100Scale:

> (512) 879-0400 78728

DISTANCE 148.90 20.00, 59.75 13.00 57.11 96.29 82"24"01" W ₹ ш لدا 06.29'15" 37-57'23" 82"24"01" 07.35'59" 83,30,45, BEARING S S S S z z NUMBER

2 7 Ŋ 9

7 \Box

SURVESSION OF SURVEY

VOL. W.M.

EXHIBIT D TO RULE 11

CAUSE NO. 23-1256-CC5

WILLIAMSON COUNTY, TEXAS § IN THE COUNTY COURT

Condemnor

§ § § V. AT LAW NO. FIVE

CSM-MASON FAMILY, LP

§ WILLIAMSON COUNTY, TEXAS Condemnee

AGREED FINAL JUDGMENT

The parties to this lawsuit have agreed to compromise and settle the issues in this lawsuit and request the entry of this Agreed Final Judgment by the Court. It appears to the Court that it has jurisdiction of this matter, the parties have agreed to all provisions contained within this Agreed Final Judgment, and the parties desire to resolve this lawsuit,

IT IS THEREFORE ORDERED, ADJUDGED, AND DECREED that fee simple interest in approximately 36.029 acres of land in Williamson County, Texas, said property being more particularly described by metes and bounds in Exhibit "A" which exhibit is attached hereto and incorporated herein for all purposes, be and hereby is vested in and to WILLIAMSON COUNTY, **TEXAS** for constructing, reconstructing, realigning, widening, and/or maintaining improvements to the Hero Way roadway improvement project, and to perform associated public use and purposes.

It is further **ORDERED**, **ADJUDGED**, **AND DECREED** that drainage easement interests in approximately 0.334 acres (Parcel 209D pt 1) and 0.099 acres (Parcel 209D pt 2) of land in Williamson County, Texas, said property being more particularly described by metes and bounds in Exhibits "B-1" and "B-2" (which exhibits are attached hereto and incorporated herein for all purposes), be and hereby is vested in and to WILLIAMSON COUNTY, TEXAS, on the terms described in Exhibit "C" (which exhibit is attached hereto and incorporated herein for all purposes) for constructing, reconstructing, realigning, widening, and/or maintaining improvements to the drainage easement interest rights described in Exhibit C.

It is further **ORDERED**, **ADJUDGED**, **AND DECREED** that in complete satisfaction of any and all claims which have been made, or which could have been made in this litigation, including claims for compensation for both the property interests to be acquired and damages (if any) to any remaining property of **CSM-MASON FAMILY**, **LP** ("<u>CSM</u>"), that CSM shall recover from **WILLIAMSON COUNTY**, **TEXAS** the total sum of **SEVEN MILLION SIX HUNDRED THREE THOUSAND TWO HUNDRED AND THIRTY-NINE AND NO/100 DOLLARS** (\$7,603,239.00).

It is further ORDERED, ADJUDGED, AND DECREED that on November 17, 2023, an Award of Special Commissioners was filed with the court in the amount of THREE MILLION TWO HUNDRED SEVENTY-FIVE THOUSAND FIFTY-FIVE and No/100 (\$3,275,055.00) and the parties agree that the additional sum of FOUR MILLION THREE HUNDRED TWENTY-EIGHT THOUSAND ONE HUNDRED EIGHTY-FOUR AND NO/100 DOLLARS (\$4,328,184.00) has NOT been deposited with the court pursuant to the written Award of Special Commissioners, leaving a total balance due from WILLIAMSON COUNTY, TEXAS to CSM of FOUR MILLION THREE HUNDRED TWENTY-EIGHT THOUSAND ONE HUNDRED EIGHTY-FOUR AND NO/100 DOLLARS (\$4,328,184.00), and such remaining balance shall be paid by WILLIAMSON COUNTY, TEXAS to CSM-MASON FAMILY, LP by check or warrant made payable to CSM-MASON FAMILY, LP and made available for pick-up by CSM-MASON FAMILY, LP or its attorney of record in this case no later than sixty (60) days of execution and entry of this Final Agreed Judgment to avoid paying interest. If the remaining balance of FOUR MILLION THREE HUNDRED TWENTY-EIGHT

THOUSAND ONE HUNDRED EIGHTY-FOUR AND NO/100 DOLLARS (\$4,328,184.00)

is not paid within (60) days of execution and entry of this Agreed Final Judgment, then the post-

judgment interest at the statutory rate will accrue on the unpaid balance until paid.

It is further **ORDERED**, **ADJUDGED**, **AND DECREED** that the Clerk of the Court shall

immediately remit to CSM-MASON FAMILY, LP the funds deposited into the registry of the

Court in this case by Williamson County, Texas in the sum of THREE MILLION TWO

HUNDRED SEVENTY-FIVE THOUSAND FIFTY-FIVE and No/100 (\$3,275,055.00), plus

any interest earned on that amount, and less any administrative fee charge by the Clerk in

connection with the distribution of such funds, by making a check in the foregoing amount

available for pick-up by CSM-MASON FAMILY, LP or its attorney of record in this case.

Williamson County, Texas discloses that CSM, or CSM's successors, or assigns, may in

the future have the repurchase rights provided for in Texas Property Code Chapter 21, Subchapter

E.

It is further ORDERED, ADJUDGED, AND DECREED that all costs be assessed

against Condemnor.

This Agreed Final Judgment fully and finally disposes of all claims, parties, and issues in

this lawsuit.

SIGNED this _____ day of April 2025.

Judge Presiding

3

1024738.6

PREPARED BY AND APPROVED AS TO SUBSTANCE AND FORM:

/s/ Erik L. Cardinell

Adam H. Hill

State Bar No. 24115847

adam@scrrlaw.com

Erik Cardinell

State Bar No. 00796304

erik@scrrlaw.com

(512) 255-8877

(512) 255-8986 (fax)

Sheets & Crossfield, P.L.L.C.

309 East Main Street

Round Rock, Texas 78664

Attorneys for Condemnor

AGREED AS TO SUBSTANCE AND FORM:

R. Matthew Molash

State Bar No. 14255300

T: 817-405-9939

E: Matt.molash@svlandlaw.com

of SHUPE VENTURA, PLLC

9406 Biscayne Blvd.

Dallas, Texas 75218

Valerie Covey

Attorney for CSM-Mason Family, LP

WILLIAMSON COUNTY

Williamson County Presiding Officer

AGREED JUDGMENT EXHIBIT A

County:

Williamson

Parcel: Highway: FM 2243

209

METES & BOUNDS DESCRIPTION FOR PARCEL 209

METES & BOUNDS DESCRIPTION FOR A 36,029 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 36.029 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

BEGINNING at a 5/8-inch iron rod found on the curving south right-of-way line of FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, at the northeast corner of said CSM-Mason remainder Tract and at the northwest corner of a called 89,41 acre tract of land as conveyed to Amelia Valdez, Anita Martinez and Irene Torrez by Probate Orders recorded in Document Numbers 2012066513 and 2012067088, both of the Official Public Records of Williamson County, Texas, and described in Volume 457, Page 595 of the Deed Records of Williamson County, Texas, for the northeast corner and **POINT OF BEGINNING** of the herein described tract, from which a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243, bears along a curve to the left, an arc distance of 412.62 feet, having a radius of 1,949.86 feet, a central angle of 12°07'29" and a chord which bears N 75°35'18" E a distance of 411.86 feet;

THENCE, with the east line of said CSM-Mason Tract and the west line of said Valdez, Martinez and Torrez Tract, S 21°40'36" E a distance of 303.21 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" (NAD-83, Central Zone Grid Coordinates: N: 10,188,739.06, E: 3,096,434.97) set for the southeast corner of the herein described tract, 175.00 feet right of FM 2243 baseline station 254+70.53, from which a 1/2-inch iron rod with cap stamped "RJ Surveying" found on the east line of said CSM-Mason Tract, at the southwest corner of said Valdez, Martinez and Torrez Tract, bears S 21°40'36" E a distance of 1,347.02 feet;

THENCE, departing the west line of said Valdez, Martinez and Torrez Tract, over and across said CSM-Mason Tract, S 76°53'04" W a distance of 384.25 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for a point of curvature of a curve to the right, 180.62 feet right of FM 2243 baseline station 250+94.60;

THENCE, continuing over and across said CSM-Mason Tract, along said curve to the right, an arc distance of 1,600.05 feet, having a radius of 5,047.00 feet, a central angle of 18°09'52" and a chord which bears S 85°58'01" W a distance of 1,593.36 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 247.19 feet right of FM 2243 baseline station 235+61.91;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 785.42 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 247.00 feet right of FM 2243 baseline station 227+78.58;

THENCE, continuing over and across said CSM-Mason Tract, N 85°48'08" W a distance of 187.82 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an interior corner of the herein described tract, 258.15 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, S 07°36'00" W a distance of 31.36 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an exterior corner of the herein described tract, 289.51 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, N 71°05'21" W a distance of 130.07 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 264.00 feet right of FM 2243 baseline station 224+63.55;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 392.21 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set on the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder tract, for the southwest corner of the herein described tract, 264.00 feet right of FM 2243 baseline station 220+71.34, from which a TXDOT Type I concrete monument found on the southeast right-of-way of said FM 2243, bears S 34°00'38" W a distance of 1,317.81 feet;

THENCE, with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, N 34°00'38" E a distance of 260.65 feet to a calculated point at the beginning of a non-tangent curve to the right;

THENCE, continuing with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, along said curve to the right, an arc distance of 792.49 feet, having a radius of 1,105.92 feet, a central angle of 41°03'27" and a chord which bears N 54°31'52" E a distance of 775.64 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the most northerly corner of the herein described tract, 499.12 feet left of FM 2243 baseline station 227+53.92, from which a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243, bears along a curve to the right an arc distance of 750.78 feet, having a radius of 1,105.92 feet, a central angle of 38°53'48" and a chord which bears S 85°29'31" E a distance of 736.45 feet;

THENCE, departing the southeast right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 06°29'15" W a distance of 215.29 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an interior corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 227+58.10;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'01" E a distance of 1,288.63 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set on the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of Georgetown and Leander Public Road (right-of-way varies) (unimproved) (no deed of record found) as referenced in Deed recorded in Volume 147, Page 112 of the Deed Records of Williamson County, Texas, for an angle point, 254.49 feet left of FM 2243 baseline station 240+76.14;

THENCE, with the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of said Georgetown and Leander Public Road, S 68°45'06" E a distance of 11.60 feet to an 18-inch cedar fence post found for an angle point, 250.51 feet left of FM 2243 baseline station 240+87.62;

THENCE, continuing with the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of said Georgetown and Leander Public Road, S 82°27'50" E a distance of 23.43 feet to a 10-inch cedar fence post found for an angle point, 247.82 feet left of FM 2243 baseline station 241+12.12;

THENCE, continuing with the fenced and occupied north line of said CSM-Mason remainder Tract and the south right-of-way line of said Georgetown and Leander Public Road, S 87°48'47" E a distance of 41.95 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the beginning of a nontangent curve to the left, 246.63 feet left of FM 2243 baseline station 241+56.28;

THENCE, departing the south right-of-way line of said Georgetown and Leander Public Road, over and across said CSM-Mason Tract, along said curve to the left, an arc distance of 380.49 feet, having a radius of 3,933.00 feet, a central angle of 05°32'35" and a chord which bears S 89°51'04" E a distance of 380.34 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set on the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, for the beginning of a non-tangent curve to the left, 232.47 feet left of FM 2243 baseline station 245+55.54;

THENCE, with the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, along said curve to the left, an arc distance of 139.48 feet, having a radius of 1,472.39 feet, a central angle of 05°25'39" and a chord which bears S 88°43'50" E a distance of 139.42 feet to a TXDOT Type I concrete monument found for an angle point;

THENCE, continuing with the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, N 88°35'53" E a distance of 472.90 feet to a TXDOT Type I concrete monument found for the beginning of a non-tangent curve to the left;

THENCE, continuing with the north line of said CSM-Mason remainder Tract and the south right-of-way line of said FM 2243, along said curve to the left, an arc distance of 235.50 feet, having a radius of 1,949.86 feet, a central angle of 06°55'13" and a chord which bears N 85°06'39" E a distance of 235.36 feet to the **POINT OF BEGINNING** and containing 36.029 acres of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

02/14/2025

Date

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728


Telephone: 512-879-0400


TBPELS Licensed Surveying Firm Number 10106500


Client: Williamson County


Date: September 20, 2022 Revised February 14, 2025

Project Number: 7473-00









LEGEND

CMP CORRUGATED METAL PIPE

C.O. CLEAN OUT DOC. DOCUMENT

DEED RECORDS OF WILLIAMSON COUNTY D.R.W.C.

E.M. ELECTRIC METER FENCE POST F.P. M.H. MANHOLE NUMBER NO. **NUMBERS** NOS.

O.P.R.W.C. OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY

PED. PEDESTAL PG. PAGE

P.O.B. POINT OF BEGINNING P.P. POWER POLE R.P. REFLECTOR POST R.W. RETAINING WALL RIGHT-OF-WAY R.O.W.

TELEPHONE TEL. TRANS. TRANSFORMER

U.C.M. UNDERGROUND CABLE MARKER

VOLUME VOL. W.W. WATER WELL

RECORD INFO FOR DOC. NO. 2011086909 O.P.R.W.C.) RECORD INFO FOR DOC. VOL. 457, PG. 595 D.R.W.C.

RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C.

FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED) FOUND TDDOT TYPE I CONCRETE MONUMENT SET 1/2" IRON ROD W/CAP "WILCO ROW 5777" 0

CEDAR FENCE POST

• FOUND 3/8" IRON PIPE (UNLESS OTHERWISE NOTED)

- X -WIRE FENCE METAL FENCE

-0HT----OVERHEAD TELEPHONE -NHP-OVERHEAD POWER 1/1 EDGE OF ASPHALT 10.2 SCHEDULE B ITEM

	CURVE TABLE					
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE	
C1	1,600.05	5,047.00'	18'09'52"	S 85'58'01" W	1,593.36'	
C2	792.49'	1,105.92	41'03'27"	N 54*31'52" E	775.64'	
С3	380.49'	3,933.00'	5'32'35"	S 89 ' 51 ' 04" E	380.34'	
C4	139.48'	1,472.39'	5*25′39"	S 88'43'50" E	139.42'	
C5	235.50'	1,949.86	6'55'13"	N 85'06'39" E	235.36'	
C6	412.62'	1,949.86	12'07'29"	N 75 ' 35'18" E	411.86'	
C7	750.78'	1,105.92	38'53'48"	S 85'29'31" E	736.45'	
C8	511.99'	1,472.39	19*55'24"	S 76'03'19" E	509.41'	

		RECOR	D CUR	VE TABLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
{C2}		{1,105.92'}			
{C4}		{1,472.39'}			
{C5}		{1,949.86'}			
{C6}		{1,949.86'}			
{C7}		{1,105.92'}			
{C8}		{1,472.39'}			

	LINE TABLE	
NUMBER	BEARING	DISTANCE
L1	S 07*36'00" W	31.36'
L2	N 71'05'21" W	130.07'
L3	S 34'00'38" W	1,317.81
L4	S 68'45'06" E	11.60'
L5	S 82°27'50" E	23.43'
L6	S 87'48'47" E	41.95'
L7	S 21°40'36" E	1,347.02

REC	CORD LINE	TA	ABLE
NUMBER	BEARING		DISTANCE
(L6)	(EAST)		

REVISED 7/20/2023 - UPDATED PARCEL BOUNDARY AND UPDATED TITLE COMMITMENT REVISED 2/14/2025 - UPDATED PARCEL BOUNDARY



BGE, Inc. 101 West Louis Henna Blvd, Suite 400, Austin, TX 78728 Tel: 512-879-0400 • www.bgeinc.com TBPLS Licensed Surveying Firm No. 10106502

PARCEL PLAT SHOWING PARCEL 209 36.029 ACRES FM 2243

WILLIAMSON COUNTY, TEXAS

Scale: Job No.: Date: Page: 1"=100' 7473-00 09/20/2022 9 of 10

GENERAL NOTES:

- BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NAD83. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012
- 2. A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.
- 3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T-163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20, 2023.

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- 10.2 A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DOES AFFECT</u> THE SUBJECT TRACT, AS SHOWN HEREON.
- 10.3 ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DO AFFECT</u> THE SUBJECT TRACT.

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. The property has access to a public roadway and there are no visible encroachments, except as shown hereon.



02/14/2025

JØNATHAN O. NOBLES RPLS NO. 5777 BGE, INC.

101 WEST LOUIS HENNA BLVD., SUITE 400 AUSTIN, TEXAS 78728

TELEPHONE: (512) 879-0400

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY AND UPDATED TITLE COMMITMENT REVISED 2/14/2025 — UPDATED PARCEL BOUNDARY



BGE, Inc. 101 West Louis Henna Blvd, Suite 400, Austin, TX 78728 Tel: 512-879-0400 • www.bgeinc.com TBPLS Licensed Surveying Firm No. 10106502

Copyright 202

PARCEL PLAT SHOWING PARCEL 209 36.029 ACRES FM 2243

WILLIAMSON COUNTY, TEXAS

Scale: Job No.: Date: Page: 1"=100' 7473-00 09/20/2022 10 of 10

AGREED JUDGMENT EXHIBIT B-1

EXHIB	\mathbf{IT}

County:

Williamson 209D Part 1

Parcel:

Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 1

METES & BOUNDS DESCRIPTION FOR A 0.334 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.334 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the southeast right-of-way line of FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and the northwest line of the above described CSM-Mason remainder Tract, from which a 1/2-inch iron rod with cap stamped "Stanley Consultants" found on the southeast right-of-way line of said FM 2243, bears along a curve to the right, an arc distance of 224.86 feet, having a radius of 5,769.58 feet, a central angle of 02°13'59" and a chord which bears S 35°16'39" W a distance of 224.85 feet; Thence, with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, N 34°00'38" E a distance of 1,317.81 feet to a calculated point; Thence, departing the southeast right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 82°24'00" E a distance of 317.59 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,188,678.36, E: 3,093,304.70) for the northwest corner and POINT OF BEGINNING of the herein described tract, 264.00 feet right of FM 2243 baseline station 223+88.93;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'00" E a distance of 74.62 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 264.00 feet right of FM 2243 baseline station 224+63.55;

THENCE, continuing over and across said CSM-Mason Tract, S 71°05'21" E a distance of 130.07 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the northeast corner of the herein described tract, 289.51 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, S 07°36'00" W a distance of 54.49 feet to a calculated point for the southeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 202.16 feet to a calculated point for the southwest corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 07°36'00" E a distance of 80.00 feet to the **POINT OF BEGINNING** and containing 0.334 acre (14,546 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

07/20/2023

Date

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106502

Client:

Williamson County


Date:

September 20, 2022

Revised:

July 20, 2023

Project Number:



LEGEND

BARBED WIRE FENCE B.W.F. CORRUGATED METAL PIPE CMP DOC. DOCUMENT DEED RECORDS OF WILLIAMSON COUNTY D.R.W.C. **EASEMENT** ESMT. HOG WIRE FENCE H.W.F. N.T.S. NOT TO SCALE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY O.P.R.W.C. PEDESTAL PED. PG. PAGE POINT OF BEGINNING P.O.B. POINT OF REFERENCE P.O.R. R.O.W. RIGHT-OF-WAY REFLECTOR POST R.P. **TELEPHONE** TEL. VOL. **VOLUME** RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND TYPE I TXDOT CONCRETE MONUMENT FOUND 3/8" IRON PIPE ◉ FOUND 1/2" IRON ROD SET 1/2" IRON ROD W/CAP "WILCO ROW 5777" CALCULATED POINT WIRE FENCE METAL FENCE OVERHEAD TELEPHONE -DHT-

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. The property has access to a public roadway and there are no visible encroachments, except as shown hereon.

OVERHEAD POWER

EDGE OF ASPHALT

JONATHAN O. NOBLESP

-UHB-

07/20/2023

JONATHAN O. NOBLES RPLS NO. 5777 BGE, INC.

101 WEST LOUIS HENNA BLVD., SUITE 400 AUSTIN, TEXAS 78728

AUSTIN, TEXAS 78728 TELEPHONE: (512) 879-0400

		CL	IRVE TA	BLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
C1	224.86'	5,769.58	213'59"	S 35*16'39" W	224.85'

		RECORI	CURV	E TABLE	-		
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD	BEARING	CHORD	DISTANCE
{C1}		{5,769.58'}					

GENERAL NOTES:

- 1. BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NAD83. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1,00012
- A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.
- 3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T—163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20, 2023.

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- 10.2 A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, DOES NOT AFFECT THE SUBJECT TRACT, AS SHOWN HEREON.
- 10.3 ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, DO AFFECT THE SUBJECT TRACT.

	LINE TABLE	-
NUMBER	BEARING	DISTANCE
L1	N 34°00'38" E	1,317.81'
L2	S 82'24'00" E	74.62'
L3	S 71 ° 05'21" E	130.07'
L4	S 07*36'00" W	54.49'
L5	N 82°24'00" W	202.16'
·L6	N 07'36'00" E	80.00'
L7	N 55'59'22" W	80.00

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION



BGE, Inc.
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
Tel: 512-879-0400 • www.bgeinc.com
TBPLS Licensed Surveying Firm No. 10106502

Copyright 2023

PARCEL PLAT SHOWING EASEMENT PARCEL 209D P1 0.334 ACRE FM 2243

WILLIAMSON COUNTY, TEXAS

1	C 1	Job No.:	Date:	Page:
	Scale:	יסט ואסי:	Date:	r age.
	1"=100'	7473-00	09/20/2022	4 of 4

AGREED JUDGMENT EXHIBIT B-2

County: Parcel:

Williamson 209D Part 2 Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 2

METES & BOUNDS DESCRIPTION FOR A 0.099 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.099 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and on the north line of the above described CSM-Mason remainder Tract; Thence, with the south right-of-way line of said FM 2243 and the north line of said CSM-Mason remainder Tract, along a curve to the left, an arc distance of 750.78 feet, having a radius of 1,105.92 feet, a central angle of 38°53'48" and a chord which bears N 85°29'31" W a distance of 736.45 feet to a set 1/2-inch iron rod with cap stamped "WILCO ROW 5777"; Thence, departing the south right-of-way line of said FM 2243, over and across said.CSM-Mason Tract, S 06°29'15" W a distance of 155.54 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,189,231.89, E: 3,093,749.77) for the northwest corner and POINT OF BEGINNING of the herein described tract, 343.60 feet left of FM 2243 baseline station 227+56.94;

THENCE, continuing over and across said CSM-Mason Tract, S 83°30'45" E a distance of 13.00 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 37°57'23" E a distance of 57.11 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'01" E a distance of 96.29 feet to a calculated point for the northeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, S 07°35'59" W a distance of 20.00 feet to a calculated point for the southeast corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 229+07.00;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'01" W a distance of 148.90 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the southwest corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 227+58.10;

02/14/2025

Date

THENCE, continuing over and across said CSM-Mason Tract, N 06°29'15" E a distance of 59.75 feet to the **POINT OF BEGINNING** and containing 0.099 acre (4,300 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106500

Client:

Williamson County


Date:

September 20, 2022

Revised:

February 14, 2025

Project Number:



EGEND

DEED RECORDS OF WILLIAMSON COUNTY ELECTRIC METER OFFICIAL PUBLIC RECORDS OF FIBER OPTIC MARKER FIRE HYDRANT GUARD RAIL DOCUMENT EASEMENT MANHOLE NUMBER NO. O.P.R.W.C. D.R.W.C. F.O.M. ESMT. 표 M.H. E.⊼ G.R.

NUMBER
OFFICIAL PUBLIC RECORDS OF
WILLIAMSON COUNTY
PEDESTAL
PAGE
POINT OF BEGINNING
POINT OF REFERENCE
RIGHT—OF—WAY

GENERAL NOTES:

- BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NADB3. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012
- 2. A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.
- 3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T-163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20 2023.

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- 10.2 A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, DOES AFFECT THE SUBJECT TRACT, AS SHOWN HEREON.
- 10.3 ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DO AFFECT</u> THE SUBJECT TRACT.

		ō	CURVE TABLE	3LE	
NUMBER	NUMBER ARC LENGTH RADIUS	1	DELTA	CHORD BEARING	CHORD BEARING CHORD DISTANCE
ច	750.78'	1,105.92	38.53'48"	1,105.92' 38'53'48" N 85'29'31" W	736.45'

RECORD CURVE TABLE	NUMBER ARC LENGTH RADIUS DELTA CHORD BEARING CHORD DISTANCE	(01) {1,105.92'}
	NUMBER	{c1}

BEARING DISTANCE

NUMBER

57.11° 96.29°

S 37'57'23" S 82'24'01"

2 2 2 3

13.00

ш

S 83'30'45"

I

EDGE OF ASPHALT

OVERHEAD TELEPHONE

HH

CALCULATED POINT

9 8 0 4

MIRE FENCE

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. There are no visible encroachments, except as shown hereon.

SET 1/2-INCH IRON ROD W/CAP "WILCO ROW 5777"

FOUND TYPE I TXDOT CONCRETE MONUMENT

RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED)



20.00'

≥ | ≥ | ш

S 07*35'59" N 82*24*01" 59.75

N 06"29"15"

JONATHAN O. NOBLES RPLS NO. 5777
BGC, INC.

TEGE, INC.
101 WEST LOUIS HENNA BLVD., SUITE 400
AUSTIN, TEXAS 78728
TELEPHONE: (512) 879-0400

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION REVISED 2/14/2025 — UPDATED PARCEL BOUNDARY



02/14/2025

BGE, Inc.
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
Tel: 512-879-0400 • www.bgeinc.com
TBPLS Licensed Surveying Firm No. 10105502

PARCEL PLAT SHOWING
EASEMENT PARCEL 209D P2
0.099 ACRE
FM 2243

WILLIAMSON COUNTY, TEXAS Scale: Job No.: Date: Page: 1"=100' 7473-00 09/20/2022 4 of

/bgeinc/data/TXC/Projects/County_Williamson/7473-00_RM 2243/06_Survey/04_Finals/Drawings/7473-00_P209D P2_EX1.dwg, 2/14/2025 2:47 PM, Andrea Hiener

VOL. W.M.

JNDERGROUND CABLE MARKER

WATER METER

/OLUME

MATER WELL

STONE RETAINING WALL

SPRINKLER VALVE

S.R.W. S.V.

TELEPHONE TRANSFORMER

TEL. TRANS.

FLEVISION

T.V. U.C.M.

AGREED JUDGMENT EXHIBIT C

NONEXCLUSIVE DRAINAGE EASEMENT

Hero Way

THE STATE OF TEXAS	§	
	§	KNOW ALL BY THESE PRESENTS:
COUNTY OF WILLIAMSON	§	

That **CSM-MASON FAMILY, LP** ("<u>Grantor</u>"), under threat of a pending condemnation proceeding and in partial settlement of such proceeding, without warranty of title, and subject to the exceptions, reservations, and limitations herein, for and in consideration of the sum of Ten and No/100 (\$10.00) Dollars cash in hand paid and other good and valuable consideration paid to Grantor, receipt of which consideration is hereby acknowledged, grants and conveys to **WILLIAMSON COUNTY, TEXAS** ("<u>Grantee</u>") and its Permitted Assigns (as defined below) a nonexclusive, perpetual easement interest in, on, over, upon and across the following property (the "<u>Easement Areas</u>"):

Part One

All of that certain 0.334-acre tract of land out of the Milton Hicks Survey, Abstract No. 287, Williamson County, Texas, being further described by metes and bounds in <u>Exhibit "B-1"</u> attached hereto and incorporated herein (Parcel 209D1); and

Part Two

All of that certain 0.099-acre tract of land out of the Milton Hicks Survey, Abstract No. 287, Williamson County, Texas, being further described by metes and bounds in <u>Exhibit "B-2"</u> attached hereto and incorporated herein (Parcel 209D2); and

The easement rights herein granted shall be used solely for the purposes of: (i) opening, constructing, and maintaining a permanent drainage way and/or channel, along with any related structures, pipes and grading which may be necessary to facilitate the proper drainage of the adjacent property and roadway facilities across, upon, in, and along the Easement Areas; and (ii) the right and privilege at all times of the Grantee and Grantee's agents, employees, and representatives of ingress and egress across the Easement Areas for the purpose of making any improvements, modifications or repairs which Grantee deems necessary and related to the purposes set forth in (i) above.

The easement rights herein granted shall also include the right of Grantee to trim, cut, fell and remove from the Easement Areas all trees, underbrush, vegetation, and obstructions, structures or obstacles within the limits of the Easement Areas, but only such as necessary to carry out the purposes of the easement rights set out above.

Grantor reserves to itself and its successors and assigns all rights to make use of the Easement Areas that do not unreasonably interfere with the easement rights and purposes granted to Grantee herein. Without limiting the foregoing, Grantor can cross the Easement Areas with

driveways, roads, sidewalks, alleys, trails and utilities and install other improvements that do not unreasonably interfere with the easement rights and purposes granted to Grantee herein, all subject to Grantee's approval, which approval will not be unreasonably conditioned, delayed, or denied.

GRANTEE REPRESENTS AND AGREES THAT GRANTEE IS TAKING ITS RIGHTS IN THE EASEMENT AREAS "AS IS, WHERE IS AND WITH ALL FAULTS" AND WITHOUT ANY WARRANTIES OR REPRESENTATIONS OF ANY KIND OR CHARACTER, EXPRESS OR IMPLIED, WITH RESPECT TO THE EASEMENT PROPERTY, GRANTOR'S REMAINING PROPERTY, OR ACCESS THERETO, WHETHER EXPRESS, STATUTORY, IMPLIED OR OTHERWISE. **GRANTEE** DISCLAIMS ANY WARRANTIES AND REPRESENTATIONS, EXPRESS, STATUTORY, IMPLIED, OR OTHERWISE, REGARDING THE SUITABILITY OF THE EASEMENT PROPERTY FOR GRANTEE'S INTENDED USES, AND GRANTEE REPRESENTS AND WARRANTS TO GRANTOR THAT GRANTEE IS RELYING SOLELY ON ITS OWN **INDEPENDENT INSPECTIONS TO DETERMINE SUCH SUITABILITY.** Grantee expressly acknowledges and agrees that: (i) dangerous conditions, risks and hazards may exist on the Easement Areas, including, but not limited to uneven terrain, holes, snakes, dangerous wildlife, trespassers, and livestock; and (ii) entry on to the Easement Areas exposes Grantee and Grantee's agents, representatives, employees, contractors, and subcontractors and property, to the dangers and perils associated thereon including personal injury, property damage, and even death. commencing any work on, in, under, and/or through the Easement Areas, Grantee shall complete a proper inspection and survey to locate all existing pipelines, oil and gas infrastructure, utilities, and all other surface and subsurface improvements (collectively "Other Facilities") in or near the Easement Areas and to avoid any interference with such Other Facilities. Without limiting the foregoing, Grantee waives all claims against Grantor for any unknown or subsurface conditions and assumes liability therefor.

To the extent allowed by law, Grantee shall indemnify Grantor, and Grantor's partners, representatives, successors, and assigns, against any loss and damage which shall be caused by the exercise of the easement rights herein granted and for any wrongful or negligent act or omission of Grantee's agents or Grantee's employees acting in the course of their employment with Grantee. Grantee shall be responsible for the correction of, or compensation for, any damage to Grantor's property which is the result of actions outside the granted scope of this easement.

Grantee may assign this easement agreement to the State of Texas or to any other governmental entity that will operate and maintain the drainage improvements permitted by this Easement Agreement ("Permitted Assigns"), provided, however, any such assignment will not relieve Grantee of any responsibility for acts or omissions occurring before such assignment. By accepting an assignment of this Easement Agreement, the assignees agree to be bound by the terms of this Easement Agreement.

This grant is made without warranty of title of any kind (express, implied, statutory, or arising by use of any word or phrase) and is made subject to: (i) any easements, restrictions,

reservations, covenants, conditions, oil and gas leases, mineral severances, and encumbrances for taxes and assessments (other than liens and conveyances) presently of record in the Official Public Records of Williamson County, Texas, that affect the Easement Areas; and (ii) visible and apparent encumbrances whether or not of record. The easement rights granted to Grantee herein are non-exclusive, however Grantor covenants not to convey any other easement or conflicting rights within the Easement Areas that unreasonably interfere with the purpose or function of any improvements or modifications placed in the Easement Areas in accordance with the terms of this Easement Agreement or the maintenance of the surface of the Easement Areas by Grantor for the conveyance of stormwater drainage in accordance with the terms of this Easement, without the express written consent of Grantee, which consent shall not be unreasonably withheld, delayed, or conditioned.

EXECUTED on this the day of	f, 2025.
GRANTOR CSM-MASON FAMILY, I	∟ P
By:	
Its:	
<u>ACKN</u>	NOWLEDGMENT
STATE OF TEXAS	§ 8
COUNTY OF WILLIAMSON	§
	rledged before me on this the day of n the capacity and for the purposes and consideration
recited herein.	
	Notary Public, State of Texas

GRANTEE WILLIAMSON COUNTY, TEX	AS
By:	_
Its:	_
<u>ACKNOWLE</u>	EDGMENT
STATE OF TEXAS	§ 8
COUNTY OF WILLIAMSON	§ §
	before me on this the day of pacity and for the purposes and consideration
recited herein.	
Nota	ary Public State of Texas

EXHIB	TT
I'M I I I I I	1 1

County: Williamson Parcel: 209D Part 1 Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 1

METES & BOUNDS DESCRIPTION FOR A 0.334 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.334 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the southeast right-of-way line of FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and the northwest line of the above described CSM-Mason remainder Tract, from which a 1/2-inch iron rod with cap stamped "Stanley Consultants" found on the southeast right-of-way line of said FM 2243, bears along a curve to the right, an arc distance of 224.86 feet, having a radius of 5,769.58 feet, a central angle of 02°13'59" and a chord which bears S 35°16'39" W a distance of 224.85 feet; Thence, with the southeast right-of-way line of said FM 2243 and the northwest line of said CSM-Mason remainder Tract, N 34°00'38" E a distance of 1,317.81 feet to a calculated point; Thence, departing the southeast right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 82°24'00" E a distance of 317.59 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,188,678.36, E: 3,093,304.70) for the northwest corner and POINT OF BEGINNING of the herein described tract, 264.00 feet right of FM 2243 baseline station 223+88.93;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'00" E a distance of 74.62 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for an angle point, 264.00 feet right of FM 2243 baseline station 224+63.55;

THENCE, continuing over and across said CSM-Mason Tract, S 71°05'21" E a distance of 130.07 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the northeast corner of the herein described tract, 289.51 feet right of FM 2243 baseline station 225+91.09;

THENCE, continuing over and across said CSM-Mason Tract, S 07°36'00" W a distance of 54.49 feet to a calculated point for the southeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'00" W a distance of 202.16 feet to a calculated point for the southwest corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, N 07°36'00" E a distance of 80.00 feet to the **POINT OF BEGINNING** and containing 0.334 acre (14,546 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

07/20/2023

Date

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106502

Client:

Williamson County


Date:

September 20, 2022

Revised:

July 20, 2023

Project Number:



LEGEND

B.W.F. BARBED WIRE FENCE CORRUGATED METAL PIPE CMP DOC. DOCUMENT D.R.W.C. DEED RECORDS OF WILLIAMSON COUNTY ESMT. EASEMENT HOG WIRE FENCE H.W.F. NOT TO SCALE N.T.S. OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY O.P.R.W.C. **PEDESTAL** PED. PG. PAGE POINT OF BEGINNING P.O.B. POINT OF REFERENCE P.O.R. R.O.W. RIGHT-OF-WAY REFLECTOR POST R.P. **TELEPHONE** TEL. **VOLUME** VOL. RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND TYPE I TXDOT CONCRETE MONUMENT FOUND 3/8" IRON PIPE ◉ FOUND 1/2" IRON ROD SET 1/2" IRON ROD W/CAP "WILCO ROW 5777" 0 CALCULATED POINT Δ WIRE FENCE METAL FENCE -nur----OVERHEAD TELEPHONE OVERHEAD POWER -OHP-EDGE OF ASPHALT

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. The property has access to a public roadway and there are no visible encroachments, except as shown hereon.

JONATHAN O. NOBLESP

07/20/2023

JONATHAN O. NOBLES RPLS NO. 5777

BGE, INC. 101 WEST LOUIS HENNA BLVD., SUITE 400 AUSTIN, TEXAS 78728

TELEPHONE: (512) 879-0400

		CL	IRVE TA	BLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
C1	224.86'	5,769.58	2*13'59"	S 3516'39" W	224.85'

		RECORI	D CURVI	E TABL	E		
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD	BEARING	CHORD	DISTANCE
{C1}		{5,769.58'}					

GENERAL NOTES:

- BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NAD83. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR = 1.00012
- A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.
- 3. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T—163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20, 2023.

RESTRICTIVE COVENANT AND EASEMENT NOTES:

- 10.2 A CHANNEL EASEMENT GRANTED TO STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, DOES NOT AFFECT THE SUBJECT TRACT, AS SHOWN HEREON.
- 10.3 ALL TERMS, CONDITIONS AND PROVISIONS
 OF THAT CERTAIN DEVELOPMENT
 AGREEMENT OF RECORD IN DOCUMENT
 NO. 2017015559 OF THE OFFICIAL
 PUBLIC RECORDS OF WILLIAMSON
 COUNTY, TEXAS, DO AFFECT THE
 SUBJECT TRACT.

	LINE TABLE	-
NUMBER	BEARING	DISTANCE
L1	N 34 ' 00'38" E	1,317.81
L2	S 82*24'00" E	74.62'
L3	S 71°05'21" E	130.07'
L4	S 07*36'00" W	54.49'
L5	N 82'24'00" W	202.16'
L6	N 07'36'00" E	80.00'
L7	N 55*59'22" W	80.00'

REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION



BGE, Inc.
101 West Louis Henna Blvd, Suite 400, Austin, TX 78728
Tel; 512-879-0400 • www.bgeinc.com

TBPLS Licensed Surveying Firm No. 10106502

PARCEL PLAT SHOWING

EASEMENT PARCEL 209D P1

0.334 ACRE

FM 2243

WILLIAMSON COUNTY, TEXAS

**11/ \1	VIOUIT O	0011111	2/1/10
Scale:	Job No.:	Date:	Page:
1"=100'	747300	09/20/2022	4 of 4

EXHIBIT	

County: Williamson Parcel: 209D Part 2 Highway: FM 2243

METES & BOUNDS DESCRIPTION FOR EASEMENT PARCEL 209D PART 2

METES & BOUNDS DESCRIPTION FOR A 0.099 ACRE TRACT OF LAND OUT OF THE MILTON HICKS SURVEY, ABSTRACT NO. 287, WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE REMAINDER OF A CALLED 168.4 ACRE TRACT OF LAND AS CONVEYED TO CSM-MASON FAMILY, LP BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2011086909 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; SAID 0.099 ACRE TRACT OF LAND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS AND SHOWN ON THE ATTACHED SKETCH:

COMMENCING for POINT OF REFERENCE at a TXDOT Type I concrete monument found on the south right-of-way line of said FM 2243 (80 feet wide right-of-way) as dedicated by instruments recorded in Volume 409, Page 78 and Volume 409, Page 377, both of the Deed Records of Williamson County, Texas, and on the north line of the above described CSM-Mason remainder Tract; Thence, with the south right-of-way line of said FM 2243 and the north line of said CSM-Mason remainder Tract, along a curve to the left, an arc distance of 750.78 feet, having a radius of 1,105.92 feet, a central angle of 38°53'48" and a chord which bears N 85°29'31" W a distance of 736.45 feet to a set 1/2-inch iron rod with cap stamped "WILCO ROW 5777"; Thence, departing the south right-of-way line of said FM 2243, over and across said CSM-Mason Tract, S 06°29'15" W a distance of 155.54 feet to a calculated point (NAD-83, Central Zone Grid Coordinates: N: 10,189,231.89, E: 3,093,749.77) for the northwest corner and POINT OF BEGINNING of the herein described tract, 343.60 feet left of FM 2243 baseline station 227+56.94;

THENCE, continuing over and across said CSM-Mason Tract, S 83°30'45" E a distance of 13.00 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 37°57'23" E a distance of 57.11 feet to a calculated angle point;

THENCE, continuing over and across said CSM-Mason Tract, S 82°24'01" E a distance of 96.29 feet to a calculated point for the northeast corner of the herein described tract;

THENCE, continuing over and across said CSM-Mason Tract, S 07°35'59" W a distance of 20.00 feet to a calculated point for the southeast corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 229+07.00;

THENCE, continuing over and across said CSM-Mason Tract, N 82°24'01" W a distance of 148.90 feet to a 1/2-inch iron rod with cap stamped "WILCO ROW 5777" set for the southwest corner of the herein described tract, 283.86 feet left of FM 2243 baseline station 227+58.10;

02/14/2025

Date

THENCE, continuing over and across said CSM-Mason Tract, N 06°29'15" E a distance of 59.75 feet to the **POINT OF BEGINNING** and containing 0.099 acre (4,300 square feet) of land, more or less.

Bearing orientation is based on the Texas State Plane Coordinate System NAD-83, Central Zone 4203. All distances are surface and may be converted to grid by dividing by a scale factor of 1.00012.

I hereby certify that these notes were prepared by BGE from a survey made on the ground under my supervision on May 12, 2022 and are true and correct to the best of my knowledge. A sketch accompanies this description.

Jonathan O. Nobles RPLS Number 5777

BGE, Inc.

101 West Louis Henna Blvd., Suite 400

Austin, TX 78728

Telephone: 512-879-0400

TBPELS Licensed Surveying Firm Number 10106500

Client:

Williamson County


Date:

September 20, 2022

Revised:

February 14, 2025

Project Number:



EGEND

DEED RECORDS OF WILLIAMSON COUNTY FIBER OPTIC MARKER ELECTRIC METER FIRE HYDRANT SUARD RAIL DOCUMENT EASEMENT MANHOLE NUMBER NO. O.P.R.W.C. D.R.W.C. F.O.M. ESMT. I S. Y. E.M.

1.00012

ď

OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY

n

RIGHT—OF—WAY STONE RETAINING WALL POINT OF REFERENCE POINT OF BEGINNING PEDESTAL PAGE PED. P.O.®. S.R.O.®. S.R. W. W.

JNDERGROUND CABLE MARKER SPRINKLER VALVE **TRANSFORMER** TELEPHONE ELEVISION S.V. TEL. TRANS. U.C.M. ۲.<

WATER METER WATER WELL VOLUME V0Ľ W.M.

SET 1/2-INCH IRON ROD W/CAP "WILCO ROW 5777" DATED MAY 1955 & VOL. 409, PG. 377 D.R.W.C. FOUND 1/2" IRON ROD (UNLESS OTHERWISE NOTED) RECORD INFO FOR TXDOT FM 2243 R.O.W. MAP FOUND TYPE I TXDOT CONCRETE MONUMENT CALCULATED POINT

OVERHEAD TELEPHONE OF ASPHALT WIRE FENCE

上岩上

◁ DISTANCE

BEARING LINE LINE

NUMBER

TABLE

13.00 57.11 96.29

83,30,45 37.57,23"

I hereby certify that this survey was made on the ground by BGE, Inc. under my supervision on May 12, 2022 and is true and correct to the best of my knowledge. There are no visible encroachments, except as shown hereon.

02/14/2025

SUITE 400 RPLS NO. 5777 BGE, INC. 101 WEST LOUIS HENNA BLVD., (512) 879-040078728 NATHAN O. NOBLES AUSTIN, TEXAS TELEPHONE:

RESTRICTIVE COVENANT AND EASEMENT NOTES:

GENERAL NOTES

STATE OF TEXAS ACTING THROUGH THE STATE HIGHWAY COMMISSION AS DESCRIBED IN VOLUME 409, PAGE 379 OF THE DEED RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DOES AFFECT</u> THE SUBJECT TRACT, AS SHOWN HEREON. 10.2

BEARING ORIENTATION IS BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE 4203, NADB3. DISTANCES SHOWN HEREON ARE IN SURFACE AND CAN BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED SCALE FACTOR =

A METES AND BOUNDS DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS SKETCH.

ALL TERMS, CONDITIONS AND PROVISIONS OF THAT CERTAIN DEVELOPMENT AGREEMENT OF RECORD IN DOCUMENT NO. 2017015559 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, <u>DO AFFECT</u> THE SUBJECT TRACT. 10.3 S. THIS PARCEL PLAT WAS MADE IN RELIANCE UPON THAT CERTAIN COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE GUARANTY COMPANY AND TEXAS NATIONAL TITLE, INC. UNDER G.F. NO. T—163580, DATED EFFECTIVE JULY 13, 2023 AND ISSUED ON JULY 20 2023.

CURVE TABLE	NUMBER ARC LENGTH RADIUS DELTA CHORD BEARING CHORD DISTANCE	8' 1,105.92' 38'53'48" N 85'29'31" W 736.45'
	ARC LENGTH	750.78'
	NUMBER	5

l le	R ARC LENGTH RADIUS	RADIUS	DELTA	CHORD	BEARING	CHORD	DELTA CHORD BEARING CHORD DISTANCE
		{1,105.92'}					
드	ι the ground						

RECORD CURVE TABLE

NUMBE <u>~</u> REVISED 7/20/2023 — UPDATED PARCEL BOUNDARY REVISED 2/14/2025 — UPDATED PARCEL BOUNDARY & ADDED TITLE COMMITMENT INFORMATION

BGE, Inc. 器

101 West Louis Henna Blvd, Suite 400, Austin, TX 78728 Tel: 512-879-0400 • www.bgeinc.com TBPLS Licensed Surveying Firm No. 10106502

P2 PLAT SHOWING EASEMENT PARCEL 209D 0.099 ACRE 2243 ΕM PARCEL

TEXAS 4 of 09/20/2022 COUNTY 7473-00 WILLIAMSON Job No.: 1"=100Scale:

A SOISTERN. 7.0 FESSION 1 JONATHAN O. NC 9 The state of the s

> 148.90 20.00

> > ≥

 Γ 9

ш

82.24,01"

S S S z Z

7 2 07*35'59" 82.24'01" 06.29'15"

4

59.75

ш