


Overview

- COVID by the numbers
- Vaccine updates
- Quarantine updates

COVID-19 case rate is decreasing.

Cases per 100K



Yolo has Moderate community transmission.


Yolo
3.8/100k/day
27/100k/week

Table 1. CDC Indicators and Thresholds for Community Transmission of COVID-19¹




Indicator	Low Transmission Blue	Moderate Transmission Yellow	Substantial Transmission Orange	High Transmission Red
Total new cases per 100,000 persons in the past 7 days ²	0-9	10-49	50-99	≥100

COVID-19 hospitalizations are very low.




Date	COVID-19+ Patients in Hospital
4/11	1, 0 ICU
3/7	4, 3 ICU
1/27	29, 8 ICU




*On 4/11, 1/1 (100%) hospitalized COVID-19 patients were unvaccinated
Source: California Hospital Association and Yolo County MHOAC

Virus trends in wastewater are variable.


Esparto




Winters




Woodland



Davis



UC Davis



BA.2 Omicron subvariant is now dominant.

- BA.2 Omicron subvariant now accounts for 68% of cases in Yolo County
 - 30-50% more infectious than BA.1
 - Severity similar to BA.1
 - Reinfection with BA.2 rare after BA.1

Yolo County vaccination rate near state average.

Location	Age Group	% Fully Vaccinated	% FV & Boosted
Yolo County	All Ages	70.0%	57.1%
California	All Ages	71.4%	50.0%
Yolo County	5+	73.9%	N/A
California	5+	75.9%	N/A
Yolo County	12+	76.6%	60.4%
California	12+	80.1%	52.2%
Yolo County	65+	95.0%	77.7%
California	65+	89.5%	72.3%

Adults 50+ eligible for second booster.

- FDA authorized 2nd booster for adults 50+ 4 months after 1st booster
 - Most important for 65+, 50+ with underlying conditions
- FDA also authorized 2nd booster for immunocompromised 12+ 4 months after 1st booster
 - Immunocompromised can receive total of 5 mRNA doses
- Second boosters available at doctor's offices, retail pharmacies, County-run clinics, and DoorVax program

Quarantine no longer required for general public after exposure.

- On 4/6, CDPH updated quarantine guidance for general public: no longer recommend exposed persons without symptoms to quarantine
- Yolo County rescinded local quarantine order on 4/7
- If exposed, get tested and wear a mask, but no need to stay home unless work or live in high-risk setting (e.g., healthcare, long-term care jail, shelter)
- Infected persons still required to isolate